



ClearPool Expert™

6 Way

Test Strips

DOWNLOAD THE FREE

MANUAL
MOBILE
ONLINE

PoolTime.com

MANUAL POOLSIDE TESTING:

Dip one test strip into pool water at elbow depth and away from jets. Hold strip level for 15 seconds. Compare color of test pads to color strip on back of bottle.

1. **Total Hardness** must be:
200-275 ppm for plaster pools
175-225 ppm for vinyl, fiberglass or painted pools
2. **Total Chlorine** must be:
1.0-4.0 ppm for chlorinated pools
3. **Free Available Chlorine** must be:
1.0-4.0 ppm for chlorinated pools
4. **Bromine**
Tablets: 2.0-4.0 ppm
Granules: 3.0-6.0 ppm
5. **pH** should be kept at 7.2-7.6 for best results
6. **Total Alkalinity** must be:
80-125 ppm for plaster pools
125-150 ppm for vinyl, fiberglass or painted pools
7. **Stabilizer** must be at least 30 ppm

MOBILE TESTING:

1. Download the **FREE Pool Time ClearPool Expert™** APP
2. Create user profile on the **Pool Time ClearPool Expert** APP
3. Compare color on test pad to color chart on the bottle, then enter results on the app's test results screen.

ONLINE TESTING:

1. Log on to www.PoolTime.com and enter the online **Pool Time ClearPool Expert** water testing program
2. Create a user profile if you haven't already
3. Compare color on test pad to color chart on the bottle, then enter results on the website's test results screen.

Note:

See product labels for specific dosage instructions.
Test strips are not reusable.

Important:

Keep bottle cap closed between uses.
Store at room temperature.