



World's Strongest Bond™
www.jbweld.com

Technical Data/ Use and Care Sheet

Wood Restore
Premium Epoxy Putty

Revision date:
May 2019

PRODUCT BRIEF

J-B Weld® Wood Restore Premium Epoxy Putty is hand mixable and specially formulated to repair and rebuild wood quickly and easily. When applied, it adds structural strength to areas damaged by rotted wood. After mixing, it forms a polymer compound that cures to the same density as wood. It may be used for exterior or interior applications, contains no solvents, will not rot, shrink, crack or pull away. After 60 minutes it can be sanded, tapped, machined, drilled, filed and painted.

Part Number	Container Size		
40005	(2) 6 oz. Plastic Tubs		
40006	(2) 16 oz. Plastic Tubs		
40007	(2) 32 oz. Plastic Tubs		

PRODUCT BENEFITS

- Exterior and Interior Use
- Easy to shape and mold
- Can be sanded, tapped, machined, drilled, filed and painted
- Fast Drying-Paint in 1 Hour
- Can be used on **VERTICAL surfaces**

TYPICAL APPLICATIONS

- Can be used on wood, fiberglass, and many other surfaces.
- Replace missing sections of windowsills, frames, furniture
- Repairing Rotted Wood
- Repairing Garage Doors

DIRECTIONS FOR USE

- 1. PREPARE SURFACE:** Before applying remove loose and rotted wood. Use J-B Weld® Wood Restore Liquid Hardener or Premium Liquid Epoxy to seal and solidify rotted wood surfaces.
- 2. MIXING:** Scoop out equal amounts of the required Part A and Part B Epoxy Putty. Knead with spreader or gloved fingers, until mixed thoroughly and a uniform color appears.
- 3. APPLICATION:** Press material in firmly, sculpting and contouring to the desired appearance.
- 4. DRYING:** Cures in 10-20 minutes. Functional cure occurs in 60 minutes. Paintable after 1 hour.
- 5. CLEAN-UP:** Tools and hands can be cleaned with acetone prior to filler hardening.

Transport Information:

This product is shipped by ground or rail as a non-regulated.

Prop-65:

YES

GENERAL INFORMATION

The companion products to #40005/40006/40007 J-B Weld® Wood Restore Premium Epoxy Putty are #40001 J-B Weld® Wood Restore Liquid Hardener or #40002 J-B Weld® Premium Liquid Epoxy.

DISCLAIMER

The information and recommendations contained herein are based on our research and are believed to be accurate, but no warranty, express or implied, is made or should be inferred. Purchasers should test the products to determine acceptable quality and suitability for their own intended use.