



Safety Data Sheet

1 - Identification

Product Name: 2000 Flushes Blue plus Bleach EPA Registration Number: 6836-288-71903	Manufacturer: WD-40 Company Address: 9715 Businesspark Avenue San Diego, California, USA 92131
Product Use: Toilet Bowl Cleaner and Deodorizer Use only according to label directions. It is a violation of Federal law to use this product in a manner inconsistent to label directions.	Telephone: 1-888-324-7596 Emergency: 1-888-324-7596 Information: 1-888-324-7596 Chemical Spills: 1-800-424-9300 (Chemtrec) 1-703-527-3887 (International Calls)
Restrictions on Use: None identified	
SDS Date Of Preparation: July 18, 2018	

2 – Hazards Identification

Hazcom 2012/GHS Classification:

Bleach Tablet

Oxidizing Solids Category 3
 Acute Toxicity Category 4 (Oral)
 Eye Damage Category 1
 Skin Corrosion Category 1C
 Skin Sensitization Category 1

Deodorant Tablet

Eye Irritant Category 2A
 Skin Irritant Category 2

Note: This product is a consumer product and is labeled in accordance with the US Consumer Product Safety Commission regulations which take precedence over OSHA Hazard Communication labeling. The actual container label will not include the label elements below. The labeling below applies to industrial/professional products.

Label Elements:

Bleach Tablet



DANGER!

May intensify fire; oxidizer
 Harmful if swallowed.
 Causes severe skin burns and eye damage.
 May cause an allergic skin reaction.

Prevention

Keep away from heat.
 Keep or Store away from clothing and combustible materials.
 Take any precaution to avoid mixing with combustibles.
 Do not breathe dusts.

Deodorant Tablet



WARNING!

Causes skin irritation.
 Causes serious eye irritation.

Prevention

Wash thoroughly after handling.
 Wear protective gloves and eye protection.

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If eye irritation persists: Get medical advice or attention.

Wash thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 Contaminated work clothing must not be allowed out of the workplace.
 Wear protective gloves and eye protection.

Response
 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 Immediately call a POISON CENTER or doctor.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 Immediately call a POISON CENTER or doctor.
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
 Wash contaminated clothing before reuse.
 Immediately call a POISON CENTER or doctor.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 Immediately call a POISON CENTER or doctor.
 In case of fire: Use water or foam to extinguish.

Storage
 Store locked up.

Disposal
 Dispose of contents and container in accordance with local and national regulations.

IF ON SKIN: Wash with plenty of soap and water.
 If skin irritation occurs: Get medical advice or attention.
 Take off contaminated clothing and wash before reuse.

1.8% of the mixture consists of ingredients of unknown acute toxicity.

3 - Composition/Information on Ingredients

Ingredient	CAS #	Weight Percent	US Hazcom 2012/ GHS Classification
Deodorant Tablet			
Cocoamide MEA	68140-00-1	30-40%	Eye Irritant Category 2A Skin Irritant Category 2
Sodium Sulfate	7727-73-3	30-40%	Not Hazardous
Sodium Lauryl Sulfate	151-21-3	10-20%	Acute Toxicity Category 4 Eye Irritant Category 2A Skin Irritant Category 2 Single Exposure Category 3 (Irritant)
Acid Blue #9	3844-45-9	10-20%	Not Hazardous
Pine Oil	97435-14-8	1-5%	Eye Irritant Category 2A Skin Irritant Category 2 Specific Target Organ Toxicity- Single Exposure Category 3 (Irritant)
Sodium Chloride	7647-14-5	1-5%	Not Hazardous
Bleach Tablet			
1,3-Dichloro-5,5-dimethylhydantoin	118-52-5	81.1%	Oxidizing Solid Category 3 Acute Toxicity Category 4 (Oral) Skin Corrosion Category 1C Skin Sensitization Category 1
1,3-Dichloro-5-ethyl-5-	89415-87-2	16.1%	Oxidizing Solid Category 3

methylhydantoin			Acute Toxicity Category 4 (Oral) Skin Corrosion Category 1C
Chloro-5-ethyl-5-methylhydantoin	Not assigned	1.8%	Not Classified
Water	7732-18-5	1.0%	Not Hazardous

Note: The specific chemical identity and exact percentages are a trade secret.

4 – First Aid Measures

Ingestion (Swallowed):

Bleach Tablet: Rinse out mouth and give sips of water if the person is able to swallow and is alert. DO NOT INDUCE VOMITING. Get immediate medical attention. Call physician, poison control center or the WD-40 Safety Hotline at 1-888-324-7596.

Deodorant Tablet: Rinse mouth and dilute with fluids. Call physician, poison control center or the WD-40 Safety Hotline at 1-888-324-7596.

Eye Contact:

Bleach Tablet: Flush thoroughly with water. Remove contact lenses, if present, after the first 5 minutes and flush again with water for at least 15 -20 minutes. Get immediate medical attention.

Deodorant Tablet: Immediately flush eyes with plenty of water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get medical attention if irritation persists.

Skin Contact:

Bleach Tablet: Immediately flush skin with plenty of water for 15-20 minutes. Remove any contaminated clothing and rinse immediately with water to dilute concentrated bleach. Launder clothing before reuse. Get immediate medical attention. Note: concentrated bleach in contact with clothing may be a fire hazard.

Deodorant Tablet: Wash with soap and water for several minutes. Remove contaminated clothing and wash before reuse. If irritation develops and persists, get medical attention.

Inhalation (Breathing):

Bleach Tablet: If dust from product is inhaled, move to fresh air. If the person is not breathing call 911 or an ambulance, then give artificial respiration. Call a poison center for treatment advice. Have the product container or label with you when calling a poison center or going for treatment.

Deodorant Tablet: Move to fresh air. Get medical attention if irritation develops and persists.

Signs and Symptoms of Exposure: Bleach tablets are corrosive and may cause burns to the eyes, skin, mouth and gastrointestinal tract. May be fatal if swallowed. Repeated exposure may cause an allergic skin reaction (sensitization). Contact with the blue deodorant tablet may cause moderate eye and skin irritation.

Indication of Immediate Medical Attention/Special Treatment Needed:

Bleach Tablet: Immediate medical attention is needed for all routes of contact. Note to physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Deodorant Tablet: Immediate medical attention is generally not required.

5 – Fire Fighting Measures

Suitable (and unsuitable) Extinguishing Media: Flood with water or foam. Do not use dry chemicals, carbon dioxide or halogenated extinguishing agents.

Specific Hazards Arising from the Chemical: Heating Bleach Tablets will generate noxious gases. To minimize the generation of these gases, flood with a large quantity of water. Bleach Tablets are strong oxidizers and may react with flammable or combustible materials to cause a fire or explosion.

Special Protective Equipment and Precautions for Fire-Fighters: Firefighters should always wear positive pressure self-contained breathing apparatus and full protective clothing.

6 – Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures: Eliminate all sources of ignition and ventilate area. Wear appropriate protective clothing (see Section 8).

Methods and Materials for Containment/Cleanup: Bleach Tablets spilled from a single retail package should be carefully collected and flushed down the drain with plenty of water. Do not generate airborne dust. If a damp cloth or paper towel is used to collect material, rinse it thoroughly with a large amount of water

before reuse or disposal. Concentrated bleach may cause a fire in contact with paper, rags or other combustible material. Large amounts should be carefully collected into a plastic container for disposal.

For small spills of Deodorant (one retail container or less) flush down drain with plenty of water. For larger spills, collect and place in a sealable container for later disposal.

7 – Handling and Storage

Precautions for Safe Handling: Do not touch tablet. Avoid breathing dust from product. Do not get in eyes, on skin or clothing. Wear rubber gloves when handling. Wash thoroughly after use. DO NOT mix with anything other than water. Keep Bleach Tablets away from flammable and combustible materials. Keep away from heat, sparks, pilot lights, hot surfaces and open flames. Keep out of the reach of children.

Conditions for Safe Storage: Store in original container in areas inaccessible to children in a cool, dry, well-ventilated area. Do not store at elevated temperatures. Avoid heat and direct sunlight.

8 – Exposure Controls/Personal Protection

Chemical	Occupational Exposure Limits
Cocoamide MEA	None Established
Sodium Sulfate	None Established
Sodium Lauryl Sulfate	None Established
Acid Blue #9	None Established
Pine Oil	None Established
Sodium Chloride	None Established
1,3-Dichloro-5,5-dimethylhydantoin	0.2 mg/m ³ TWA, 0.4 mg/m ³ STEL ACGIH TLV 0.2 mg/m ³ TWA OSHA PEL
1,3-Dichloro-5-ethyl-5-methylhydantoin	0.2 mg/m ³ TWA (Manufacturer Recommended)
Chloro-5-ethyl-5-methylhydantoin	0.2 mg/m ³ TWA (Manufacturer Recommended)
Water	None Established

The Following Controls are Recommended for Normal Consumer Use of this Product

Appropriate Engineering Controls: No special controls required for normal use.

Personal Protection:

Eye Protection: None normally required. Prevent eye contact. When opening, hold plastic pouch away from face.

Skin Protection: Avoid skin contact. Wear rubber gloves when handling product.

Respiratory Protection: None required for normal use.

For Bulk Processing or Workplace Use the Following Controls are Recommended

Appropriate Engineering Controls: Use with adequate general ventilation or local exhaust to minimize exposure levels.

Personal Protection:

Eye Protection: Chemical safety goggles recommended.

Skin Protection: Wear rubber gloves and protective clothing as required to prevent skin contact.

Respiratory Protection: None required for handling finished product. If exposure levels are excessive, wear an approved respirator. Selection of respiratory protection depends on the contaminant type, form and concentration. Follow OSHA 1910.134, ANSI Z88.2 and good Industrial Hygiene practice.

Work/Hygiene Practices: Prevent contact with the eyes, skin and clothing. Wash thoroughly after handling.

9 – Physical and Chemical Properties

Appearance:	<i>Bleach Tablet:</i> Off-white tablet <i>Deodorant Tablet:</i> Blue Solid	Flammable Limits:	Not applicable
-------------	---	-------------------	----------------

Odor:	<i>Bleach Tablet:</i> Very slight, pungent odor <i>Deodorant Tablet:</i> Pleasant odor	Vapor Pressure:	Not applicable
Odor Threshold:	Not established	Vapor Density:	Not applicable
pH:	<i>Bleach Tablet:</i> 3.6 (1% Solution)	Relative Density:	Not established
Melting/Freezing Point:	Not established	Solubilities:	<i>Bleach Tablet:</i> 0.56 g/100g @ 25°C <i>Deodorant Tablet:</i> 100% Soluble in water
Boiling Point/Range:	Not established	Partition Coefficient; n-octanol/water:	Not established
Flash Point:	None	Autoignition Temperature:	Not established
Evaporation Rate:	<1 (butyl acetate=1)	Decomposition Temperature:	Not established
Flammability (solid, gas):	Not established	Viscosity:	Not applicable
VOC:	<i>Deodorant Tablet:</i> 2%	Pour Point:	Not applicable

10 – Stability and Reactivity

Reactivity: Not reactive under normal conditions

Chemical Stability: Stable

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Avoid high temperatures and direct sunlight.

Incompatible Materials: Acids, bases, moisture, reducing agents, readily utilizable materials including flammable and combustible materials.

Hazardous Decomposition Products: Thermal decomposition of Bleach Tablets may generate noxious gases including chlorine, nitrogen oxides, carbon oxides, organic materials.

11 – Toxicological Information

Symptoms of Overexposure:

Inhalation: Inhalation is not a normal route of exposure for this product. If dust from Bleach Tablets is inhaled, severe irritation of the nose, mouth and upper respiratory tract would be expected. May aggravate existing respiratory conditions such as asthma. No adverse effects expected in an otherwise healthy individual exposed to the solid Deodorant.

Skin Contact: Bleach Tablets are corrosive. Direct contact with bleach tablet may cause severe irritation and possible burns. Repeated skin contact may result in sensitization with swelling and rash. Contact with the Deodorant tablet may cause moderate irritation to skin.

Eye Contact: Bleach Tablets are corrosive. Direct contact will cause severe irritation, pain, burns and possible permanent eye damage. Direct contact with Deodorant tablet may cause moderate irritation to eyes.

Ingestion: Bleach Tablets are corrosive and will cause immediate and severe burns of the mucous membranes of the mouth and gastrointestinal tract. May be fatal if swallowed. Swallowing deodorant may produce mild gastrointestinal upset if ingested involving nausea, vomiting and diarrhea.

Chronic Effects: None currently known.

Carcinogen Status: None of the components are listed as a carcinogen or suspect carcinogen by IARC, NTP, ACGIH or OSHA.

Reproductive Toxicity: None of the components is considered a reproductive hazard.

Numerical Measures of Toxicity:

Cocoamide MEA: LD50 oral rat >5000 mg/kg

Sodium Lauryl Sulfate: LD50 oral rat 1200 mg/kg, LD50 dermal >2000 mg/kg

Pine Oil: LD50 oral rat 3200 mg/kg; LD50 dermal rat >2000 mg/kg

1,3-Dichloro-5,5-dimethylhydantoin: Oral rat LD50- 618 mg/kg, Dermal rabbit LD50- >20 g/kg; Eye irritation (rabbit) - severe, Skin irritation (rabbit) - corrosive, Buehler test (guinea pig) - sensitizing.

1, 3-Dichloro-5-ethyl-5-methylhydantoin: Oral rat LD50- 579 mg/kg; Skin irritation (rabbit) - corrosive.
Chloro-5-ethyl-5-methylhydantoin: No toxicity data available

12 – Ecological Information

Ecotoxicity:

1,3-Dichloro-5,5-dimethylhydantoin: 96 hr LC50 Rainbow trout- 1.10 mg/L, 48 hr EC50 Daphnia magna- 0.95 mg/L

1,3-Dichloro-5-ethyl-5-methylhydantoin: 96 hr LC50 Rainbow trout- 1.10 mg/L, 96 hr LC50 Bluegill sunfish- 0.87 mg/L, 48 hr EC50 Daphnia magna- 0.95 mg/L, 72 hr EbC50 Green algae- 0.12 mg/L.

Concentrated Bleach is very toxic to aquatic organisms. Diluted product in use is not expected to present a hazard to the environment.

Persistence and Degradability: No data available

Bioaccumulative Potential: Bioaccumulation is not expected from the bleach tablet based on an assessment of the ingredients.

Mobility in Soil: No data available

Other Adverse Effects: None known

13 - Disposal Considerations

Dispose in accordance with federal, state, and local regulations. RCRA hazardous waste no: D001

14 – Transportation Information

DOT Surface Shipping Description: UN3085, Oxidizing Solid, Corrosive, N.O.S. (1,3-dichloro-5,5-dimethylimidazolidine-2,4-dione), 5.1 (8), III, Ltd Qty

Canadian TDG Shipping Description: Consumer Commodity (Limited Quantity)

IMDG Shipping Description: UN3085, OXIDIZING SOLID, CORROSIVE, N.O.S. (1, 3-DICHLORO-5, 5-DIMETHYLIMIDAZOLIDINE-2, 4-DIONE), 5.1 (8), III

ICAO Shipping Description: UN3085, OXIDIZING SOLID, CORROSIVE, N.O.S. (1, 3-DICHLORO-5, 5-DIMETHYLIMIDAZOLIDINE-2, 4-DIONE), 5.1 (8), III

*Note: Inner packages with less than 5 liters of liquid/ 5 kg of solid are exempt from Marine Pollutant per IMDG Code 2.10.2.7 and ICAO Special Provision A197.

NOTE: WD-40 Company does not test containers to assure that they meet the requirements for transport by air. We do not recommend that our products be transported by air.

15 – Regulatory Information

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

FIFRA Labeling:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Highly corrosive. May be fatal if swallowed. DO NOT TAKE INTERNALLY. Causes eye and skin damage. Irritating to nose and throat. Avoid breathing dust. Do not get into eyes, on skin or clothing. Wear rubber gloves when handling and wash thoroughly after handling.

PHYSICAL AND CHEMICAL HAZARDS

CHEMICAL HAZARD: STRONG OXIDIZING AGENT. Keep away from heat or flame. Mix only with water.

U.S. Federal Regulations:

CERCLA 103 Reportable Quantity: This product is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills as required under federal, state and local regulations.

SARA TITLE III:

Hazard Category For Section 311/312: Acute Health, Fire Hazard,

Section 313 Toxic Chemicals: This product contains the following chemicals subject to SARA Title III Section 313 Reporting requirements: None

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All ingredients for this product are listed on the TSCA inventory or exempt from notification. This product is an EPA registered pesticide, EPA Registration No 6836-288-71903.

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65): This product does not require a California Proposition 65 warning.

VOC Regulations: This product complies with the consumer product VOC limits of CARB, the US EPA and states adopting the OTC VOC rules.

Canadian Environmental Protection Act: All of the ingredients are listed on the Canadian Domestic Substances List or exempt from notification.

16 – Other Information:

HMIS Hazard Rating:

Health – 3 (serious hazard), Fire Hazard – 0 (minimal hazard), Physical Hazard – 2 (moderate hazard)

Revision Date: January 30, 2019

Supersedes: July 18, 2018

Prepared by: Industrial Health & Safety Consultants, Inc. Shelton, CT, USA

1088000/No.23

1078000/No.23