


Wood Joining & Woodworking Tools





General Tools & Instruments

Tube

GeneralToolsNYC

This is <u>the</u> cutting-edge Face Frame Jig System

Clamp, drill and fasten in one simple set-up!

This easy-to-use system simplifies fabrication and increases productivity of face frames, cabinet doors and other woodworking assemblies. In one simple operation, you can align, securely clamp, bore pocket holes and screw components together–*right out of the box*.

Now available through Woodcraft Supply: woodcraft.com/generaltools



Specialty Tools & Instruments

Precision, Specialty & Innovation...since 1922

General Tools & Instruments 80 White Street, New York, NY 10013 | tel 800-697-8665 | www.generaltools.com

Check out General's full line of woodworking jigs



Crown King Crown Molding Jig helps you make seamless, perfectly mitered interior and exterior corner joints.



The E•Z Pro[™] Mortise & Tenon Jig lets you make perfectly matched mortise & tenon joints with one jig. #870

The E•Z Pro[™] Dovetail Jig lets you make dovetail and box joints – through or half-blind. #861

The E•Z Pro[™] Pocket Hole Jig has everything you need to make flush, corner and angle pocket hole joints. #850



The E•Z Pro[™] Doweling Jig lets you make perfectly aligned dowel joints every time. #851











WOOD JOINING TOOLS Face Frame Jig



THE FIRST OF ITS KIND: Clamp, Drill and Fasten In One Simple Set-Up

Assemble professional quality face frames and cabinet doors using General's **NEW** patented **Face Frame Jig System**





GENERAL

- Accommodates Stock from 1-1/4" to 2-1/2" Wide
- Pocket Hole Spacing Adjustment 3/4" to 1-1/2"
- Stock Thickness Adjustment 3/4" to 1"
- Includes Step Drill with Locking Collar and Face Frame Fasteners
- Patent # US 6,394, 712 B1

Professional Face Frame Jig System X1 - #8561

- 1 Face Frame System Jig
- 1 Face Frame System Heavy Duty T-Track (20")
- 1 Face Frame System Carriage Stop Set (2 Stops)
- 1 Face Frame System Step Drill
- 1 Face Frame System Square Drive Screwdriver Bit
- 1 Face Frame System Square Drive Fasteners (100 Fine)

UPC	NO.	
02194 6	8561	Face Frame Jig System X1
02195 3	8562	Face Frame Jig System X2
02191 5	856	Face Frame Jig
02193 9	856T	Heavy Duty T-Track
02192 2	856S	Carriage Stops (2)
00052 2	32	Step Drill
02122 9	8492	Square Drive Screwdriver Bit
08498 9	8598	Square Drive Fasteners (100)



Professional Face Frame Jig System X2 - #8562

- 2 Face Frame System Jigs
- 2 Face Frame System Heavy Duty T-Tracks (20")
- 1 Face Frame System Carriage Stop Set (2 Stops)
- 1 Face Frame System Step Drill
- 1 Face Frame System Square Drive Screwdriver Bit
- 1 Face Frame System Square Drive Fasteners (100 Fine)





WOOD JOINING TOOLS

Crown Molding Jig

Professionally Cut Perfectly Mitered Interior and Exterior Corner Joints – in the same alignment as they are installed on the wall



Create the Crown in Four Easy Steps

1. Measure

GENERAL

- 2. Set-Up
- **3. Cut**
- 4. Install

Eliminates:

- Difficult angle calculations
- Coping of joints
- Compound-angle cutting
- Auxiliary fences
- Confusing upside-down miter box positioning



45° Spring Angle Crown Molding Jig with Adapter for 52° and 38° Spring Angles



No. 881

See CROWN KING in action! www.generaltools.com/crownking



UPC 02200 4

NO

881



5

WOOD JOINING TOOLS Mortise & Tenon Jig

General Tools offers one of the best assortments of wood joining jigs available including our new Mortise and Tenon Jig, The Dovetailer II Jig, and the award-winning EZ Pocket Hole Jig and EZ Jointer Clamp Kits. These heavy-duty woodworking tools are ideal for furniture building, cabinetry making and other professional carpentry projects. In addition, we offer plenty of wood joining accessories such as screws, plugs and drill bits.



MORTISE & TENON JIG

- Create professional matching Mortise & Tenon Joints
 Right Out of the Box
- The first of its kind, all-in-one precision machined Mortise & Tenon Jig
- Produce 1/4", 3/8" and 1/2" Mortise and Tenons
- Includes: 1/4" high-speed steel spiral upcut router bit and User's Manual

The Mortise & Tenon joint has been used for thousands of years. Not until now has someone figured out how to provide a fast and straightforward all-in-one solution for cutting both a matching mortise & tenon with a single affordable jig. General's E•Z Pro[™] Mortise & Tenon Jig is ready to use right out-of-the-box to produce the widely used 1/4" mortise and tenon joint. Using a plunge router with the jig, woodworkers of all levels can quickly and easily cut both mortises and tenons ranging from 1/4" to 1/2" thick, and from 1" to 3" wide. Without difficulty, this unit can easily handle wood stock ranging from 1/2" to 1-1/2" thick and can cut multiple mortises in a single long piece.



No. 870

Patent Pending



	÷
Length: 14-1/2" Width: 4-1/2"	Height: 4" Weight: 2-1/2 lbs

• Kit includes: 1/4" Spiral upcut router bit, Bushing kit, Wrench, User's manual

 UPC
 NO.

 26008 3
 870





E-Z Pro

WOOD JOINING TOOLS

"The Easy Way to Make Professional Furniture Joints"

DOVETAIL JIG

With the E•Z Pro[™] Dovetailer II and your router, you can cut Professional Dovetail Joints, Simply and Accurately... Right Out Of The Box!

- Self-aligning design ensures that both ends of the dovetail joint match-up evenly every time
- Sturdy machined one piece aluminum construction
- Easily adjusts the dovetail interference to create loose or tight joints
- · Portable to your worksite or home workshop
- Use with hand or table router
- New table router control knobs assure safe, comfortable and accurate use
- No need to bolt to the jig onto workbench like many expensive dovetail jigs
- Integrated clamps allow precise clamping of jig to work piece
- Accommodates boards of any widths
- Length: 12"; Width: 3"; Height: 3"; Weight: 2-Ibs. 1.1oz.

Kit includes: 1/2" Dovetail Router bit, User's Manual


UPC	NO.
00861 9	861



Cuts Half-Blind Joints



Cuts Through Joints





No. 861 Patent No. 7828024



Pocket Hole Jig

Pocket hole joints are sturdy and simple to make with a drilling jig. By drilling steeply pitched counter bores in one joint member, you can drive selftapping screws into the other without pilot holes. Ideal for leg and rail connections and face frame cabinet construction.

GENERAL

E-Z Pro Pocket Hole Jig Kits



No. 849

- Ideal for leg-and-rail connections, cabinet construction, sneaking screws into tight-squeeze spots or fastening picture frame miters
- Heavy-duty aluminum extrusion and hardened steel bushings
- By drilling steeply pitched counterbores in one joint member, you can drive self-tapping screws into the other joint member without pilot holes
- Built to be portable or bench mounted

849 KIT INCLUDES

• 1 Pocket Hole Jig; 3/8" Step Drill Bit; 1 3/8" Drill Stop and Hex Wrench; 6" Steel Square Drive Bit; Square Drive Screws, Instructions

UPC	NO.	
00515	849	



WOOD JOINING TOOLS Pocket Hole Jig



E•**Z** *Pro* **Woodworking** For the Professional and the Do-It-Yourselfer

E-Z Pro Pocket Hole Jig Kit



849

SMART DESIGN

- Heavy-duty aluminum extrusion & hardened steel drill bushings
- Built to be portable or bench mounted, and designed with a built-in clamping system

www.

~~~~

#### THREE TYPES OF POCKET HOLE JOINTS

• Flush, Corner & Angle

Patent No. 6,254,320







AWARD WIN





For more information visit generaltools.com/joiningtools

Photos property of Woodworker's Journal



## WOOD JOINING TOOLS Doweling Jig Kits

Our E•Z Pro Doweling Kits includes everything you need to make beautiful wood joints like a pro! This heavy-duty aluminum jig simplifies the doweling process, allowing you to create Edge-to-Edge, Right Angle and Edge-to-Surface joints with little effort. No. 8401 Dowel Accessory Kit can be used with both the No. 840 and No. 841 Doweling Jigs.

GENERAL

# E-Z Pro DOWELING JIG KITS



#### **841 DELUXE DOWELING JIG KIT**

- Dowels add mechanical strength to butt joints and keep miters lined up during clamping
- The pointed notches on the working edges of our jig centers the drill bit automatically for precise registration
- Create 3 types of dowel joints: Edge to edge, right angle, edge to surface, as well as 3 sizes of dowel joints; 1/4", 5/16" and 3/8"
- Ideal for 5/8", 3/4" and 1" thick stock

FSC<sup>e</sup> C101767 The mark of sponsible forestry • **Kit includes**: 1 Dowel Jig; 3 Brad Point Drill Bits; 1/4", 5/16", 3/8"; 3 steel stop collars, 1/4", 5/16" and 3/8" with Hex Wrench, 6 Dowel Center Points; 2 each of 1/4", 5/16" 3/8", supply of wood dowels, Instructions

UPC NO. 000317 841





Patent No. 7,001,118

#### **851 DELUXE DOWELING JIG KIT**

The **Deluxe Doweling Jig Kit** allows users to produce three types of strong, precision dowel joints in three sizes (1/4 in., 5/16 in. and 3/8 in.) with little effort. Whether creating edge-to-edge, right angle corner or right angle edge-to-surface dowel joints, the heavy duty aluminum jig effectively simplifies the process and is anodized in a gold color to impede corrosion. The pointed notches on the working edges of the jig center the drill bit automatically for precise registration. The included wood dowels add mechanical strength to butt joints and keep miters lined up during clamping.





• **Kit includes**: 1 Dowel Jig; 3 Brad Point Drill Bits (1/4 in., 5/16 in. and 3/8 in. diameter); 3 Steel Stop Collars (1/4 in., 5/16 in. and 3/8 in. diameter) with Hex Wrench; 3 Bushings (1/4 in., 5/16 in. and 3/8 in. diameter); 6 Dowel Center Points (2 each of 1/4 in., 5/16 in. and 3/8 in. diameter); 3 sets of 1-1/2 in. long Wood Dowels (24 each of 1/4 in., 5/16 in. and 3/8 in. diameter); Wood Glue; Instructions

UPC NO. 08401 9 851


Photos property of Woodworker's Journal

## WOOD JOINING TOOLS Pro Doweling Kit

General's Pro Doweling Jig is a precision jig that assures the accurate line-up of dowel holes in furniture and carpentry. Simply clamp the jig onto your workpiece to quickly and accurately drill holes for dowel pins requiring exact alignment in the edge, end or surface of your work.







For clean joints that need to be strong and fastener-free, there's almost no substitute for the dowel joint. However, if dowel holes are even slightly askew, the dowels won't mesh rendering the joint unusable. General's Pro Doweling Jig offers a simple, versatile way to produce precision edge-to-edge, right angle, or edge-to-surface joints. The Kit features: three size dowels (1/4", 5/16" and 3/8"), and the jig has three different drilling positions designed for stock of 5/8", 3/4" and 1" thick. Steel stops allow you to vary the depth of the cut. Perfect for joints that will be press fit or glued.









#### **PRO-DOWELING KIT**

- A precision jig that assures accurate line up of dowel holes in furniture and carpentry
- Revolving hardened sintered turret has six twist drill sizes
- Instructions included
- Drill sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2"

Kit includes:
1 Doweling Jig;
3 Brad Point Drill Bits, 1/4", 5/16", 3/8";
Dowel Centers Set from 3/16" ID to 1/2" OD;
3 Drill Stops, 1/4", 5/16", 3/8";
30 Dowel Pins, 10 each 1/4", 5/16", 3/8";
Wood Glue
UPC NO.
24120 7 840

### WOOD JOINING TOOLS Jointer Clamps

Clamps and run the stock along the rip fen

General's E•Z Pro<sup>™</sup> Jointer Clamp Kit is the alternative to expensive jointers. Now, you can straight-line rip crooked boards using your table saw! Just attach your crooked board to a piece of straight stock using the Jointer

Clamps and run the stock along the rip fence to rip the crooked board. Works in two easy passes. Great for use with long stock. Patented swing arm design allows you to accurately rip wide boards with ease.

GENERAL

## E-Z Pro TRU-EDGER JOINTER CLAMPS



E-Z Jointer Clamp Kit (Model 846) under US Patent #7000519, is the long-awaited alternative to expensive jointers. Now, you can straight-line rip or joint crooked boards using your table saw! Just attach your crooked board to a piece of straight stock using the Jointer Clamps and run the stock along the rip fence to rip the crooked board. The Jointer Clamp works in two easy passes and is great for use with long stock.

- The long awaited alternative to expensive jointers!
- Straight line rip crooked boards on your table saw
- · Get a dead-flat edge every time, with no extra waste
- The jointer clamps work on any length stock up to 2" thick
- Instructions included
- UPC NO.
- 00001 0 846





Patented Swing Arm design allows you to accurately rip wide boards with ease





Photos property of Woodworker's Journal



## WOOD JOINING TOOLS Precision Drill Guide

The AccuDrill Precision Drill Guide adds a whole new level of accuracy to your standard power drill. The AccuDrill is great for angle drilling, doweling, plug cutting and even edge sanding. With the easy-to-use protractor scale, you can

adjust the Drill Guide in five degree increments from  $0-45^{\circ}$ , left and right. In addition, V-Guides on the base permit drilling through dowel or other rounded stock. Attaches to all  $3/8^{\circ}$  and  $1/2^{\circ}$  power drills. Folds for tool-box storage.







## **PRECISION DRILL GUIDE**

- Attaches to all 3/8" and 1/2" power drills
- Cross slide lock for accurate shaping and carving
- 3/8" capacity drill chuck with key
- Positive stop for accurate drill depth control
- Dual locking knob and handle holds precise angle setting
- Folds flat for tool box storage
- Easy-to-read protractor scale has 5° graduations (0° 45° left or right)
- · V-guides automatically center round stock for drilling
- Self centering channel for edge drilling
- UPC NO.

23059 1 36/37



















## wood joining tools Pocket Hole Accessories

Pocket-hole joinery or pocket-screw joinery is one of the best methods for joining two pieces of wood to ever come down the pike. Fixing a squeaky chair, or a wiggly table, is as easy as adding a few pocket holes and screws to pull the separating pieces together. General's Pocket Hole Screws No. 8497 and 8498 are used specifically for this purpose and are offered in both fine and coarse thread.

GENERAL




#### **POCKET HOLE SCREWS**

- Self-tapping
- Use a coarse thread screw in soft material (8497)
- Use a fine thread screw in hardwoods (8498)
- Nickel-plated
- Pan Head

| • Size: 1-1/4" |      |               |      |  |
|----------------|------|---------------|------|--|
| UPC            | NO.  | DESCRIPTION   | QTY. |  |
| 08497 2        | 8497 | Coarse Screws | 100  |  |
| 08498 9        | 8498 | Fine Screws   | 100  |  |

8497 shown







#### E•Z<sup>™</sup> PRO STEP DRILL BIT

The E-Z Step Drill Bit is great for creating pocket hole joints or counter boring. The 3/8" bit is made of high speed steel and includes a drill stop and hex wrench for accurate setting of drill depth. This item can also be used as a replacement bit for General's Pocket Hole Jig Kit (#849).and Deluxe Pocket Hole Jig Kit (#850).

- 3/8" x 6" (9.5 x 152mm) step drill bit
- High speed steel
- Ideal for creating pocket hole joints and counter-boring
- Includes 3/8" (9.5mm) steel drill stop with hex wrench

UPC NO. 00052 2 32

32



### WOOD JOINING TOOLS Pocket Hole & Dowling Accessories

#### **SQUARE DRIVE BITS**

For use with General's Pocket Hole Screws. These drive bits are essential for building decks, benches, tables and other woodworking projects. General's Square Drive Bits have a hardened steel tip that assures perfect fit and lasts longer.

- #2 Square drive bits
- 3" (76mm) length
- 6" (152mm) length
- Use with deck screws
- UPC NO. 02122 9 8492

2-#2 Square Drive Bits 3" and 6" long

DESCRIPTION

#### **PLUG CUTTERS**

Whether you're building cabinets, toys, decks, furniture or railings, wooden plugs are a neat way to cover up the screw heads. Made from hardened alloy steel, General's Plug Cutters will cut a 3/8-inch plug from any wood stock and eiect it, whether it's chucked in a press or hand-held drill. This is a great economical bit, perfect for homeowners.


- General's Plug Cutters produce accurate plugs for covering screw holes in decking, flooring and other woodworking projects
- · Permits choice of matching or contrasting plugs for decorative effect
- · Engineered to start cutting plugs easily with hand-held drills or drill press

- Cutter will produce and eject straight plugs from stock up to 3/4" thickness
- Made of hardened allov steel

#### Individual sizes:

| UPC     | NO. | SHANK | DIA.      |
|---------|-----|-------|-----------|
| 23024 9 | 31A | 3/8"  | 3/8" dia. |
| 23030 0 | 31B | 3/8"  | 1/2" dia. |
| 23033 1 | 31C | 3/8"  | 5/8" dia. |

 Set of 3 Diameters - 1/4", 3/8", 1/2": UPC





#### DRILL STOP SET

- For use on twist or brad point drills to prevent excessive drill penetration
- · Positive depth control assures exact hole depths for multiple drilling jobs
- · Black oxide finish on cold rolled steel

#### · Includes hex wrench

UPC NO. SIZES INCLUDED 23096 6 S838 3/16" dia.,1/4" dia., 5/16" dia., 3/8" dia., 7/16" dia., 1/2" dia.



**S838** 

#### **DOWEL CENTERS**

Made of nickel plated steel

- · General's dowel centers are the quickest and most accurate method to locate, transfer and match dowel holes
- Set includes: 8 pcs., two of each size: 1/4", 5/16", 3/8", 1/2" diameter UPC NO. 25099 5
- 888

#### **DOWEL ACCESSORY KITS**

- 8401 Kit includes: 3 Drill Bits 1/4", 5/16", 3/8"; 3 Drill Stop Collars, 6 Dowel Centers,
- 10 ea. Fluted Dowel Pins 1/4", 5/16", 3/8"
- Replacement bit for General's E•Z Pocket Hole Jig Kit (No. 849)
- · Accessories Kit for General's Pro Doweling Kit (No. 840) and E•Z Dowel Kit (No. 841)
- 841014 Kit includes: 12-1/4" Dowel Pins, 1-1/4" Brad Point Drill Bit, 1-1/4" Drill Stop Collar, 2-1/4" Dowel Centers, 1 Hex Key
- 841516 Kit includes: 12-5/16" Dowel Pins, 1-5/16" Brad Point Drill Bit, 1-5/16" Drill Stop Collar, 2- 5/16" Dowel Centers, 1 Hex Key
- 841038 Kit includes: 10-3/8" dowel Pins.
- 1-3/8" Brad Point Drill Bit, 1-3/8" Drill Stop Collar, 2-3/8" Dowel Centers, 1 Hex Key

| UPC     | NO.  |  |
|---------|------|--|
| 00404 0 | 0404 |  |

| 08401 9 | 8401   | Dowel Accessory Kit      |
|---------|--------|--------------------------|
| 02119 6 | 841014 | 1/4" Dowel Accessory Kit |
| 02120 2 | 841516 | 5/16" Dowel Accessory Ki |
| 001010  | 044000 | 0/011 David A            |

02121 9 841038 3/8" Dowel Accessory Kit

Dowel centers 888







40

No. 84151



As an FSC (Forest Stewardship Council), certified company, General's Wood Joining Program includes wood based products that are manufactured in accordance with FSC standards. The FSC is an independent, non-

governmental, not-for-profit organization established to promote the responsible management of the world's forests and is nationally represented in more than 50 countries around the world.



840014 shown

GENERAL

No. 313038

50 ci

OAH

20

Enchufes Principales Pla Prises Principales Plates

313038 shown

#### FLUTED DOWEL PINS

A fluted dowel pin has a series of parallel grooves cut along its length providing channels through which excess glue-that is used to secure the dowel pin in its hole-can escape as the dowel is inserted. This relieves the hydraulic pressure that might otherwise split the timber when the mating pieces are clamped together. General's fluted dowels are ideal for creating strong and secure joins in furniture, cabinets, trim and special woodworking projects.



 Premium Flat Head Screw hole Plugs have a tapered tenon to insure a tight fit

· Designed to form a flush finish in furniture and

· Paint or stain for a perfect wood-color match or

other woodworking applications

for accentuated contrast

FLAT HEAD PLUGS

- Made of straight-grained solid hardwood
- · Expands when used with water-based glue for extra tight join

GENERAL

Fluted for easy insertion

|  | UPC     | NO.    | DESCRIPTION             | QTY. |
|--|---------|--------|-------------------------|------|
|  | 02101 4 | 840014 | 1/4" Fluted Dowel Pins  | 72   |
|  | 02102 1 | 840516 | 5/16" Fluted Dowel Pins | 50   |
|  | 02103 8 | 840038 | 3/8" Fluted Dowel Pins  | 35   |
|  | 02104 5 | 840012 | 1/2" Fluted Dowel Pins  | 20   |
|  |         |        |                         |      |



| UPC     | NO.    | DESCRIPTION                     | QTY. |
|---------|--------|---------------------------------|------|
| 02109 0 | 313038 | 3/8" Flat Head Plugs, Oak       | 50   |
| 02110 6 | 313012 | 1/2" Flat Head Plugs, Oak       | 50   |
| 02113 7 | 315516 | 5/16" Flat Head Plugs, Hardwood | 50   |
| 02114 4 | 315038 | 3/8" Flat Head Plugs, Hardwood  | 50   |
| 02115 1 | 215012 | 1/2" Elat Hoad Pluge Hardwood   | 10   |







The mark of ponsible forest



#### **BUTTON HEAD PLUGS**

Button Head plugs are ideal for filling in those unsightly screw holes and can be installed easily with wood glue. Button head plugs can be used for a variety of craft, wood working and furniture projects.

- · When fully-seated, the domed, button head protrudes above the wood surface and over the screw hole edge adding a more decorative look
- · Slightly tapered plug body to ensure a tight secure fit



- Wood grain runs in the direction of the plug width for best match
- Paint or stain for a perfect wood-color match or for accentuated contrast

| UPC     | NO.    | DESCRIPTION                 | QTY. |
|---------|--------|-----------------------------|------|
| 02105 2 | 311038 | 3/8" Button Plugs, Oak      | 50   |
| 02106 9 | 311012 | 1/2" Button Plugs, Oak      | 50   |
| 02107 6 | 312038 | 3/8" Button Plugs, Hardwood | 50   |
| 02108 3 | 312012 | 1/2" Button Plugs, Hardwood | 50   |





840516 840038 840012



## WOOD JOINING TOOLS Wood Joinery

The important characteristics of wood joints are strength, flexibility, toughness and appearance. Both exterior and interior temperature changes can cause major shifts in the moisture content of wood and can compromise the strength and longevity of a joint. General's wood based joining products have been developed to provide strong joints that adjust to every day environmental changes.

#### **ROUND HEAD PLUGS**

- Premium Round Head Screw hole Plugs with tapered tenon to insure tight fit
- Designed to form a slightly raised round finish in woodworking applications
- Paint or stain for a perfect wood-color match or for accentuated contrast



 UPC
 NO.
 DESCRIPTION
 QTY.

 02112 0
 314038
 3/8" Round Head Plugs, Oak
 50

 02116 8
 316038
 3/8" Round Head Plugs, Hardwood
 50

 02117 5
 316012
 1/2" Round Head Plugs, Hardwood
 40






314038 shown

314038 316038 316012

#### **SHAKER PEGS**

Made from solid hardwood, General's Classic Shaker pegs can be useful throughout the entire house. Install them in the foyer or mud-room, kitchen, bathroom, child's room etc. Hang your favorite coffee mugs, towels, hats, neck ties, toys and even herbs!

- Create customized pegboards to better organize your work and living spaces
- Use General's Shaker pegs to replace damaged pegs in your pegboards
- Paint or stain for a perfect wood-color match or for accentuated contrast





317000

#### **BISCUITS**

Wood Biscuits, sometimes referred to as Wood Plates or Wafers, are used for edge or cornerjointing. When General's biscuits come into contact with water based glue they swell, thus creating a 'locked' joint for a strong secure fit.



- Used for Wood Joinery with Biscuit Joiners
- Great for furniture, cabinets and trim
- Biscuits soak up water-based glue for a tighter wood joint

| •       |        |             |      |
|---------|--------|-------------|------|
| UPC     | NO.    | DESCRIPTION | QTY. |
| 02134 2 | 318000 | Size #0     | 50   |
| 02135 9 | 318010 | Size #10    | 50   |
| 02136 6 | 318020 | Size #20    | 50   |
| 02133 5 | 318050 | Size FF     | 50   |
|         |        |             |      |





## WOOD WORKING TOOLS **Circle Cutters**

General's Circle Cutters produce precision circles in sheet metal, brass, copper, soft steel, aluminum, plastic, wood and composition materials. Bodies are constructed of heat treated tool steel for durability.

The replaceable cutter blades are made of highspeed steel for precise and clean cuts. Circle Cutters are adjustable for cutting various diameter holes. A hex wrench is included for adjustments.





#### **4" MAX CIRCLE CUTTER**

- · Round shank circle cutter
- · Replaceable high-speed steel cutting blade and

|    | UPC     | NO. | DESCRIPTION       |  |
|----|---------|-----|-------------------|--|
| nd | 21003 6 | 04  | 4" Circle Cutter  |  |
|    | 27006 1 | 4   | Replacement Drill |  |

- 27003 0 4/5 • Capacity: 7/8" to 4"
- Shank: 3/8" Round
- Replaceable double ended 9/32" cutter blade is made of high-speed steel for precise clean cuts
- All adjustments are made with a hex wrench which is included
- Maximum safe speed is 500 RPM
- For use with drill press only

|                          | •        | -                 |
|--------------------------|----------|-------------------|
| UPC                      | NO.      | DESCRIPTION       |
| 21010 4                  | 06       | Circle Cutter     |
| 21014 2                  | 5/6/55   | Replacement Drill |
| 21013 5                  | 6        | Replacement Wheel |
| • Capacity: <sup>-</sup> | 1" to 6" |                   |

Shank: 3/8" Round

|   | UPC                                     | NO.    | DESCRIPTION       |  |  |  |
|---|-----------------------------------------|--------|-------------------|--|--|--|
|   | 21009 8                                 | 5B     | Circle Cutter     |  |  |  |
|   | 21014 2                                 | 5/6/55 | Replacement Drill |  |  |  |
|   | 27003 0                                 | 4/5    | Replacement Blade |  |  |  |
| • | Capacity: 1" to 6"                      |        |                   |  |  |  |
|   | 0.0000000000000000000000000000000000000 | Danual |                   |  |  |  |

- Shank: 3/8" Round
- All adjustments are made with a hex wrench which is included
- Maximum safe speed is 500 RPM
- · For use with drill press only

|   | UPC          | NO.          | DESCRIPTION       |
|---|--------------|--------------|-------------------|
|   | 21012 8      | 55           | Circle Cutter     |
|   | 21014 2      | 5/6/55       | Replacement Drill |
|   | 27015 3      | 55           | Replacement Blade |
| • | Capacity: 1- | 3/4" to 7-7/ | /8"               |

Shank: 1/2" Round

11

- This tool cuts washers and gaskets in leather, rubber, cork, graphite, fiber, copper and other soft materials
- · Combination round and square shank permits use with bit brace or hand drill
- Made of steel with graduated beam to adjust to diameters from 5/8" to 6-1/2" (16 to 165mm)
- · Replaceable tool steel Cutter Blades No. 11B
- Two independently adjustable cutter blades cut inside and outside diameters simultaneously
- Maximum safe speed is 100 RPM
- · For hand held variable speed drills only

| UPC            | NO.                  | DESCRIPTION               |
|----------------|----------------------|---------------------------|
| 21024 1        | 11                   |                           |
| 27024 5        | 11B                  | Replacement blades (Pair) |
| • Capacity: 5/ | 8" to 6 <sup>.</sup> | -1/2" (16 to 165mm)       |

General Tools & Instruments

#### • General's industrial quality cutter is most preferred by professionals

**6" MAX CIRCLE CUTTER** 

replaceable 1/4" pilot drill

• Adjusts from 1" to 6" (26 to 152mm)

• Maximum safe speed is 500 RPM · For use with drill press only

Replaceable high-speed steel blade and

• All adjustments are made with a hex wrench

more than 30 years

diameter circles

which is included

Has been a General Tools customer favorite for

- 1/2" round shank for drill press use
- Replaceable high-speed tool steel blade and replaceable 1/4" pilot drill
- · Markings on beam for easy measurement

- **HEAVY-DUTY CIRCLE CUTTER**



55

GENERAL

**Replacement Blade** 



## Countersinks, Drill Bits, Gages

Pilot Bits, countersink and counterbore precision screw holes in a single operation. Self-Centering Hinge Bits drill highly accurate pilot holes in cabinet and door hinges.

Stair gages assure fast and uniform layout in repetitive work including angle cuts on rafters and stair stringers.



291

292

- The rose pattern cutting flutes assure chatter free countersinking on steel, brass, aluminum, plastic, wood & other materials
- Made of high-speed steel with five flutes
- 82° point angle

GENERAL


 Stepped shank for use with 1/4" and 3/8" chucks

| UPC     | NO.       |  |
|---------|-----------|--|
| 23047 8 | 195-1/2   |  |
| 23053 9 | 195-5/8   |  |
| 23050 8 | 195-3/4 " |  |


**SELF-CENTERING HINGE BITS** 

and all large and small hardware

· Highly accurate bits are used for drilling pilot holes in cabinet and door hinges, door butts











| Cori | na loodod | outor | quido | koone | tho | high | cnood |  |
|------|-----------|-------|-------|-------|-----|------|-------|--|

| UPC     | NO. | DRILL SIZE | DRILL DEPTH | SCREW SIZE        |
|---------|-----|------------|-------------|-------------------|
| 22154 4 | 291 | 5/64"      | 1/8"        | 3 & 4 screw size  |
| 22149 0 | 292 | 7/64"      | 7/32"       | 5 & 6 screw size  |
| 22150 6 | 293 | 9/64"      | 5/16"       | 8 & 10 screw size |
|         |     |            |             |                   |

#### **JIFFY CENTERING PUNCH**

- · For quickly starting screw holes when attaching countersunk hardware such as hinges, hasps, hangers and drawer pulls
- · Countersunk end ensures starting hole is centered in hardware screw hole
- · Hardened steel pin
- Length: 2-1/2" (68mm)
- Body diameter: 3/8" (10mm)

UPC NO. 240187 806



#### **ADJUSTABLE PILOT BITS**

Drill, countersink and counter-bore precision screw holes in a single operation with General's Adjustable Pilot Bit Set. Featuring four high-speed bits with adjustable lengths, this set can be a great time saver for fine carpentry and woodworking. The 1/4" hex shank allows the set to be used in both electric drills and power screwdrivers.

- Drill, countersink and counterbore precision screw holes in a single operation when doing fine carpentry and woodworking
- · Hardened high-speed pilot bits give long life
- Black oxide finish deters rust
- 1/4" hex shanks prevents slippage in electric drills and can be used in power screwdrivers
- · Adjustable drill and high performance angle on countersink

| UPC     | NO.  | SCREW SIZES         |  |
|---------|------|---------------------|--|
| 23041 6 | 34ST | Set of 4 Pilot Bits |  |
|         |      | (Sizes 5 – 14)      |  |




#### **STAIR GAGE SET**

- · Brass plated steel stair gage assures fast and uniform layout in repetitive work including angle cuts on rafters and stair stringers
- · Attaches easily to all metal rafter squares
- Set of 2 pieces


| UPC     | NO. |
|---------|-----|
| 24009.5 | 803 |











#### **5" AND 10" DIGITAL ANGLE FINDER RULES**

- Digital stainless steel angle rules make precise measurements for easy woodworking
- Calculates interior (inside) and exterior (outside) angles easily and accurately in seconds
- Lock and reverse angle features: for all types of work
- Large easy to read LCD display
- Hinge mechanism allows a full 360 degrees to measure inside/outside and reverse angles
- Can be zeroed at any point in the swing
- Overall Length for 822: 7" Width: 1-3/8" Depth: 6/8"
- Overall Length for 823: 10-7/8" Width 1-3/8" Depth: 6/8"

UPC No.

```
        00822 7
        822
        5" Digital Angle Finder

        00823 4
        823
        10" Digital Angle Finder
```



stainless steel construction

non-marring carbon fiber · Convenient auto-off feature

Fractional and Metric

NO.

1433

146

147

woodworking trades

and 45° angles

GGG-S-656C

NO

812

812-CA

UPC

24036 1

22193 3

RANGE

0 - 3"

0 - 6"

0 - 6"

**PROFESSIONAL CARPENTER'S COMBINATION SQUARE** · Specially designed for carpenters and the

 Machined and enameled cast iron head has precision level and scriber for producing right

• 12" x 1" (305 x 26mm) steel blade is graduated in 8ths, 16ths, and 32nds Conforms to government specifications:

**1478** 0 - 8"

UPC

01433 7

01460 3

01470 2

01478 3

147127


## WOOD WORKING TOOLS **Calipers & Squares**


General's newest "Fraction +" Caliper has a three mode digital display. Measuring in inches, metric and fractions it offers everything for the hobbyist to the professional.

The Combination Squares are specifically designed for carpenters, the woodworking trade, the do-it-yourselfer and home mechanics. A necessary tool for every carpenter and home workshop.



The 147, 1478 & 14712 Fractional Display







FRONT

8ths, 16ths

Clamp Assembly

GRADS

BACK 16ths, 32nds


- Economy version of the carpenter's combination square is perfect for the do-it-yourselfer and home mechanic
- 12" x 1" (305 x 26mm) steel blade is graduated in 8ths, 16ths, and 32nds
- · Heavy zinc cast head with level and scriber CDADC


|         |     | UNADO       |              |  |  |
|---------|-----|-------------|--------------|--|--|
| UPC     | NO. | FRONT       | BACK         |  |  |
| 24030 9 | 811 | 8ths, 16ths | 16ths, 32nds |  |  |

#### **SINGLE BAR MARKING GAGE**

- 6" (153mm) adjustable bar is nickel plated steel graduated in 16ths
- · Die-cast head
- Fine needle point for precision marking UPC NO

| 010     | 110. |
|---------|------|
| 24050 7 | 820  |





## WOOD WORKING TOOLS Layout Tools



GENER

General's Contour Gages can duplicate any shape. The pins on our gage slide to conform to irregular surfaces. This tool can be used for pattern and mold making, duplicating parts and contours.

Great for fitting carpet, floor tiles and linoleum against door casings and pipes. The ANGLE-IZER™ can replace the need for making templates and can be used again and again. The Ultimate Template Tool.





#### **10" CONTOUR GAGE**

- Extra length is ideal for woodworking, linoleum installation, ceramic tile installation or any job where contour duplication is essential
- Gage will fit profiles up to 10" long
- Inch/mm graduations on body
- 3" (76mm) deep fingers will measure profiles up to 1-1/4" (32mm)
- · Made from tough, durable plastic NO.

833

UPC 08330 2





#### **6" CONTOUR GAGE**

- · Ideal for woodworking, linoleum installation, or any job or hobby where contour duplication is essential
- · Inch graduation on body
- Stainless steel pins
- · Component parts are enamel painted and brass plated
- Size is 6" x 3-1/2" (152 x 89mm) with an overall travel of 5-1/4" (133mm)

NO.

837

UPC 24116 0



#### THE ANGLE-IZER™

- The unique and versatile ANGLE-IZER<sup>™</sup> The Ultimate Template Tool eliminates the need for making templates and can be used again and again. Instructional CD included.
- The ANGLE-IZER<sup>™</sup> can be set-up in seconds not only improving quality but saving time
- Just form the tool into the shape of your work area, then use it to mark your work-piece to be cut
- Repeat accurate marking for creating bulls eyes, arches, repetitive angles or shapes
- Tool can be set to mark bricks, tiles, lumber and laminates
- · All the arms are dual-calibrated in inches and metric measures
- · Unique tightening mechanism for onehanded operations
- · Fiberglass filled nylon for added strength and flexibility

|         | -   |
|---------|-----|
| UPC     | NO. |
| 08360 9 | 836 |



Patent No. Des. 402,217



REPETITIVE MARKING MARKING LUMBER





BRICKS





TILING

SPACING AND GAUGING



# WOOD WORKING TOOLS

General's Compasses and Layout Tools are designed for the specialized operations of measuring and layout necessary in construction jobs, cabinet-making and fine carpentry. Woodworkers trust the quality and the value that General Tools provides.



24

#### **HOBBY DRILL GAGE**

- Heavy gage stainless steel gage conveniently identifies drill bit sizes
- Etched graduations are filled in black to give high contrast and will not wear off
- Gage measures 2-3/8" x 6-3/4" (60 x 172mm) overall

| • | Stainless | steel | will | not | rust |  |
|---|-----------|-------|------|-----|------|--|
|   |           |       | -    |     |      |  |

| UPC     | No. | SPECIFICATIONS:        |
|---------|-----|------------------------|
| 22011 0 | 24  | Fractional size drills |
|         |     | 1/16" to 1/2" x 64ths  |






#### OUTSIDE, INSIDE & SLOPED ANGLE PROTRACTOR

- Use this protractor/angle finder to measure and mark the degrees of an angle on outside, inside and sloped angles
- Fine black graduations from 0° to 165° in opposite directions
- Brass lock nut

Stiger In



#### **PROFESSIONAL QUALITY T-BEVEL**

- Our T-bevel is the tool preferred by the craftsperson who wants the finest quality tools
- · Solid mahogany 5-1/2" (140mm) handle with brass trim and locking wing nut

UPC

22148 3

NO.

29

• 10" (254mm) blade

NO.

829

- · Conforms to government specifications: GGG-B-211b
- **UPC** 24100 9

#### PENCIL COMPASS AND SCRIBER

- Designed for marking contours and circles
- Positive wing nut adjustment
- Full-length hardened steel pin in metal frame for greater rigidity
- · Constructed of brass plated steel

| UPC | NO. | CAPACITY |
|-----|-----|----------|
|     |     | •        |

| 24132 0 | 843/1 | 8" (203mm) |
|---------|-------|------------|
|         |       |            |

#### PRECISION PENCIL COMPASS

- Carpenter quality compass is made of long lasting die-cast rust proof metal
- Spring tension adjustment for marking up to 9" (229mm) diameters
- Scribe guide for edge marking
- For use with pencil (included) or slim ballpoint pen

| υαπρυπτ μ |     |            |
|-----------|-----|------------|
| UPC       | NO. | CAPACITY   |
| 24126.9   | 842 | 9" (229mm) |

| 843/1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |   |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| CENERCE<br>PACIEL Compass/Scriber<br>Compass/Scriber<br>Compass/Scriber<br>Compass/Scriber<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Paciel<br>Pa | • |


829

842

## wood working tools Trammels

General's Adjustable Trammels accurately measure and mark distances that are too great for conventional compasses and dividers. Trammels will accurately transfer measurements, scribe arcs and lay out circles. Points can be replaced with pencils, ballpoint pens, crayons or soap-stone sticks for marking various materials.

GENERAL



PROFILE VIEW



## WOOD WORKING TOOLS Accessories

General's Scratch Awl is made from the finest materials for long life. This tool is designed for scribing and layout work, starting screw holes and piercing soft materials. The Chisel/Plane Blade Sharpener keeps blades razor sharp. The graduated settings maintain the correct 30° cutting angle necessary for these blades.



818

809

#### **"ORIGINAL" DRILL GRINDING ATTACHMENT**

- · Engineered to permit sharpening of drill bits to factory accuracy
- Extends the life of drill bits
- Angle adjustments lock in to grind drill bits for more accurate drilling in a variety of materials
- · Automatically adjusts to give correct clearance angle
- For use with ANSI, OSHA, and UL approved standard electric bench grinders or surface grinders
- Equally at home in machine shop and home workshop
- Instructions included

| _ | UPC     | NO. | CAPACITY                                                      |
|---|---------|-----|---------------------------------------------------------------|
| Ī | 24070 5 | 825 | Fractional drills 1/8" to 3/4", Number size drills 30 to 1    |
|   |         |     | Letter size drills A to Z, Millimeter size drills 3.0 to 19.0 |






#### HARDWOOD HANDLE SCRATCH AWL

- Alloy steel blade runs through the handle and is securely fastened to both the plated steel ferrule and the cap
- · Hardwood fluted handle is contoured for comfortable grip

| UPC     | NO. | Α              | В             |  |
|---------|-----|----------------|---------------|--|
| 24047 7 | 818 | 6-1/2" (165mm) | 3-3/4" (95mm) |  |



#### **CHISEL/PLANE BLADE SHARPENER**

- · Keeps chisel and plane blades razor sharp
- · Graduated settings maintain correct 30° cutting angle on chisel or plane blade
- Spring clamp locks in blades up to 2-5/8" (67mm) wide
- Made of high impact fiberglass reinforced Lexan<sup>®</sup>
- Folds for storage
- UPC NO. 24024 8 809

#### **FIBERGLASS FOLDING RULE**

- Constructed of tough, flexible high-impact plastic, with fiberglass reinforcement for added durability
- 72" (1929mm) folding ruler with a 6" (152mm) extension for accurate inside measurements

| UPC     | NO.  |                     | GRADS |
|---------|------|---------------------|-------|
| 25300 2 | 7200 | Outside readings    | 16ths |
|         |      | graduated in 16ths. |       |



## WOOD WORKING TOOLS **Professional Moisture Meters**

Whether you're a professional contractor or a conscientious homeowner, General's ultra-sensitive hand-held pin or pinless Moisture Meters help you to easily detect hidden leaks in wood, concrete, plaster and carpet. Available as

both analog and digital models, the Meters provide accurate moisture level readings and are great for new home inspections, locating roof leaks or even selecting dry lumber at the yard.



#### **PIN-TYPE LED BAR GRAPH MOISTURE METER**

Ideal for use in woodworking, building construction and home inspection. Examples include:

- Checking for moisture in carpets and sub-flooring
- · Checking wood, drywall and concrete before painting/wallpapering, sealing or treating
- · Locating water leaks in roofs, floors and walls
- Selecting dry lumber
- 10-LED display
- Two measurement ranges:
- 7 to 15% and 16 to 35%
- · Protective cap doubles as calibration checker
- Full and low battery indications
- CE and RoHS approved

#### SPECIFICATIONS:

♦ Low Measurement Range: 7 to 15% WME (Wood Moisture Equivalent)

GENERAL

- ♦ High Measurement Range: 16 to 35% WME
- ◆ Measurement Accuracy: ±1 LED (~1%)
- Dimensions:
- 6.5 x 2.7 x 1 in. (164 x 69 x 26mm)
- ♦ Weight: 3.2 oz. (91g) w/out battery
- Power Source: 1 "9V" battery (included)
- Includes: Protective Cap
  - Battery
    - · User's Manual
    - 1-Year Limited Warrantyl
- NO. UPC 10188 9 MM1E



### **PIN-TYPE LCD MOISTURE METER**

Ideal for use in woodworking, building construction, home inspection, lumber selection, water-damage restoration.

#### FEATURES:

- 99.9 count LCD w/0.4 in. high digits
- · Wood/building materials selection switch
- · Low, Medium and High moisture tones and on-screen icons
- Data hold + auto power off + low battery indicator
- Replaceable stainless steel pins (#PIND4E)
- Auto power off

#### SPECIFICATIONS:

- for wood, 1.5 to 33% for building materials
- Wood Moisture Scales: 5 to 11.9% (low); 12 to 15.9% (medium); 16 to 50% (high)

- Building Materials Scales: 1.5 to 16.9% (low); 17 to 19.9% (medium); 20 to 33% (high)
- ♦ Measurement Accuracy: ±3% of reading
- ◆ Measurement Resolution: 0.1%
- Dimensions: 6.0 x 2.6 x 0.8 in. (152 x 66 x 20 mm)
- Power Source: 1 "9V" battery (included)
  - - Battery 
       User's manual
- UPC NO. MMD4E 41447 7
- 01499 8 **PIND4E** Replacement pins





#### PINLESS LCD MOISTURE METER

· Intuitive on-screen icons: Low/Medium/High

moisture content; wood/concrete mode


Low and very low battery warnings

• Non-invasive measurement technique

Ideal for measuring moisture content of wood and other construction materials. FEATURES:

- SPECIFICATIONS:
- Measurement Ranges: 0 to 99.9% WME (Wood) Moisture Equivalent) for wood; 0 to 56.5% for building materials
- ♦ Measurement Accuracy / Resolution: ±3% / 0.1%
  - Measuring Depth: 3/4 in. (20mm)
- ◆ Display Type/Size: 99.9 count LCD with 0.4 in. (10mm) high digits
- Operating Temperature:
- 32° to 122°F (0° to 50°C) @ <80%RH
- ◆ Dimensions: 5.75 x 2.6 x 0.75 in. (146 x 66 x 19 mm)
- Power Source: 1 "9V" battery (included)
- Includes: Battery User's Manual
  - 1-Year Limited Warranty

NO



MMD5NP

40142 2 MMD5NP

UPC

MMD4E

Includes: • Protective cap







SEEKER



· Jumbo display

Data hold

Auto Power Off

• Wide measurement range

Audible peak reading alert

♦ Overall Moisture Measurement Range: 5 to 50%



## WOOD WORKING TOOLS **Professional Moisture Meters**

#### PINLESS LCD MOISTURE METER W/TRICOLOR BAR GRAPH

Ideal for measuring moisture content of wood and other construction materials.

#### **FFATURES**

- Separate settings for drywall, masonry, softwood and hardwood
- 2 in. backlit LCD + 3-color LED bar graph Non-invasive technology with
- 3/4 in. maximum sensing depth
- ±4% accuracy on wood
- Auto calibrating
- Data hold
- · Separate out-of-range alarms for wood and building materials
- Auto power off

#### **SPECIFICATIONS:**

- Measurement Ranges: 0 to 53% for softwood; 0 to 35% for hardwood
- ♦ Measurement Accuracy / Resolution: ±4% / 1%
- ♦ Maximum Sensing Depth: 3/4 in.
- ◆ Dimensions: 6.7 x 2.9 x 1.2 in.
- ♦ Weight: 5.4 oz. (152g) without battery
- Power Source: 1 "9V" battery (included)
- Includes: Battery
  - User's Manual
    - 1-Year Limited Warranty
    - NO.

MMD7NP 01583 4

UPC



PRECISION MULTI-SPECIES WOOD MOISTURE METER

Ideal for measuring the moisture content of wood before painting, wallpapering, sealing, treating or joining.

#### FEATURES:

- Readings are species-specific, derived from industry-standard moisture-resistance curves for 48 popular species of wood
- Joystick makes species selection fast and easy
- Also measures and displays ambient temperature (in °F or °C) and RH
- Measurements can be compensated for ambient temperature, improving precision
- · Super-bright yellow OLED (organic lightemitting diode) dot matrix display
- · 99 record memory with manual or automatic (time-based) recording
- · Multiple display options, including analog bar graph
- Measurement hold button
- · Audible moisture alarm
- Pin cover doubles as calibration checker
- Replaceable pins

- SPECIFICATIONS:
- Moisture Measurement:
  - Range: 5.3 to 40%WME (Wood Moisture) Equivalent)
- Accuracy / Resolution: ±(3% of reading +5 digits)/0.1%
- Ambient Temperature Range / Accuracy:
- 0° to 176°F (-18° to 80°C)
- ±1.8°F (1°C) / 0.1°
- RH Range / Accuracy / Resolution:

- ◆ Temperature Compensation Range / Resolution: 0° to 255°F (-18° to 124°C) / 5°F
- Display Type: Yellow OLED in 128 x 64 dot matrix format
- Display Size: 1.54 in. (39mm) diagonal
- Pin Length: 0.2 in. (5mm)
- Power Source: (1) "9V" battery (included)



Includes: • Batterv

- User's Manual
  - 1-Year Limited Warranty

UPC NO. MMD8P 01638 1

#### **PIN-TYPE LCD MOISTURE METER W/BAR GRAPH**

Ideal for measuring moisture content of wood, timber and concrete.

#### FEATURES:

- Two displays: Red LED bar graph and LCD display with 0.62 in. (51mm) high digits
- Optional remote probe available
- Replaceable 0.44 in. (11mm) long pins
- Min/Max memory + data hold
- Heavy-duty housing
- · Low battery indicator

#### SPECIFICATIONS:

- Two measurement ranges: 0 to 100% for concrete and non-wood materials, 6 to 40% moisture for wood
- Measurement Accuracy / Resolution:  $\pm$  (5% of reading + digits)/0.1%

- Dimensions:
- 8.4 x 2.7 1.2 in. (216.5 x 68.5 x 29.7mm)
- ♦ Weight: 8.8 oz. (251g)
- Power Source: 1 "9V" battery (not included)
- Includes: 10 Pairs of Extra Pins
  - Protective Cover
  - User's Manual
  - 1-Year Limited Warranty
- UPC NO. MMD7003 07003 1
- 01255 0 MP7003 External Pin-Type Probe (optional)



- 20 to 95%RH
- ±5% typical / 1%



## **Specialty Tools & Instruments**

**GENERAL TOOLS & INSTRUMENTS** 80 White Street, New York, NY 10013-3567 PHONE (212) 431-6100 • FAX (212) 431-6499 • TOLL FREE (800) 697-8665 e-mail: gentools@generaltools.com www.generaltools.com

> Catalog No. WWJ14 Printed in USA 09/14 ©2014 GENERAL TOOLS & INSTRUMENTS Not responsible for typographical errors.



**General Tools & Instruments** 





GeneralToolsNYC