

USE AND CARE GUIDE

Oak Cliff 4-Piece Patio Deep Seating Set with Chili Cushions



Questions, problems, missing parts? Before returning to the store, call Hampton Bay Customer Service
8.00 a.m. - 7.00 p.m. EST, Monday - Friday,
9.00 a.m. - 6.00 p.m. EST, Saturday

1-855-HD-HAMPTON HAMPTONBAY.COM

THANK YOU

Table of Contents

Table of Contents	2
Safety Information	2
Warranty	
2 Year Frame and Fabric Limited Warranty	
What Is Covered	2
What Is Not Covered ·····	
Care Instructions	

Pre-Assembly	
Planning Assembly	3
Hardware Included	
Package Contents	4
Assembly	

Safety Information



DANGER: Please keep children out of the assembly area during assembly.



CAUTION: Use the chairs on flat ground only.



IMPORTANT: Please check the tightness of the bolts periodically.

Warranty

2 YEAR FRAME AND FABRIC LIMITED WARRANTY

WHAT IS COVERED

We warrant the frame and fabric to be free of manufacturing defects to the original purchaser for two years.

WHAT IS NOT COVERED

It remains the customer's responsibility for freight and packaging charges to and from our service center. This warranty does not cover commercial use, hardware, acts of nature, fire, freezing and abusive use. In addition, purchased parts are not covered under this warranty. We reserve the right to make substitutions with similar merchandise, if the model in question is no longer in production.

Care Instructions

Before using, wipe with a clean, dry cloth. Do not use bleach or solvents. Treat frame with one step liquid wax for maximum protection against UV light and salty, damp air. When not in use, store furniture in a cool, dry place. If your set includes cushions, they may be cleaned by hand with a mild solution of soap and water. Rinse cushion thoroughly and allow to drip dry. Do not machine wash or tumble dry, as cushions may shrink. Do not use bleach or solvents on fabrics. When cleaning the tabletop make sure to use a soft, clean cloth that doesn't bleed color as well.

You may contact our customer service department with any questions by phone at 1-855-HD-HAMPTON or visit www.hamptonbay.com.

Pre-Assembly

PLANNING ASSEMBLY

It will take two people about 30 minutes to complete the assembly process.

HARDWARE INCLUDED



NOTE: Hardware not shown to actual size.

Lounge Chairs



BB





EE

Part	Description	Quantity
AA	Bolt cap (M6)	16
BB	Bolt (M6x30)	8
CC	Bolt (M6x35)	8
DD	Washer	16
EE	Hex wrench	1

Love Seat

$\overline{}$	١			
1	1			۱۸
. 1	1		 -	w









Part	Description	Quantity
AA	Bolt cap (M6)	9
BB	Bolt (M6x30)	4
CC	Bolt (M6x35)	4
DD	Washer	9
GG	Bolt (M6x45)	1

Coffee Table








Part	Description	Quantity
AA	Bolt cap (M6)	12
FF	Bolt (M6x15)	12
DD	Washer	12

Pre-Assembly (continued)


PACKAGE CONTENTS

Lounge Chairs



Part	Description	Quantity
Α	Back panel	2
В	Seat panel	2
С	Right armrest	2
D	Left armrest	2
1	Back cushion	2
2	Seat cushion	2

Love Seat



Part	Description	Quantity
A1	Back panel	1
B1	Seat panel	1
С	Right armrest	1
D	Left armrest	1
1	Back cushion	2
2	Seat cushion	2

Coffee Table



Part	Description	Quantity
A2	Table top	1
B2	Table leg	2
C2	Table leg	2

Assembly (Lounge Chairs)

Attaching armrests

- Place the right armrest (C) on its side on a flat, smooth surface.
- □ Align the seat panel (B) to the armrest (C).




IMPORTANT: You will need to align the seat panel (B) to the proper armrest by lining up the bolt holes on each part.

Secure the seat panel (B) to the armrest (C) with washers (DD) and bolts (BB) using the hex wrench (EE).




IMPORTANT: Do not fully tighten bolts until the end of Step 2.

Repeat the above procedure to attach the left armrest (D).




2 Attaching the back panel

- Align the back panel (A) to armrests (C) and (D).
- Attach the armrests (C) and (D) to the back panel (A) with washers (DD) and bolts (CC) using the hex wrench (EE).
- □ Fully tighten all bolts (CC) and (BB) once all bolts are in place.



3 Attaching bolt caps

Cover all bolts (BB) and (CC) with bolt caps (AA).



Assembly (Love Seat)

4 Attaching armrests

- □ Place the left armrest (D) on its rear side on a flat, smooth surface.
- □ Align the seat panel (B1) to the armrest (D).




IMPORTANT: You will need to align the seat panel (B1) to the proper armrest by lining up the bolt holes on each part.

Secure the seat panel (B1) to the armrest (D) with washers (DD) and bolts (BB) using the hex wrench (EE).




IMPORTANT: Do not fully tighten bolts until the end of Step 5.

Repeat the above procedure to attach the armrest (C).




5 Attaching the back panel

- Align the back panel (A1) to armrests (C), (D) and the seat panel (B1).
- Attach armrests (C) and (D) to the back panel (A1) with washers (DD) and bolts (CC) using the hex wrench (EE).
- Attach the back panel (A1) to the seat panel (B1) with washer (DD) and bolt (GG) using the hex wrench (EE).
- □ Fully tighten all bolts (CC), (BB) and (GG) once all bolts are in place.



6 Attaching bolt caps

□ Cover all bolts (BB), (CC) and (GG) with bolt caps (AA).




Assembly (Coffee Table)

Attaching table legs

- □ Place the table top (A2) upside down on a flat, smooth surface.
- □ Align the table legs (B2, C2) to the table top (A2).
- Secure the table legs (B2, C2) to the table top (A2) with washers (DD) and bolts (FF) using the hex wrench (EE).
- Fully tighten all bolts (FF) once all bolts (FF) are in place.
 Cover all bolts with bolt caps (AA).




- Turn the table upright.
- If necessary level the table with foot glides at the bottom of each table leg.



9 Placing cushions

- Place cushions (1 and 2) on the lounge chairs and love seat.
- □ Tie seat cushions (2) to the chair frames with hook and loop straps.





Questions, problems, missing parts? Before returning to the store, call Hampton Bay Customer Service
8.00 a.m. - 7.00 p.m. EST, Monday - Friday,
9.00 a.m. - 6.00 p.m. EST, Saturday

1-855-HD-HAMPTON

HAMPTONBAY.COM

Retain this manual for future use.