
BAHANAS COFFEE TABLE ASSEMBLY INSTRUCTIONS





BEFORE YOU BEGIN:

YOU ALREADY KNOW THIS, BUT IT'S BEST TO READ ALL THE INSTRUCTIONS BEFORE ASSEMBLY. FAILURE TO DO SO MAY RESULT IN FAULTY ASSEMBLY AND POTENTIAL INJURY (NO ONE WANTS THAT KIND OF STAIN ON THEIR PARTY HOSTING RECORD).

Assemble your Blue Oak™ outdoor furniture on a soft, non-abrasive surface such as a carpet or cardboard to avoid damaging the item. Seek assistance to assemble bulky or heavy items (there's no "i" in "team"). After final alignment, make sure all the bolts are securely tightened with hex caps pressed in place.

If you have issues, challenges or annoyances with this product, give us a call at 1-888-444-0367.

We're available from 8am-5pm (EST)

Monday-Thursday and 8am-4pm (EST) on Friday.

PARTS

NO.	DESCRIPTION	QTY
А	Table Top	1
В	Left Leg	2
С	Right Leg	2
D	Support Bar	1

HARDWARE

QTY

NO.	DESCRIPTION	
AA	M6x15 Bolt	4
BB	M6x35 Bolt	8
CC	M6 Washer	12
DD	Bolt Head Cap	12
EE	Wrench	1

ASSEMBLY INSTRUCTIONS

TAKE A DEEP BREATH. WE PROMISE IT'S PRETTY SIMPLE.


Note: There are two types of hex bolts. Make sure you're using the type specified in each step. Do not fully tighten the bolts until you've completed the assembly and checked to see if the alignment is correct.

STEP 1

Place the left legs (B), right legs (C) and support bar (D) on a soft, non-abrasive surface such as cardboard or a blanket.


STEP 2

See Figure 1. Make sure that the placement of all four legs (B and C) match the illustration below before proceeding.




STEP 3

See Figure 2. Use the wrench (EE) to attach the legs (B and C) to the support bar (D) using 4 M6x15 bolts (AA) and M6 washers (CC).



STEP 4

See Figure 3. Use the wrench (EE) to attach the table top (A) to the finished frame using 8 M6x35 bolts (BB) and M6 washers (CC).



STEP 5

Fully tighten all bolts and apply the bolt head caps (DD) on to each bolt.

EUREKA!

YOU'VE JUST BUILT A COFFEE TABLE. DON'T BOTHER YOURSELF WITH SEMANTICS ON THAT.