


ivation

31 Bottle Built-In Compressor Wine Cooler

SKU: IVBWCC311SS

User Guide



Thank you for purchasing the Ivation® 31 Bottle Built-In Compressor Wine Cooler. This User Guide is intended to provide you with guidelines to ensure that operation of this product is safe and does not pose risk to the user. Any use that does not conform to the guidelines described in this User Guide may void the limited warranty.

Please read all directions before using the product and retain this guide for reference. This product is intended for household use only. It is not intended for commercial use.

This product is covered by a limited one-year warranty. Coverage is subject to limits and exclusions. See warranty for details.

TABLE OF CONTENTS

- 3 FEATURES
- 5 SAFETY PRECAUTIONS
- 6 PACKAGE CONTENTS
- 7 PRODUCT OVERVIEW
- 8 INSTALLATION
- 12 WINE STORAGE TIPS
- 13 USAGE/CARE
- 14 CARE/SPECS
- 15 TROUBLESHOOTING
- 16 WARRANTY
- 17 GET IN TOUCH!

A Better Way to Store Your Best Bottles

No wine cellar? No problem! This product will protect your favorite bottles from the light and air that can damage wine's aromas, all while storing them at the precise recommended temperature for your varietals. The advanced compressor cooling system delivers the optimal environment for those special vintages, preserving their unique flavor and delicacy. You get serious performance with a look that's pure luxury — rounded edges and seamless designer stainless steel trim on the doors and shelving.

YOUR WINE COOLER FEATURES:

- Built-in model installs into your cabinetry for a custom-designed look
- Internal fan helps maintain consistent temperature throughout the unit
- Compressor provides consistent, energy-efficient cooling with low energy costs
- Quiet operation and vibration suppression technology
- One-touch controls and LCD display
- Interior lighting with independent on/off control
- Celsius or Fahrenheit temperature control, adjustable by one-degree increments
- Chrome shelves are stylishly accented with stainless steel and are easy to pull out
- Tempered smoked glass door protects wines from UV rays
- Securely sealing door gasket and dual-pane glass help maintain internal temperature
- Auto-defrost
- Holds 31 standard size 750mL bottles
- CFC-free solid polyurethane foam insulation

FOCUSED ON INNOVATION, COMMITTED TO QUALITY

The power of innovation plus quality drives all of our product designs. We pay attention to the small details that add up to an impactful experience. We believe it's possible to be the best while being unique, and we bring that value into each and every one of our offerings.

Explore our full line of solutions for your home at www.ivationproducts.com, and keep the conversation going by calling us at **1-866-849-3049**, or sending us an email at info@myivation.com

 **1-866-849-3049**


 [**info@myivation.com**](mailto:info@myivation.com)

REGISTER YOUR WINE COOLER


Set up your warranty and stay current with information about your unit by registering online. It only takes a moment, and you'll receive emails about product recalls, updates, and more. Go to: [**register.ivationproducts.com**](http://register.ivationproducts.com).

1. **⚠ WARNING: CHOKING HAZARD - Small parts.** This product contains small parts and is not suitable for children under 3 years old.
2. Remove all packaging before using this device. Please keep all packaging materials out of reach of children and pets.
3. Properly dispose of all packing materials immediately after unpacking product, as the bags used for packaging could present a suffocation or choking hazard.
4. Read all instructions carefully before attempting to operate this device. Improper usage could result in injury or a reduction in efficacy.
5. Never allow children to operate, play with, or crawl inside the appliance.
6. Keep all flammable liquids or materials away from this unit. Failure to do so may result in a fire or explosion.
7. Keep out of direct sunlight and away from heat sources.
8. Do not attempt to repair or replace any parts or service this unit unless specifically recommended in this User Guide.
9. Use only with a properly grounded, standard 115V 60Hz electrical outlet to avoid the risk of electrical shock.
10. Do not use with an extension cord.
11. Do not lift the unit by the door handle.
12. Make sure the door is fully closed before and during installation.
13. Do not obstruct airflow to the front of the unit or any of the unit's fans, as doing so can cause the unit to malfunction and will void the warranty.

PARTS



- A Upper hinge**
Allows you to switch the door opening from right to left.



- B Bottom hinge (2 pieces)**
Allows you to switch the door opening from right to left.




- C Screws (2 pieces)**
Fastens the handle to the door.



- D Washers (2 pieces)**
Fastens the handle to the door.




- E Round rubber stoppers (5 pieces)**
Covers the opening at the left front corners of the unit.



- F Extra screws for top and bottom hinges (4 pieces)**
Fastens the hinges to the wine cooler body.



- G Extra screws for bottom hinge (3 pieces)**
Fastens the hinges to the wine cooler body.




- H Wine cooler body**
Keeps your wines at the proper temperature.



- I Wine cooler door**
Shuts out the elements to help preserve your wines.



- J Wine cooler handle**
Easy to open.




- K Wine cooler shelves**
Allows you to store bottles properly.



- L User guide**
Installation, use, and helpful tips.

GET TO KNOW YOUR WINE COOLER



- 1 Upper hinge
- 2 Light switch
- 3 Temperature control (up)
- 4 Temperature display
- 5 Temperature control (down)
- 6 Temperature setting switch
- 7 Light
- 8 Fan
- 9 Carbon filter
- 10 Temperature sensor
- 11 Exhaust
- 12 Shelf
- 13 Exhaust
- 14 Stabilizing feet
- 15 Door gasket
- 16 Glass panel
- 17 Handle
- 18 Lower hinge


INSTALLING YOUR WINE COOLER

IMPORTANT INSTALLATION NOTES:

- Before installing your wine cooler, allow to stand upright for 3 hours.
- Once the unit is installed and turned on, allow 24 hours before use for the temperature to stabilize.
- Clean the interior of the unit with warm water and a soft cloth, and make sure it is dry.
- Place only on a level surface that will support the full weight once Wine Cooler is completely full. You can ensure the unit is level by placing a small ball on top and checking to make sure it does not roll in any direction.
- Position in a dry, well-ventilated space with temperatures between 41° - 90° F (5° - 32° C).
- Ensure that the ventilation panel on the bottom front of your wine cooler remains unobstructed.
- Do not use without feet: the unit requires 2" of ground clearance.
- If you are discarding an old unit, remove its door and leave shelves in place to avoid an entrapment hazard.

INSTALLING THE DOOR HANDLE:


- The unit has been shipped with the door handle **J** securely stored inside, attached to the shelves.
- The default door-opening option of your wine cooler will have it swinging open from left to right. If you need to reverse this door swing, please follow the separately listed instructions on the next page.
- Gently pull the door gasket back from the screw holes where you will attach the handle.
- Use the two included screws **C** and washers **D** in order to fasten the door handle to the frame of the door.




TO REVERSE THE DOOR-OPENING:

CAUTION: Do not attempt to complete this step by yourself. This task requires two people, as otherwise the door could fall, resulting in possible damage to the product or your person.

- Follow the previous steps for installing the door handle.
- Fully open the door.
- Pull out the rubber stoppers **E** from the screwholes on the left upper and lower corners.





Upper left corner




Lower left corner


- Install the L-shaped piece **B** of the lower left hinge, using the 3 screws **G** provided.




- Install the other piece of the lower left hinge **B**, using two of the other screws **F** provided.



- With your helper holding the door, unscrew and remove the upper door hinge.
- Working together, carefully lift the door off of its bottom hinge. Carefully set the door down in secure position.
- In order to avoid scratching the door upon re-installation in its new position, unscrew and remove the bottom right hinge.
- Flip it around. The handle will now be on the right side of the door.
- Seat the door (in its new position) on the bottom hinge.




- With the door fully opened, attach the top hinge **A** using the 2 screws **F** provided. The top hinge will now be on the upper left side of the door.



- Install the rubber stoppers **E** in the screwholes on the right side.

POSITIONING THE UNIT:



- You will want to ensure that the unit will fit properly in your desired location.
- Opening must be at least 16"W x 34.36"H x 23.4"D.

RECOMMENDED STORAGE TEMPERATURES

	Fahrenheit	Celsius
Red Wines	57° - 65°	14° - 18°
White Wines, Champagnes and Sparkling Wines, and Dry Varietals	49° - 58°	9° - 14°
Rosé Wines	51° - 53°	10° - 11°


RECOMMENDED STORAGE TIMES

Cabernet Sauvignon	7-10 years
Pinot Noir	5 years
Merlot	3-5 years
Zinfandel	2-5 years
Beaujolais	Enjoy immediately
Chardonnay	2-3 years
Riesling	3-5 years
Sauvignon Blanc	18 months - 2 years
Pinot Gris	1-2 years
Champagne	Enjoy immediately

GENERAL TIPS

- Air and light are the factors that cause wines to age poorly. As much as possible, avoid exposing your favorite bottles.
- Store corked bottles on their sides. This avoids having the cork dry out, which would allow air into the bottle.
- UV light can affect wine's color and flavor. Keep bottles out of direct sunlight.
- Prevent sediment from being stirred up by avoiding heavy vibrations.
- Avoid exposure to strong odors that might affect the wine's flavor.

USING YOUR WINE COOLER



USING YOUR CONTROL PANEL:

- ① Adjust the temperature in 1 degree increments by pressing the ▲ and ▼ buttons until desired temperature is reached.
- ② To switch between Fahrenheit and Celsius, press the °C/°F button for 2 seconds.
- ③ The light turns on automatically when you open the door. You can also turn the interior light on by pressing the ⚙ button.

Please note: it is normal for your Wine Cooler to make a whirring sound that will cycle up when the compressor is working harder to chill your wine, and cycle down as the temperature levels off.

DE-ICING YOUR WINE COOLER

- The unit's Auto Defrost feature should prevent ice accumulation from occurring.
- However, should ice accumulation occur, you can do the following:
 - Unplug the Wine Cooler
 - Wait for all ice to melt
 - Once melting is complete, remove water from the unit
 - Plug in and restart the unit

HOW TO CLEAN YOUR WINE COOLER

TO CLEAN THE EXTERIOR:


- Unplug before cleaning.
- Do not use abrasive cleaning products.
- Wash the cabinet exterior only with mild soap and water and rinse thoroughly.
- Clean the glass door with glass cleaner or mild soap and water and a soft cloth.
- Wipe the control panel with a damp cloth and dry thoroughly. To avoid damaging the panel, do not use cleaning sprays or oversaturate.

TO CLEAN THE INTERIOR:

- Unplug before cleaning.
- Do not use abrasive cleaning products.
- Cleaning the door gasket:
 - Use mild soap or baking soda solution
 - Rinse well
 - Apply a thin layer of petroleum jelly to the gasket at the hinge side to prevent sticking
- Use a warm water and baking soda solution inside the unit (about one tablespoon of baking soda to one quart of water) to clean and neutralize odors.

IF YOU NEED TO MOVE YOUR WINE COOLER

- Remove all bottles.
- Secure and tape down any shelves or loose items inside the unit.
- Secure the door closed with tape.
- Make sure the unit is kept in an upright position while moving.

TECHNICAL SPECIFICATIONS**Voltage:** 110-120V**Rated Current:** 1.2A**Frequency:** 60Hz**Input Power:** 90W**Power Consumption:** 0.25kW.h/24h**Temperature Range:** 40°F-66°F**Net Weight:** 74.96 lbs**Gross Weight:** 84.2 lbs**Unit Size:** 15"W x 33.86"H x 22.4"D**Package Size:** 19.1"W x 37.9"H x 26.6"D**Electrical Circuit Diagram**

If the unit doesn't work:

Check to make sure the power supply has the correct voltage. Also check to make sure there isn't a circuit breaker that has been tripped or a blown fuse.

If the unit isn't getting cold enough:

Make sure the temperature settings are adjusted correctly. If so, the room in which the unit is operating might be too hot. Also check whether the door has been opened too frequently or has not been completely closed. Check the seal on the door to make sure it is intact. Make sure the unit has sufficient clearance on all sides.

If the unit vibrates or makes excessive noise:

Make sure the unit has been placed on a level, stable surface. Also check to make sure the fan is working properly.

If the light doesn't work, or if the LED display is not working or shows an error message:

Check to see if the unit is plugged in properly. If so, there may be a problem with the main circuit board that requires professional servicing.

If the buttons don't work:

The Control Panel may be damaged.

WARRANTY INFORMATION

LIMITED WARRANTY ON IVATION® 31 BOTTLE BUILT-IN COMPRESSOR WINE COOLER

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER RIGHTS, WHICH VARY FROM STATE TO STATE.

WE WARRANT THAT DURING THE WARRANTY PERIOD, THE PRODUCT WILL BE FREE FROM DEFECTS IN MATERIALS AND WORKMANSHIP.

LIMITATION OF LIABILITY

TO THE EXTENT NOT PROHIBITED BY LAW, THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, ORAL, WRITTEN, STATUTORY, EXPRESS OR IMPLIED. EXCEPT FOR THE EXPRESS WARRANTIES CONTAINED IN THIS LIMITED WARRANTY STATEMENT AND TO THE EXTENT NOT PROHIBITED BY LAW, WE DISCLAIM ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING WITHOUT LIMITATION, THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. SOME STATES DO NOT ALLOW DISCLAIMERS OF IMPLIED WARRANTIES, SO THIS DISCLAIMER MAY NOT APPLY TO YOU. TO THE EXTENT SUCH WARRANTIES CANNOT BE DISCLAIMED UNDER THE LAWS OF YOUR JURISDICTION, WE LIMIT THE DURATION AND REMEDIES OF SUCH WARRANTIES TO THE DURATION OF THIS EXPRESS LIMITED WARRANTY.

OUR RESPONSIBILITY FOR DEFECTIVE GOODS IS LIMITED TO REPAIR, REPLACEMENT OR REFUND AS DESCRIBED BELOW IN THIS WARRANTY STATEMENT.

WHO MAY USE THIS WARRANTY? C&A Marketing, Inc. located at 114 Tived Lane East, Edison, NJ (“**we**”) extend this limited warranty only to the consumer who originally purchased the product (“**you**”). It does not extend to any subsequent owner or other transferee of the product.

WHAT DOES THIS WARRANTY COVER? This limited warranty covers defects in materials and workmanship of the Ivation® 31 Bottle Built-In Compressor Wine Cooler (the “**product**”) for the Warranty Period as defined below.

WHAT DOES THIS WARRANTY NOT COVER? This limited warranty does not cover any damage due to: (a) transportation; (b) storage; (c) improper use; (d) failure to follow the product instructions or

to perform any preventive maintenance; (e) modifications; (f) unauthorized repair; (g) normal wear and tear; or (h) external causes such as accidents, abuse, or other actions or events beyond our reasonable control.

WHAT IS THE PERIOD OF COVERAGE? This limited warranty starts on the date of your purchase and lasts for one year (the **“Warranty Period”**). The Warranty Period is not extended if we repair or replace the product. We may change the availability of this limited warranty at our discretion, but any changes will not be retroactive.

WHAT ARE YOUR REMEDIES UNDER THIS WARRANTY? With respect to any defective product during the Warranty Period, we will, at our sole discretion, either: (a) repair or replace such product (or the defective part) free of charge or (b) refund the purchase price of such product if an exchange unit cannot be provided.

HOW DO YOU OBTAIN WARRANTY SERVICE? To obtain warranty service, you must contact us at 1-866-849-3049 or by email at info@myivation.com during the Warranty Period to obtain a Defective Merchandise Authorization (**“DMA”**) number. No warranty service will be provided without a DMA number and return shipping costs to our facilities shall be assumed by you, the purchaser. Shipping costs of the replacement unit to you shall be assumed by us.

GET IN TOUCH!

GET IN TOUCH!

✉ info@myivation.com

☎ 1-866-849-3049

IVATION is a trademark of C&A IP Holdings, LLC, in the U.S, Canada, and the E.U.

All other products, brand names, company names, and logos are trademarks of their respective owners, used merely to identify their respective products, and are not meant to connote any sponsorship, endorsement or approval.

Distributed by C&A Marketing, Inc., 114 Tived Lane East, Edison, NJ 08837.
MADE IN CHINA

© 2019. C&A IP Holdings, LLC. All Rights Reserved.