CABLE SAVING FEATURES

Within the RIDGID Drum Machine line, there are several features specifically designed to minimize machine downtime and maximize cable life. These features keep the machine on the job and you making money.

EXAMPLES INCLUDE:

- INNER DRUM minimizes the potential of the cable flipping in the drum.
- PATENTED CABLE CONTROL SYSTEM limits the potential for cable flip-over in the drum and helps to indicate to the operator when blockages are encountered.
- UNIVERSAL MOTOR automatically slows cable and increases torque when encountering obstructions. Gives the user audible and visual signals when engaging an obstruction.

MACHINES DESIGNED FOR YOU

The RIDGID Drum Machine line is tough on drain obstructions, but easy on the end user. Several design features make it easy to load, unload, transport and use the machines.

EXAMPLES INCLUDE:

- . PATENTED TWO-POSITION STAIR CLIMBER for easy loading/unloading.
- QUICK-RELEASE DRUMS with built-in handles for quick and easy transport.
- POWERFUL AUTOFEED® MECHANISM to advance and retrieve cable easily.
- . CONVENIENT CART DESIGNS AND NARROW PROFILES for superior maneuverability.

CABLES FOR DRUM MACHINES

	K-400 & F	(-3800			
PRODUCTS:			K-6200		
			K-750, K-750R & K-7500		
CABLE DIAMETER:	3/4" Cable	½" Cable	%" Cable	¾" Cable	
AVAILABLE LENGTHS:	50' - 75' - 100'	50' - 75' - 90'	25' - 50' - 75' - 100'	25' - 50' - 75' - 100'	
CABLE TYPE:	Inner Core, Integral Wound	Inner Core, Integral Wound	Heavy-Duty Inner Core, Inner Core, Hollow Core	Inner Core, Hollow Core	

Inner Core Cables Compression-wound for strength, it also resists kinking and negotiates tough bends and traps. Good flexibility while delivering more cleaning power to cable end.

Integral Wound Core Cables Cable is wound tight on wire inner core, creating a solid assembly. Has greater kink resistance.

Hollow Core Cables Provide maximum flexibility for severe bends and traps.

DRUM CABLES

CABLE TYPE	CATALOG NO.	MODEL NO.	CABLE DESCRIPTION	K400	K3800	K6200	K750	K7500	K750R
	50652	S-2	½" x 25' w/ Funnel Auger		х				
_	50657	S-3	½" x 35' w/ Funnel Auger		х				
SINK DRUM	56782	C-1IC	5/16" x 25' Inner Core w/ Bulb Auger		х				
N N	56792	C-13IC	5∕16" x 35' w/ Bulb Auger		х				
	56787	C-2IC	5/16" x 25' Inner Core w/ Drop Head Auger		х				
	56797	C-23IC	5/16" x 35' w/ Drop Head Auger		х				
	87577	C-31IW	3/8" x 50' Integral Wound Cable	х	х				
	87582	C-32IW	%" x 75' Integral Wound Cable	х	х				
BLES	87587	C-331W	%" x 100' Integral Wound Cable	х	х				
%" CABLES	37842	C-31	3/8" x 50' Inner Core Cable		х				
% 	37847	C-32	3/6" x 75' Inner Core Cable		х				
	37852	C-33	%" x 100' Inner Core Cable		х				
	87592	C-441W	½" x 50' Integral Wound Cable	х	х				
	87597	C-45IW	½" x 75' Integral Wound Cable	х	х				
BLES	37857	C-44	½" x 50" Inner Core Cable		х				
%" CABLES	37862	C-45	½" x 75' Inner Core Cable		х				
2,7	37867	C-45HC	½" x 75' Hollow Core Cable		х				
	55467	C-46	½" x 90' Inner Core Cable		х				
	92460	C-25	%" x 25' Inner Core Cable			Х	х	х	х
	92465	C-26	5/8" x 50' Inner Core Cable			х	х	х	х
	92470	C-27	%" x 75' Inner Core Cable			х	х	х	х
	43647	C-24	%" x 100' Inner Core Cable			х	х	х	х
BLES	32737	C-27HC	%" x 75' Hollow Core Cable			х	х	х	х
5%" CAB	58192	C-24HC	5%" x 100' Hollow Core Cable			х	х	х	х
3%	37628	C-25HD	%" x 25' Heavy Duty Cable			х	х	х	х
	37633	C-26HD	%" x 50' Heavy Duty Cable			Х	х	х	х
	37638	C-27HD	%" x 75' Heavy Duty Cable			х	х	х	х
	37643	C-24HD	5/8" x 100' Heavy Duty Cable			х	х	х	х
	92475	C-28	3/4" x 25' Inner Core Cable				х	х	х
	92480	C-29	¾" x 50' Inner Core Cable				х	х	х
BLES	41212	C-75	3/4" x 75' Inner Core Cable				х	х	х
34" CABLES	41697	C-100	3/4" x 100' Inner Core Cable				х	х	х
3/4	47427	C-75HC	3/4" x 75' Hollow Core Cable				х	х	х
	47432	C-100HC	¾" x 100' Hollow Core Cable				х	х	х

DRUM CABLE TOOLS

CATALOG NO.	MODEL NO.	DESCRIPTION	K-400	K-3800	K-6200	K-750	K-7500	K750R
62990	T-201	Straight Auger-5" Long	х	х				
62995	T-202	Bulb Auger-11/4"OD	Х	х				
63000	T-203	Bulb Auger-1/2"OD	Х	х				
54837	T-204	C-Cutter- 1"	Х	х				
63005	T-205	C-Cutter- 1%"	Х	х				
63010	T-206	Funnel Auger-3"	Х	х				
63015	T-207	Spiral Cutter-11/4"	Х	х				
63020	T-208	Spiral Cutter-1½"	Х	х				
63025	T-209	Spiral Cutter-2"	Х	х				
63030	T-210	Spade Cutter-1"	Х	х				
63035	T-211	Spade Cutter-1%"	Х	х				
63040	T-212	Spade Cutter-1¾"	Х	х				
63045	T-213	4-Blade Cutter-1"	Х	х				
63050	T-214	4-Blade Cutter-1%"	Х	х				
63055	T-215	4-Blade Cutter-1¾"	Х	х				
63060	T-216	Chain Knocker-2"	Х	х				
63065	T-217	Drop Head-4" Long	Х	х				
52812	T-230	H-D "C" Cutter-2"	Х	Х				
52817	T-231	H-D "C" Cutter-2½"	Х	Х				
52822	T-232	H-D "C" Cutter-3"	Х	Х				
92485	T-403	P Trap Cutter-3"			х	х	Х	х
92490	T-404	P Trap Cutter-3"			х	х	Х	х
92495	T-406	Spade Cutter 1¾"			х	х	Х	х
92500	T-407	Funnel Retrieving Auger-21/16			Х	х	х	х
92505	T-408	Sawtooth Cutter-3"			х	х	Х	х
51762	T-409	H-D Bulb Auger-1¾"			х	х	х	х
92510	T-411	Double Cutter-2"			х	х	Х	х
92515	T-412	Double Cutter-2½"			Х	х	Х	х
92520	T-413	Double Cutter-3"			х	х	х	х
92525	T-414	Double Cutter-4"			х	х	х	х
92530	T-416	Double Cutter-6"			х	х	х	х
92535	T-432	3-Blade Cutter-2"			х	х	х	х
92540	T-433	3-Blade Cutter-3"			х	х	х	х
92545	T-434	3-Blade Cutter-4"			х	х	х	х
92550	T-436	3-Blade Cutter-6"			Х	х	Х	х

SINK/SECTIONAL CABLES

CABLE TYPE	CATALOG NO.	MODEL NO.	CABLE DESCRIPTION	K50	K60	K1500	K1500SP	K1500G
	62225	C-1	5/₁6" x 25' w/ Bulb Auger	Х				
so.	56782	C-1IC	5/16" x 25' Inner Core w/ Bulb Auger	х				
BLE	89400	C-21	⁵⁄₁6" x 50' w/ Bulb Auger	х				
ڭ/ە" CABLES	62235	C-2	5√16" x 25' w/ Drop Head Auger	х				
2/2	56787	C-2IC	5/16" x 25' Inner Core w/ Drop Head Auger	х				
	89405	C-22	⁵⁄16" x 50' w/ Drop Head Auger	х				
	62245	C-4	¾" x 25' w/ Male Coupling	х				
BLES	62250	C-5	3/8" x 35' w/ Bulb Auger	х				
%" CABLES	62260	C-6	¾" x 35' w/ Male Coupling	х				
	96037	C-6IC	⅓" x 35' w/ Male Coupling	х				
	62265	C-7	%" x 7.5' Tight-Wind	х	х			
%" CABLES	62270	C-8	%" x 7.5' All Purpose Wind	х	Х			
" CA	25046	C-8PC	5/s" x 7.5' All Purpose Wind w/ Plastic Core	х	х			
25	51317	C-9	%" x 7.5' Heavy Duty Wind	х	х			
	62275	C-10	%" x 15' All Purpose Wind w/ Plastic Core		х	х	х	Х
%" CABLES	25036	C-10PC	1/2 x 15 All Purpose Wind		Х	Х	х	Х
	62280	C-11	1¼" x 15' All Purpose Wind			Х	х	Х
1%" CABLES	24226	C-11PC	11/4" x 15' All Purpose Wind w/ Plastic Core			х	х	Х
	62285	C-12	1¼" x 15' Extra Heavy Duty Wind			Х	х	Х
	62295	C-14	1¼" x 15' Heavy Duty Wind			Х	х	Х
	62300	C-15	1¼" x 15' Extra Flexible Wind			х	х	Х

SECTIONAL CABLE TOOLS

CATALOG NO.	MODEL NO.	DESCRIPTION	K50	K60	K1500	K1500SP	K1500G
62990	T-201	Straight 5" Auger	Х				
62067	T-201A	Straight Flex Auger	X				
62995	T-202	Bulb Auger 11/8" OD	X				
63000	T-203	Bulb Auger 1/8" OD	x				
54837	T-204	"C" Cutter 1"	X				
63005	T-205	"C" Cutter 13%"	X				
52812/ 52817/ 52822	T-230/ T-231/T-232	H-D "C" Cutter 2"/ 21/2"/ 3"	x				
63010	T-206	Funnel Auger- 3"	X				
63015/63020/ 63025	T-207/T-208/ T-209	Sprial Cutter 11/4"/ 11/2"/ 2"	X				
63030/ 63035/ 63040	T-210/T-211/T-212	Spade Cutter 11/4"/ 13/8"/ 13/4"	X				
63045/ 63050/ 63055	T-213/T-214/T-215	4-Blade Cutter 1"/ 1%"/ 1¾"	X				
63060	T-216	Chain Knocker 2"	X				
63065	T-217	Drop Head 4" Long	X				
63220/63080/63070/63280	T-221/T-220/T-219/T-218	Flue Brush 1½"/ 2"/ 2½"/ 3"	X				
55457	T-225	Straight Retrieving Auger					
62850	T-101		X	V			
62855	T-102	Straight Auger		X			
		Funnel Auger		X			
27642	T-125	Straight Retrieving Auger		Х			
62860	T-103	Sawtooth Cutter 2½"		Х			
62865	T-104	"H" Cutter 2½"		Х			
62870	T-105	Grease Cutter 2½"		Х			
62875	T-106	Grease Cutter 3½"		Х			
62880	T-107	Spade Cutter 1 ³ / ₄ "		Х			
62915/ 62920/ 62925	T-109/ T-110/ T-111	Sprial Sawtooth Cutter 1½", 2¼" & 3"		Х			
62930	T-112	4-Blade Cutter 1¾"		Х			
62935	T-113	4-Blade Cutter 3"		Х			
62940	T-114	Chain Knocker		Х			
98050	T-150	Three Blade 3",4", 6"		Х	Х	Х	Х
98055	T-150-1	Sharktooth Cutter 3"		Х	Х	Х	Х
98060	T-150-2	Sharktooth Cutter 4"		Х	Х	Х	Х
62840	T-1	Straight Auger			Х	Х	Х
61800	T-2	Heavy Duty Straight Auger			Х	Х	Х
63105	T-3	Funnel Auger			Х	Х	Х
61790	T-4	Heavy Duty Funnel Auger			Х	Х	Х
63190	T-5	Straight Retrieving Auger			х	х	Х
63195	T-6	Funnel Retrieving Auger			Х	Х	Х
63200	T-7	Hook Auger			Х	Х	Х
63205/ 63210 / 62845	T-8/ T-9/ T-10	Grease Cutter 2½"/ 3½"/ 4½"			Х	х	Х
59480	T-11	"H" Cutter 2½"			Х	х	Х
59485	T-12	"H" Cutter 3½"			Х	Х	Х
61970	T-13	Sawtooth Cutter 2½"			Х	Х	Х
61975	T-14	Sawtooth Cutter 3½"			Х	Х	Х
61770	T-15A	Expanding Cutter 4"-6"			Х	Х	Х
61825	T-15B	Expanding Cutter 6"-8"			х	х	Х
61960/ 61850/ 61855	T-16/T-17/ T-18	Sprial Bar Cutter 4"/6"/8"			х	х	Х
59625/ 63075/ 63085	T-21/ T-22/ T-23	Sprial Sawtooth Cutter 2½"/ 3½"/ 4½"			х	х	Х
59765/ 59770/ 59775/ 59780	T-24/T-25/T-26/T-26A	4-Blade Cutter 2½"/ 3½"/ 4½"/ 5½"			Х	х	Х
63110/ 63115/ 63120	T-31/ T-32/ T-33	Chain Knocker 3"-4"/ 4"-6"/ 6"-8"			X	X	Х
63145/ 63150/ 63155/ 63160/	T-38/ T-39/ T-40/ T-41/	Flue Brush 1½"/ 2"/ 2½"/ 3"/			· · ·		**
63165/ 63170/ 6315/ 63240/	T-42/ T-43/ T-44/ T-45/	3½"/ 4"/ 4½"/ 5"/			x	x	x
36180/ 36185	T-46/ T-47	5½"/ 6"			_ ^	^	Α.
98030	T-50 (3 Blades- 3", 4" & 6")	Sharktooth Cutter 3"/ 4"/6"			X	х	Х
98035	T-50-1	Sharktooth Cutter 3 / 4 /6			X	X	X
98040	T-50-2	Sharktooth Cutter 5			X	X	X
30040	1-30-2	SHAINLOULH GULLET 4		İ		_ ^	^

For Drain Guns, Sink Drums, and Small Line Sectional Machines

		Model	Length	Typical Application	Characteristics	Machines	
	Bulb Auger	C-1 C-21	25' 50'	Drain Lines 3/4" to 11/2". Kitchen Sinks, Lavatory Sinks, Bathtub Drains, Drinking Fountains and Urinals.	Hollow core cables that provide maximum flexibility for	K-25/K-26 (25' only)	
5 ле" (8mm)	Drop Head	C-2 C-22	25' 50'	Drain Lines ¾" to 1½". Drop Head leads into down drain pipes, especially good for back-to-back mounted fixtures and severe bends.	severe bends and "P" Traps.	K-45 K-40 K-50*	
· (8	Inner Core w/ Bulb Auger	C-1IC C-13IC	25' 35'	Drain Lines 1½" to 2". Kitchen Sinks, Lavatory Sinks, Slop Sinks and Laundry Lines.		K-25/K-26 (25' only)	
	Inner Core w/ Drop Head	C-2IC C-23IC	25' 35'	Drop Head leads into down drain pipes, especially good for back-to-back mounted fixtures and severe bends.	Inner core cables that provide good flexibility while resisting kinking.	K-45, K-40 K-3800, K-50*	
3 %" (10mm)	Male Coupling	C-4 C-6 C-6IC	25' 35' 35'	Drain Lines 1½" to 2½". Kitchen Sinks, Lavatory Sinks, Slop Sinks, and Disposal Waste Lines.	Flexible, yet tough 3/4" cable most commonly used after traps have been	K-45 K-40	
3% (10r	Bulb Auger	C-5	35'	Drain Lines 1½" to 2½". Kitchen Sinks, Lavatory Sinks, Slop Sinks, and Disposal Waste Lines.	removed. C-6IC slightly stiffer than C-6. *See Page 12.25 for Proper	K-50*	

For Drum Machines

roi biuiii Macilliles										
		Model	Length	Typical Application	Characteristics	Machines				
3 8" (10mm)	w/Inner Core	C-31 ,C-31IW C-32 ,C-32IW C-33 ,C-33IW	50' 75' 100'	Drain Lines 1½" to 2½". Kitchen Sinks ,Lavatory Sinks, Slop Sinks and Laundry Stacks.	Good flexibility. As torque builds, outer spring tightens on wire core causing cable to stiffen and transfer greater torque to cutter.	K-400 K-3800				
1 ½" (12mm)	w/Inner Core	C-44, C-44IW C-45, C-45IW C-46	50' 75' 90'	Drain Lines 2" to 4". Laundry Stacks, Roof Vents and Indoor Floor Drains.	Same characteristics as above. Exceptional flexibility and toughness for a ½" inner core cable.	K-400 K-3800				
5 6" (16mm)	w/Inner Core	C-25, C-25HD C-26, C-26HD C-27, C-27HD C-24, C-24HD	25' 50' 75' 100'	Drain Lines 3" to 6". Floor Drains, Vents, and Laterals.	General purpose cable. Inner core provides greater stiffness under load.	K-750 K-6200 K-7500				
	w/Hollow Core	C-27HC C-24HC	75' 100'	Drain Lines 3" to 6". Floor Drains, Vents, and Laterals.	Hollow core cable is lighter in weight & more flexible. Helps operator negotiate difficult traps & bends in large lines.	K-750 K-7500				
3 4" (20mm)	w/Inner Core	C-28 C-29 C-75 C-100	25' 50' 75' 100'	Drain Lines 4" to 10". Main Lines including Laterals.	Powerful cable used for heavy-duty blockages such as tree roots. Cable tightens on core to provide extra stiffness under load, delivering power to cutter.	K-750 K-7500				
	w/Hollow Core	C-75HC C-100HC	75' 100'	Drain Lines 4" to 6". Main Lines including Laterals.	Hollow core cable is lighter in weight and more flexible. Helps operator negotiate difficult traps and bends in large lines.	K-750 K-7500				

For Sectional Machines


		Model	Length	Typical Application	Characteristics	Machines
	0	C-7	7½'	2" and 3" Floor Drains.	Tight wind cable providing good rigidity in a hollow core cable. Not for tree roots.	K-50, K-60SP
58" (16mm)	0	C-8	7½'	Drain Lines $1^1\!\!/\!_4$ " to 2". Ideal for proper cleaning of small lines.	Open wind cable that is more flexible than C-7. Open wind acts as an auger to thoroughly remove blockages in small lines.	K-50, K-60SP
	mmm, 2; , mmn)	C-9	10'	Drain Lines 2" to 4". Ideal for Floor Drains and Stacks.	Heavy-Duty open wind cable ideal for long runs in indoor lines.	K-50, K-60SP
7 6" (22MM)	0	C-10	15'	Drain Lines 2" to 4". Rooftop Vent Stacks.	Standard all-purpose open wind. Excellent flexibility.	K-60SP K-1500A/B*
	Q	C-11	15'	Drain Lines 3" to 8". Good for all around work. Easily negotiates 4" Traps.	Standard all-purpose open wind with $\mbox{\%}"$ pitch. Flexible, yet rigid enough to do fast, tough root cutting.	K-1500A/B/& SP
11/4" (32mm)	mms=mm	C-12	15'	Drain Lines 4" to 10". Do not use through 4" "P" Traps.	Extra-heavy-duty open wind with $\%"$ pitch. Designed for $4"$ to 10" long runs.	K-1500A/B/& SP
(3)	0	C-14	15'	Drain Lines 3" to 10". Do not use through 4" "P" Traps.	Heavy-duty open wind with $1/2$ " pitch. Especially good For 4" cleanout or 8" elbow entering in 4" to 10" line.	K-1500A/B& SP
	mmia Imuuu	C-15	15'	Drain Lines 3" to 6". Ideal for 4" Traps.	Extra-flexible open wind with ½" pitch. Lighter than C-11, slightly stiffer.	K-1500A/B

*See Page 12.29 for Proper Jawset.




CABLE TOOLS

RIDGID offers a wide variety of cutters and augers to clean everything from grease to root blockages. With the RIDGID line of cable tools, you will always have the right tool for the job.








For C-4, C-6, C-6IC, C-7, C-8, C-9, C-10, C-11, C-12, C-14, C-15, C-31, C-32, C-33, C-44, C-45, and C-46 & all IW Cables.

DROP HEAD AUGER

For cleaning back to back mounted fixtures e.g., sinks where cable needs to be led into down pipe.






STRAIGHT AUGER

For use in exploring and breaking up stoppages or returning sample to surface to determine correct tool.






FUNNEL AUGER

For use as second tool in line. Breaks up remains of stoppage left by straight auger.





HOOK AUGER

For heavy and dense root stoppages in pipes that require hooking and breaking up.






RETRIEVING AUGER

For searching for cable which is broken or lost in line.





SPADE CUTTER

For following up after augers have been used and to open up floor drains.





FOUR BLADE SAW TOOTH CUTTER

For blockages caused by hardened, glazed material such as chemical deposits.





GREASE CUTTER

For lines which have become badly greased with detergents and have to be opened.





SPIRAL SAW TOOTH CUTTER

For clearing any stoppage, roots, rags, sticks, etc.





SAW TOOTH CUTTER

For cleaning lines blocked heavily with roots. Unique design permits cutter to be removed from damaged pipe without locking.





SPIRAL BAR CUTTER

For main sewers blocked by roots, leaf debris, sticks, sawdust, cloth, and sacking.






SHARKTOOTH CUTTER

For use in cleaning pipes of general material clinging to pipe walls.






GREASE "C" CUTTER

For grease blockage in lines leading from garbage disposal unit or waste pipe.






EXPANDING FINISH CUTTERS

For final removal of material adhering to walls and certain roots of fibrous nature.





CHAIN KNOCKER

For use when vigorous action is required for cleaning of scale in pipes and boiler tubes.





FLUE BRUSH

For use for finish cleaning required of boiler tubes and heat exchangers.







THE MOST COMPREHENSIVE WAY TO CLEAN DRAINS, FROM START TO FINISH.

From industry-leading inspection tools to customer service technology, take advantage of the complete line of drain and cleaning equipment. It's the best way to get the job done quickly and effectively.



SeeSnake® Inspection Equipment

Investigate farther, faster, better.

The extensive range of RIDGID SeeSnake® and handheld inspection cameras, push cables, reels and video monitors offers durability and ease-of-use to identify problems quickly.



RIDGID Locating Equipment

Get to the root of the issue.

A full line of rugged RIDGID locators and transmitters is available to meet your needs for fast and accurate locating of buried utilities, including electric, water, gas, oil, telecom, cable and sewer. These tools are an ideal complement to RIDGID video pipe inspection and drain cleaning equipment.



RIDGID Drain Cleaning Equipment

The right equipment for any job, anywhere.

No matter what you need in a drain cleaning machine, there is a RIDGID product just right for you. From sink machines to drum, sectional, rodder and water jet machines, you can depend on RIDGID to have the right tool and accessories to meet your exact needs.



RIDGIDConnect[™] Online Business Tool

The simplest, fastest way to share critical information.

RIDGIDConnect™ is the online business tool that works with your digital equipment to streamline record keeping, communication and collaboration. Designed for professionals who create or use digital media, RIDGID Connect makes it easy to share, store and simplify. See www.ridgidconnect.com.

©2013 RIDGID, Inc. All sales subject to Ridge Tool Company Terms and Conditions of Sales. 999-997-702.10 RIDGID Elyria, Ohio U.S.A. • 800.769.7743 • RIDGID.com



