

Petite Hydro Walk In Bathtub



H3167 Left Hand Door



H3168 Right Hand Door

Specifications

Actual Size: 27.5" W x 52.25" L x 38" H Shipping Size: 30" W x 55" L x 42" H

Shipping Weight: 320 lbs. Net Weight: 210 lbs. Water Capacity:

80 gal. US (unoccupied) 45-65 gal. US (occupied)

Options

• Left or Right Hand Door/Drain

Included Features

Tub Shell - Acrylic Tub Shell:

- High quality cast acrylic
- Excellent color uniformity
- High gloss white finish
- Fiberglass reinforced
- 1. Stainless Steel Frame
- 2. Unique removable swivel tray (patented) Two (2) front, one (1) toe kick and one (1) side removable access panels
- 3. Removable rubber back support (white)
- 4. Wall extension kit to fit in standard 60" opening
- 5. Low threshold step in 8" with the option to lower to 5"
- 6. Seat Width: 19.75"
- 7. Eight (8) adjustable heavy duty leveling legs
- 8. Stainless steel and tempered glass door, door frame and door seal gasket
- 9. Removable door for easy cleaning
- 10. Hydro Massage System (1HP) (900 W)
- Four (4) adjustable and ten (10) fixed hydro jets
- Air flow regulator for adjustable hydro massage
- ON/OFF control
- In-line water heater (5.5 amp) (660W)

- 11. Five-Piece Thermostatic Faucet Set
- •Thermostatic control valve
- •Two (2) 2-way diverters with extension handles
- Pull out, hand held, chrome plated shower with 5 ft. retractable stainless steel braided hose

Plumbing

- Two (2) x 2" floor drains with 2 overflows and 2 stainless steel cable operated openers with extension handles
- Drainage time +/- 80 seconds to overflow at ideal plumbing condition*
- Two (2) PVC 2" drain elbows with 2" opening

Warranty


- Lifetime limited warranty on frame, door, door seal gasket and acrylic walk in tub shell
- Five (5) Year parts warranty*
- Thermostatic Control Valve (TCV) 1 year limited warranty

^{*}For more information please visit www.ellasbubbles.com



Petite Hydro Walk In Bathtub








Petite Hydro Walk In Bathtub

*Right hand door and drain shown



Disclaimer:

In an effort to continually improve our product, specifications and configurations are subject to change without notice. Before ordering or installing, consider future access to essential equipment.