Revision: 27.02.2015

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date 27.02.2015

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: Seal-Krete Heavy-Duty Waterproofer Hi-Solids
- · Article number: 700005
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Protective coating
- 1.3 Details of the supplier of the Safety Data Sheet
 Manufacturer/Supplier: Seal-Krete / Clayton Corporation
 306 Gandy Road
 Auburndale, FL 33823
 Phone: 863-967-1535
 Toll-Free: 1-800-323-7357
- **1.4 Emergency telephone number:** ChemTel Inc. (800)255-3924, +1 (813)248-0585

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008
 The product is not classified as hazardous according to OSHA GHS regulations within the United States.
 The product is not classified as hazardous according to GHS regulations.
 The product is not classified as hazardous according to the CLP regulation.

 Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
 Information concerning particular hazards for human and environment:
 The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

 Classification system:
 The classification is according to the latest editions of the EU-lists, and extended by company and
 - literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

• Additional information:

There are no other hazards not otherwise classified that have been identified.

0 percent of the mixture consists of component(s) of unknown toxicity

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

This product does not have a classification according to the CLP regulation.

The product is not classified as hazardous according to OSHA GHS regulations within the United States. This product does not have a classification according to the General GHS regulations.

· Hazard pictograms Not Regulated

(Contd. on page 2)

Printing date 27.02.2015

Revision: 27.02.2015

Trade name: Seal-Krete Heavy-Duty Waterproofer Hi-Solids (Contd. of page 1) Signal word Not Regulated · Hazard-determining components of labelling: None. · Hazard statements Not Regulated · Precautionary statements Not Regulated · Hazard description: · WHMIS-symbols: Not hazardous under WHMIS. · NFPA ratings (scale 0 - 4) Health = 0Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) Health = 0HEALTH 0 Fire = 0FIRE REACTIVITY O Reactivity = 0 HMIS Long Term Health Hazard Substances None of the ingredients are listed. · 2.3 Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components: None in reportable quantities.
- · Additional information:

For the listed ingredients, the identity and exact percentages are being withheld as a trade secret. For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- \cdot 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation is experienced, consult a doctor.
- After eye contact: Rinse opened eye for several minutes under running water. Remove contact lenses if worn. Seek medical treatment in case of complaints.

(Contd. on page 3)

Printing date 27.02.2015

Revision: 27.02.2015

Trade name: Seal-Krete Heavy-Duty Waterproofer Hi-Solids

(Contd. of page 2)

 After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting.

If symptoms persist consult doctor.

• **4.2 Most important symptoms and effects, both acute and delayed** May cause gastro-intestinal irritation if ingested.

· Hazards No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents:

The product is not flammable.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information No further relevant information available.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

- · 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Send for recovery or disposal in suitable receptacles.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling No special measures required.

Information about fire - and explosion protection: No special measures required.

(Contd. on page 4)

Printing date 27.02.2015

Revision: 27.02.2015

Trade name: Seal-Krete Heavy-Duty Waterproofer Hi-Solids

(Contd. of page 3)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · DNELs No further relevant information available.
- · PNECs No further relevant information available.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed.
- · Respiratory protection:

Not required under normal conditions of use.

For large spills, respiratory protection may be advisable.

· Protection of hands:

Not required under normal conditions of use.

Protection may be required for spills.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

· Body protection:

Not required under normal conditions of use.

(Contd. on page 5)

Printing date 27.02.2015

Trade name: Seal-Krete Heavy-Duty Waterproofer Hi-Solids

Protection may be required for spills.

· Limitation and supervision of exposure into the environment No special requirements.

• **Risk management measures** See Section 7 for additional information. No special requirements.

SECTION 9: Physical and chemical properties

 pH-value at 20 °C (68 °F): 8,5 Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined. Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Auto/Self-ignition temperature: Not determined. Decomposition temperature: Not determined. Self-igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Vapour pressure: Not determined. Vapour density Not determined. Vapour density Not determined. Vapour density Not determined. Vapour density Not determined. 	
Melting point/Melting range: Boiling point/Boiling range:Not Determined.Flash point:Not applicable.Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Auto/Self-ignition temperature:Not determined.Decomposition temperature:Not determined.Self-igniting:Product is not self-igniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower: Upper:Not determined.Vapour pressure:Not determined.Vapour pressure:Not determined.Vapour pressure:Not determined.Vapour densityNot determined.Not determined.Not determined.Not determined.Not determined.Vapour densityNot determined.	
 Flammability (solid, gaseous): Not applicable. Auto/Self-ignition temperature: Not determined. Decomposition temperature: Not determined. Self-igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapour pressure: Not determined. Density at 20 °C (68 °F): 1,007 g/cm³ (8,403 lbs/gal) Relative density Not determined. Vapour density Not determined. 	
 Auto/Self-ignition temperature: Not determined. Decomposition temperature: Not determined. Self-igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapour pressure: Not determined. Density at 20 °C (68 °F): 1,007 g/cm³ (8,403 lbs/gal) Relative density Not determined. Vapour density Not determined. 	
 Decomposition temperature: Not determined. Self-igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Vapour pressure: Not determined. Vapour pressure: Not determined. Density at 20 °C (68 °F): 1,007 g/cm³ (8,403 lbs/gal) Relative density Not determined. Vapour density Not determined. 	
 Self-igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Vapour pressure: Not determined. Vapour pressure: Not determined. Density at 20 °C (68 °F): 1,007 g/cm³ (8,403 lbs/gal) Relative density Not determined. Not determined. 	
 Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapour pressure: Not determined. Density at 20 °C (68 °F): 1,007 g/cm³ (8,403 lbs/gal) Relative density Not determined. Vapour density Not determined. 	
 Explosion limits: Lower: Upper: Vapour pressure: Not determined. Vapour pressure: Not determined. Density at 20 °C (68 °F): 1,007 g/cm³ (8,403 lbs/gal) Relative density Not determined. Vapour density Not determined. 	
Lower: Upper:Not determined.Vapour pressure:Not determined.• Density at 20 °C (68 °F):1,007 g/cm³ (8,403 lbs/gal)• Relative densityNot determined.• Vapour densityNot determined.• Vapour densityNot determined.	
 Density at 20 °C (68 °F): Relative density Vapour density Not determined. Not determined. 	
Relative density Not determined. Vapour density Not determined.	
• Evaporation rate Not determined.	
Solubility in / Miscibility with water: Fully miscible.	
· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity: Dynamic: Not determined. Kinematic: Not determined. (Contd. on page	0)

Revision: 27.02.2015

(Contd. of page 4)

Printing date 27.02.2015

Revision: 27.02.2015

Trade name: Seal-Krete Heavy-Duty Waterproofer Hi-Solids

· 9.2 Other information

No further relevant information available.

(Contd. of page 5)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification: None.
- · Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitisation: No sensitising effects known.
- Subacute to chronic toxicity: No further relevant information available.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

• Repeated dose toxicity: No further relevant information available.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)

Printing date 27.02.2015

Revision: 27.02.2015

(Contd. of page 6)

Trade name: Seal-Krete Heavy-Duty Waterproofer Hi-Solids

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Smaller quantities can be disposed of with household waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
· 14.1 UN-Number	
· DOT, ADR, ADN, IMDG, IATA	Not Regulated
 · 14.2 UN proper shipping name · DOT, ADR, ADN, IMDG, IATA · 14.3 Transport hazard class(es) 	Not Regulated
· DOT, ADR, ADN, IMDG, IATA	
· Class	Not Regulated
 14.4 Packing group 	-
· DOT, ADR, IMDG, IATA	Not Regulated
14.5 Environmental hazards:	No
 Marine pollutant: 14.6 Special precautions for user 	No Not applicable.
• 14.7 Transport in bulk according to Annex I	••
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	-

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot United States (USA)

·SARA

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 8)

Printing date 27.02.2015

Revision: 27.02.2015

	(Contd. of pa
	Proposition 65 (California):
	Chemicals known to cause cancer:
	lone of the ingredients is listed.
	Chemicals known to cause reproductive toxicity for females:
٢	lone of the ingredients are listed.
	Chemicals known to cause reproductive toxicity for males:
Ν	lone of the ingredients are listed.
. (Chemicals known to cause developmental toxicity:
Ν	lone of the ingredients are listed.
. (Carcinogenic Categories
	PA (Environmental Protection Agency)
Ν	Ione of the ingredients are listed.
۰L	ARC (International Agency for Research on Cancer)
Ν	lone of the ingredients are listed.
۰T	LV (Threshold Limit Value established by ACGIH)
Ν	lone of the ingredients are listed.
• •	IIOSH-Ca (National Institute for Occupational Safety and Health)
Ν	lone of the ingredients are listed.
. (Canada
• (Canadian Domestic Substances List (DSL)
P	All ingredients are listed.
. (Canadian Ingredient Disclosure list (limit 0.1%)
Ν	Ione of the ingredients are listed.
. (Canadian Ingredient Disclosure list (limit 1%)
١	lone of the ingredients are listed.
٦	Other regulations, limitations and prohibitive regulations This product has been classified in accordance with hazard criteria of the Controlled Products Regulat and the SDS contains all the information required by the Controlled Products Regulations.
. ૬	Substances of very high concern (SVHC) according to REACH, Article 57
	None of the ingredients are listed.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

Printing date 27.02.2015

Revision: 27.02.2015

Trade name: Seal-Krete Heavy-Duty Waterproofer Hi-Solids

(Contd. of page 8)

DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent SDS Prepared by: ChemTel Inc.
Chem Tel Inc. 1305 North Florida Avenue
Tampa, Florida USA 33602-2902
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com