


ASSEMBLY & INSTALLATION INSTRUCTIONS

Studio 22" RTU Vanity 9205.024.339




VANITY TOP	RECOMMENDED SINKS	RECOMMENDED FAUCETS
9205.124 Laminated 22" Marble Top	0978.000.321 Frosted Glass Round Vessel 0978.000.200 Clear Glass Round Vessel 0960.000.020 China Round Vessel	2506.101 Moments Faucet
No top required for Rectangular Vessel Sink	0621.001.020 Rectangular Vessel Sink	


Thank you for selecting our products...products which have been the benchmarks of fine quality for over 100 years. To help insure that the installation process will proceed smoothly, please read these instructions carefully before you begin. Also, review the recommended tools and materials list; carefully unpack and examine your new plumbing fixture.

To maintain the beauty of the finish, avoid placing the furniture in direct sunlight, as sunlight causes fading. Also avoid extreme changes in temperature by arranging furniture away from radiators, heat and air vents, and air conditioning units. Avoid placing furniture directly under windows.

Recommended Tools & Materials



Roughing-in Dimensions



RTU (Ready to Unfold) VANITY INSTALLATION

Unpack unit carefully, taking care that bottom shelf does not drop and damage front legs (see Figure 2).

Provide suitable reinforcement for anchoring the vanity to the wall. Centerline of reinforcement should be 28-1/2" up from the floor (see Figure 1).

Rough in supply lines and waste per rough-in dimensions.



Unfold the vanity and position in desired location. The molding needs to be notched to seat the vanity flush against the wall.

Move the vanity into place and level with the adjustable glides on the bottom of the feet. The glides can be adjusted outward up to 1" but it is recommended not to exceed 1/2" if possible.

Drill at least two 3/8" O.D. anchoring holes through the centerline of the rear stringer of the vessel stand, located 3/4" down from the top of the table (see Figure 2).

Anchor the vanity to the wall through at least 2 of the anchoring holes in the rear of the vanity (see Figure 2).

Continue with installation appropriate for top and sink options chosen.



Optional Laminate Marble Top Installation


NOTE: Tops are precut to accommodate recommended sinks and faucet.

OPTION 1: Glass Vessel or Round China Vessel

1 Place the riser ("O" Ring side down) over the hole in countertop surface. Position Glass Vessel onto riser aligning holes.


2 The sink is mounted and secured on the countertop by the grid drain assembly, which is installed as follows:

1. Place the rubber gasket beneath the rim of the grid drain body and insert drain through sink and riser.
2. Install the washer and locknut onto the grid drain from beneath the countertop surface. Hand tighten.
3. Level sink front-to-back and side-to-side, then tighten (do not overtighten).
4. Install tail piece.



3 Apply a bead of silicon adhesive to the rim of the vanity. Place the marble top centered left to right on the vanity and with the back edge of the top even with the rear of the vanity. Clean up any excess silicon.

4 Connect the trap to the drain assembly and hand tighten to check alignment. It may be necessary to cut off part of the tail piece (area "B") or part of the horizontal leg of the trap (area "C").



5 Install faucet and connect to supply in accordance with the manufacturer's instructions.

6 Water test unit, check for leakage and correct as needed.

OPTION 2: China Rectangular Sink – Refer to instructions supplied with rectangular vessel.

Diagram of OPTION 1

Laminate Marble Top w/
Glass Vessel or
China Round Vessel





Diagram of OPTION 2

Rectangular Vessel Sink
on Studio Vanity



Care and Cleaning of Vanity

Clean the product by using soft, slightly damp cloth. Buff the product by using a soft dry cloth. Avoid using silicone cleaners and waxes.

Clean up excess water and spills immediately. Use a blotting rather than a wiping action. Water left over a long period of time will cause white spots in the finish.

NOTE: Please note that some chemicals may damage the finish. Take care to avoid the following: iodine, hair dye, after shave lotion, shaving cream, alcohol, perfume, Lestoil®, Lysol Tub and Tile Cleaner®, Lysol Spray Disinfectant®, Dow Disinfectant®, acetone, paint remover, Formula 409®, Tile-X®, and Nair®.

Care and Cleaning of the Marble Vanity Top

Marble is porous and easily stained. Wipe off anything spilled on it immediately. It should be washed or cleaned regularly with fresh warm water and a non-abrasive clean cloth. Also, using a non-abrasive, neutral (pH balanced) cleaner will help remove dirt and grime, but it is recommended to first try warm water only.

Marble should be sealed regularly with a good quality marble sealer. Marble sealers are available at most retail home supply stores. Follow the instructions on the sealer container for proper application and frequency of use. The sealer acts as a stain inhibitor and prevents most stains and soil from being absorbed into the porous surface, but it is NOT a guarantee against staining. All spills should be cleaned immediately. Avoid contact with all oils and petroleum-based products. Also, avoid contact with all acid or caustic products such as vinegar, citrus or fruit juices, soda, chlorine, and nail polish remover. If the marble is well sealed, the warm water and non-abrasive cloth should keep it clean.

REPLACEMENT PARTS LIST 9205.024.339 Studio 22" RTU Vanity

VANITY TOP	RECOMMENDED SINKS	RECOMMENDED FAUCETS
9205.124 Laminated 22" Marble Top	0978.000.321 Frosted Glass Round Vessel 0978.000.200 Clear Glass Round Vessel 0960.000.020 China Round Vessel	2506.101 Moments Faucet
No top required for Rectangular Vessel Sink	0621.001.020 Rectangular Vessel Sink	

REPLACEMENT PART NO.	DESCRIPTION
730679-0070A	Threaded Leveller (1 per pack)
730744-0070A	Shelf Clip(s) for Adjustable Shelf (4 per pack)

AS AMERICA, INC. ("AMERICAN STANDARD") WOOD FURNITURE WARRANTY

If inspection of this AS America, Inc. ("American Standard") plumbing product, within one year after its initial purchase, confirms that it is defective in materials or workmanship, American Standard will repair or, at its option, exchange the product for a similar model. Variations in actual wood color and finishes which may result from natural characteristics of the wood, such as grain patterns, mineral streaks and the like, are not defects and are not covered by this warranty.

This warranty applies only to the original purchaser and installation of these products.

This limited warranty does not apply to local building code compliance. Since local building codes vary considerably, the purchaser of this product should check with a local building or plumbing contractor to insure local code compliance before installation.

This warranty shall be void if the product has been moved from its initial place of installation; if it has been subjected to faulty maintenance, abuse, misuse, accident or other damages; if it was not installed in accordance with American Standard's instructions; or if it has been modified in a manner inconsistent with the product as shipped by American Standard.

American Standard's option to repair or exchange the product under this warranty does not cover any labor or other costs of removal or installation, nor shall American Standard be responsible for any other incidental or consequential damages attributable to a product defect or to the repair or exchange of a defective product, all of which are expressly excluded from this warranty. (Some states or provinces do not allow the exclusion or limitation of implied warranties, so this exclusion may not apply to you).

This warranty gives you specific legal rights. You may have other statutory rights that vary from state to state or province to province, in which case this warranty does not affect such statutory rights.

AS AMERICA, INC. ("AMERICAN STANDARD") MARBLE / GRANITE VANITY/TABLE TOP LIMITED WARRANTY

If inspection of this AS America, Inc. ("American Standard") plumbing product, within one year after its initial purchase, confirms that it is defective in materials or workmanship, American Standard will repair or, at its option, exchange the product for a similar model. Variations in shading, veining, and texture which may result from natural characteristics of stone and as such are not defects and are not covered by this limited warranty.

This limited warranty applies only to the original purchaser and installation of these products. In the event of a claim, proof of purchase will be required; save your receipt.

This limited warranty does not apply to local building code compliance. Since local building codes vary considerably, the purchaser of this product should check with a local building or plumbing contractor to insure local code compliance before installation.

This limited warranty is void if the product has been moved from its initial place of installation; if it has been subjected to faulty maintenance, abuse, misuse, accident or other damages; if it was not installed in accordance with American Standard's instructions; or if it has been modified in a manner inconsistent with the product as shipped by American Standard.

American Standard's option to repair or exchange the product under this limited warranty does not cover any labor or other costs of removal or installation, nor shall American Standard be responsible for any other incidental or consequential damages attributable to a product defect or to the repair or exchange of a defective product, all of which are expressly excluded from this limited warranty. This limited warranty does not cover any liability for consequential or incidental damages, all of which are hereby expressly disclaimed, or the extension beyond the duration of this limited warranty of any implied limited warranties, including those of merchantability or fitness for an intended purpose. (Some states or provinces do not allow the exclusion or limitation of implied limited warranties, so this exclusion may not apply to you).

This limited warranty gives you specific legal rights. You may have other statutory rights that vary from state to state or province to province, in which case this limited warranty does not affect such statutory rights.

For service under these limited warranties, it is suggested that a claim be made through the contractor or dealer from or through whom the product was purchased, or that a service request (including a description of the product model and of the defect) be sent to the following address:

In the United States:
American Standard Inc.
P.O. Box 6820
Piscataway, New Jersey 08855
Attention: Director of Consumer Affairs

In Canada:
American Standard
2480 Stanfield Rd.
Mississauga, Ontario
Canada L4Y 1S2
Toll Free: (800) 387-0369
www.americanstandard.ca

In Mexico:
Customer Service Manager
Ideal Standard, S.A. de C.V.
Via Morelos #330
Col. Santa Clara
Ecatepec 55540 Edo. Mexico
www.americanstandard.com.mx

For residents of the United States, warranty information may also be obtained by calling the following toll free number: (800) 442-1902
www.americanstandard-us.com