

COMPOSITLOCK™ FIBERGLASS POLES

TREE TRIMMING & LINE-CLEARANCE POLES
WITH COMPOSITE FERRULES



SAFETY FIRST

WITH **NEW** COMPOSITE FERRULE POLES

Non-conductive composite ferrules enhance dielectric strength from top-to-bottom, improving user safety while performing tree trimming and line-clearance around overhead utility lines.

Jameson's Latest Innovation In Poles!

Jameson built the first fiberglass poles in 1956 in response to customer needs for a stronger pole. Today, Jameson is the leading supplier of fiberglass poles.

The development of Jameson's NEW fiberglass COMPOSITLOCK™ Poles with fiber reinforced composite ferrule was in response to safety concerns from our customers.

According to the Tree Care Industry Association (TCIA), "Electricity is a serious and widespread hazard to arborists. In fact, electricity causes about 15% of all fatalities in the tree care industry, making it the leading cause of worker fatalities."¹ A ten-year study (2006-2016) conducted by the National Rural Electric Cooperative Association found "while overall recordable injuries were down by approximately 50 percent in that time-frame, the number of serious incidents did not decline and rose significantly as a percentage of all events."²

Jameson COMPOSITLOCK™ Poles maintain insulating properties across pole sections for line-clearance tree work PLUS offer more secure pole connection for telecommunication, line clearance, arborist and landscape professionals.



**MAXIMUM
DURABILITY, STRENGTH,
UV & IMPACT RESISTANCE**

Not A "Hot Stick" - Not For Use On Energized Lines



COMPOSITLOCK™ FIBERGLASS POLES

BENEFITS OF JAMESON FIBER REINFORCED COMPOSITE FERRULES

INCREASED SAFETY WHEN WORKING AROUND ENERGIZED LINES

Responding in part to the TCIA EHAP® Program and the NRECA Commitment to Zero Contacts initiative, Jameson's CompositLock™ Fiberglass Poles seek to reduce the potential for conductivity from top-to-bottom and help prevent accidental electrical contact when working around energized utility lines.

STRONG, SECURE CONNECTIONS BETWEEN POLE SECTIONS

Over-sized thread profile provides strong, secure pole-to-pole connections, eliminating loose fitment or "slop" required with traditional aluminum ferrules. The result is less binding, easy cleaning, and improved rigidity the entire working length of the pole.

SMOOTH FERRULE PROFILE

Sunken rivets and threaded attachment result in a smooth profile that moves easily in foliage with snagging.



SAW HEAD POLE

Female ferrule and permanently mounted saw head for attaching saw blade.



EXTENSION POLE

Male and female ferrules to attach additional poles or tools. Provides additional length (workable height).



BASE POLE

Rubber end cap and male ferrule to attach poles or tools. Provides solid foundation. Jameson recommends starting with Base Pole.



JEC FOAM CORE COMPOSITLOCK™ POLE

PREFERRED FOR AERIAL CONSTRUCTION & LINE CLEARANCE

Jameson's JE Series foam core pole is the highest quality fiberglass pole available.

- Foam core prevents debris and moisture build up inside pole and adds extra hoop strength and rigidity
- Polymer protective surface veil prevents fiber blooming at surface due to abrasion or ultra-violet light
- High visibility safety yellow color
- Meets requirements of OSHA Standard 1910.269(j)(1)(i): **Individually tested to 100KV per foot for five minutes**

Pole Length	4'	6'	8'	10'	12'
Base	JEC-4F	JEC-6F	JEC-8F	JEC-10F	JEC-12F
Extension	JEC-4	JEC-6	JEC-8	JEC-10	JEC-12
Saw Head	JEC-4SFP	JEC-6SFP	JEC-8SFP	JEC-10SFP	JEC-12SFP
Pole Kit	JEC-6/3	One 3' Extension Pole & Three 6' Extension Poles			
Pole Kit	JEC-6/4	Four 6' Extension Poles			




FGC HOLLOW CORE COMPOSITLOCK™ POLE

PREFERRED FOR TREE TRIMMING & AERIAL CONSTRUCTION

Jameson's strongest and most popular pole is lighter than foam core poles, offering greater control and exceptional bend strength. FG poles are batch tested per ASTM F711.**

- Polymer protective surface veil prevents fiber blooming at surface due to abrasion or ultra-violet light
- **Batch tested to 100KV per foot for five minutes.**

Pole Length	4'	6'	8'	10'	12'
Base	FGC-4F	FGC-6F	FGC-8F	FGC-10F	FGC-12F
Extension	FGC-4	FGC-6	FGC-8	FGC-10	FGC-12
Saw Head	FGC-4SFP	FGC-6SFP	FGC-8SFP	FGC-10SFP	FGC-12SFP
Pole Kit	FGC-6/3	One 3' Extension Pole & Three 6' Extension Poles			
Pole Kit	FGC-6-2PK	Two 6' Extension Poles			
Pole Kit	FGC-6/4	Four 6' Extension Poles			




BLC HOLLOW CORE COMPOSITLOCK™ POLE

THE LIGHTWEIGHT OPTION FOR TREE TRIMMING

Jameson's highest strength-to-weight ratio pole is lightweight and easy to control, making it ideal for tree trimming. BL poles are batch tested per ASTM F711.**

- Polymer protective surface veil prevents fiber blooming at surface due to abrasion or ultra-violet light
- **Batch tested to 100KV per foot for five minutes.**

Pole Length	4'	6'	8'	10'	12'
Base	BLC-4F	BLC-6F	BLC-8F	BLC-10F	BLC-12F
Extension	BLC-4	BLC-6	BLC-8	BLC-10	BLC-12
Saw Head	BLC-4SFP	BLC-6SFP	BLC-8SFP	BLC-10SFP	BLC-12SFP
Pole Kit	BLC-6/3	One 3' Extension Pole & Three 6' Extension Poles			
Pole Kit	BLC-6/4	Four 6' Extension Poles			



IMPORTANT NOTICE

Use these tools only as specified in OSHA 1910.269(r). www.osha.gov

*JE Series poles are INDIVIDUALLY TESTED at 100kV per ft. for 5 min. per ASTM F711. JE Series poles are not "Hot Sticks" and are not designed nor intended for use on live lines.

**FG & BL Series poles are designed and constructed to meet the requirements ASTM F711 and are BATCH TESTED at 100kV per ft. for 5 min. FG & BL poles are not "Hot Sticks" and are not designed nor intended for use on live lines.

These tools should be used and serviced only by trained, competent personnel familiar with work methods and safety procedures characteristic of this industry. The fiberglass components of this product were tested per ASTM F711 prior to leaving the factory; however, moisture, dirt, and contamination can reduce dielectric properties.

- Always follow your company's safety and tool maintenance procedures.
- Always use recommended personal protective equipment.
- Always be sure this tool is clean, dry, and functioning properly before use.
- Always use a base pole when working with a single pole, or as your lowermost pole when working with multiple poles.

COMPOSITLOCK™ FIBERGLASS POLES - HEAD TOOLS & KITS

Head Tools Featuring Composite Ferrule	
JAC-34DP	JA-34DP Pruner with Composite Ferrule
PC-11-A	PH-11 Pruner with Composite Ferrule
PC-12-A	PH-12 Pruner with Composite Ferrule
PC-14-A	JA-14 Pruner with Composite Ferrule
PC-34-A	JA-34 Pruner with Composite Ferrule
PSC-3FP	Saw Head with Composite Ferrule
TSC-1	Throw Bag Launcher with Composite Ferrule
WRC-1	Limb & Wire Raiser with Composite Ferrule
IHAC-2	Inductive Head Adapter with Composite Ferrule

Pruners Featuring Composite Ferrule with Rope	
JAC-14DP-PKG	JA-14DP Pruner with Composite Ferrule & Rope
JAC-34DP-PKG	JA-34DP Pruner with Composite Ferrule & Rope
PHC-11-PKG	1" Cut Pruner with Composite Ferrule & Rope
PHC-14-PKG	1.25" Cut Pruner with Composite Ferrule & Rope
PHC-34-PKG	1.75" Cut Pruner with Composite Ferrule & Rope

Pole Saw Kits Featuring Saw Head With Composite Ferrule	
PSC-3FPK-16DH	Saw Head, Double Hook Saw Blade & Leather Scabbard
PSC-3FPK-16DH-B	Saw Head, Double Hook Saw Blade & Belting Scabbard
PSC-3FPS1	Saw Head & 13" Tri-Cut Saw Blade
PSC-3FPS2	Saw Head & 16" Tri-Cut Saw Blade
PSC-3SB	Saw Head & 16" Non-Stick Coated Saw Blade

Tree Trimming Kits - Composite Ferrule Head Tools With Poles	
BLC-6PKG-1	JA-14 Pruner with Composite Ferrule, Pruner Rope, Saw Head with Composite Ferrule, 16" Tri-Cut Saw Blade, 6' BL Base Pole, (2) 6' BL Extension Poles with Composite Ferrules
BLC-6PKG-7	JA-34DP Pruner with Composite Ferrule, Pruner Rope, Saw Head with Composite Ferrule, 16" Tri-Cut Saw Blade, 6' BL Base Pole and 6' BL Extension Pole with Composite Ferrules
FGC-6-3W	Hollow Core Poles with Composite Ferrules: Two 6' Extension Poles, One 3' Extension Pole, One 6' Base Pole and Limb & Wire Raiser with Composite Ferrule
FGC-6PKG-1	JA-14 Pruner with Composite Ferrule, Pruner Rope, Saw Head with Composite Ferrule, 13" Tri-Cut Saw Blade, 6' FG Base Pole with Composite Ferrule, 6' FG Extension Pole with Composite Ferrules
FGC-6PKG-7	JA-34DP Pruner with Composite Ferrule, Pruner Rope, Saw Head with Composite Ferrule, 16" Tri-Cut Saw Blade, 6' FG Base Pole with Composite Ferrule, 6' FG Extension Pole with Composite Ferrules
FGC-TS-KIT1	Bag Launcher and Two 4' Poles with Composite Ferrules

Line Clearance Kits - Composite Ferrule Head Tools With Poles, Rope Insulator, Accessories	
JEC-18LCKIT-14	<ul style="list-style-type: none"> Two 6' JE Foam-Core Extension Poles with Composite Ferrules One 6' JE Foam-Core Base Pole with Composite Ferrule JA-14 Single-Pulley Pruner With Composite Ferrule & Rope Saw Head with Composite Ferrule Barracuda Tri-Cut 16" Saw Blade & Leather Scabbard 7.5" Fiberglass Rope Insulator Protective Vinyl Storage Bag"
JEC-18LCKIT-34DP	<ul style="list-style-type: none"> Two 6' JE Foam-Core Extension Poles with Composite Ferrules One 6' JE Foam-Core Base Pole with Composite Ferrule JA-34 Double-Pulley Pruner With Composite Ferrule & Rope Saw Head with Composite Ferrule Barracuda Tri-Cut 16" Saw Blade & Leather Scabbard 7.5" Fiberglass Rope Insulator Protective Vinyl Storage Bag"



PC-14-A
Fixed Pulley Pruner With
CompositLock™ Ferrule
1.25" cutting capacity



JAC-34DP
Double Pulley Big Mouth Pruner
With CompositLock™ Ferrule
Double pulley for additional
leverage & less pulling force.
1.75" cutting capacity



PSC-3FP
Pole Saw Head With Com-
positLock™ Ferrule

Center blade mount with mounting pin for
easy blade replacement without tools.
Fits SB-1C & Barracuda Tri-Cut Saw Blades



WRC-1
Limb & Wire Raiser With
CompositLock™ Ferrule



PSC-3FPS1
Pole Saw Kit
Kit: Includes PSC-3FP Pole Saw Head
with 13" Tri-Cut Barracuda Saw Blade