

# SPECIFICATION GUIDE

SEMI-CUSTOM KITCHEN AND BATH CABINETRY

hdckitchens.com



# Semi-Custom Kitchen & Bath Cabinetry

# Limited Lisetime Warranty

Home Decorators Collection (warrantor) warrants to the original consumer purchaser, that all products manufactured or supplied by warrantor will be free from defects in material and workmanship. This warranty is for your lifetime as long as you own the cabinetry, on product used for Residential Purposes only and is not transferable to subsequent owners. Proof of Purchase is required.

This warranty does not cover damage resulting from normal wear, accident, misuse or lack of reasonable and necessary maintenance and service; nor does it warranty the improper installation or unauthorized repair, alteration, or modification or defects in the product when the product is installed. This warranty is limited to the repair or replacement of the defective part at the sole discretion of warrantor. Warranty is limited to Home Decorators Collection branded products excluding all electrical components: Excluded items may carry separate warranties as provided directly by the manufacturer of these products.

It is our option to provide repair parts or replace with functionally equivalent product. Return of product may be required for replacements. Such repair parts or replacement shall be at warrantor's expense, but customer shall bear all other expenses, including, but not limited to, cost of removal, transportation, re-installation, communication and any special service required by customer such as, overtime labor, etc.

Natural woods vary in color and grain pattern and exhibit color change over time. Cabinets may darken or lighten with age due to exposure to certain environmental conditions including but not limited to sunlight, moisture, household cleaners, smoke, etc. These variations are considered the natural characteristics of the material and are not covered under this warranty.

In the event of a warranted product performance issue, submit request including proof of purchase documentation, specific description of warranty issue (include photos where possible) in writing to:

Warranty Department 210 Century Boulevard Bartow, FL 33830

EXCEPT TO THE EXTENT PROVIDED BY APPLICABLE LAW, ALL IMPLIED WARRANTIES, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED IN DURATION TO THE SHORTER OF THE PERIOD PROVIDED BY LAW OR THE PERIOD OF THIS WARRANTY, AND UNDER NO CIRCUMSTANCE SHALL HOME DECORATORS COLLECTION BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES SUSTAINED IN CONNECTION WITH THE PRODUCT. THE EXPRESS WARRANTY ABOVE CONSTITUTES THE ENTIRE WARRANTY AND IS IN LIEU OF ALL OTHERS EXPRESSED OR IMPLIED.

Some states do not allow the exclusion or limitation of incidental or consequential damages, or limitation on how long an implied warranty lasts, therefore, the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.

#### **INDEMNITY**

Home Decorators Collection shall not be liable for either its failure to perform or its delays in performance hereunder arising out of or resulting from causes beyond its control, including but not limited to, acts of God, acts of Representation, acts of Government, wars, fires, floods, epidemics, quarantine, strike, freight embargoes, weather or default by suppliers due to any such causes.

# **Table of Contents**








Door Styles2-4
Cabinet Construction
Customization Options
Wall Cabinets & Accessories
Mullion Doors
Base Cabinets & Accessories
Tall Cabinets & Accessories
Vanity Cabinets & Accessories
Decorative Molding
Decorative Hardware
Cabinet Frame & Opening Dimensions
Cabinet Front Only Availability Guide


### **Square Raised Panel with Applied Molding Door Styles**

#### **Holden Bronze Glaze (HBG)**




- 2-3/8" wide x 3/4" thick solid MDF mortise and tenon framed doors with 5/8" thick solid MDF raised center panels and 1" wide applied mitered MDF accent molding
- 2-3/8" wide x 3/4" thick solid MDF mortise and tenon framed drawer fronts with 5/8" thick solid MDF raised center panels and 1" wide applied mitered MDF accent molding
- Fully concealed hinges
- Available in Bronze Glaze finish
- Decorative hardware required

#### **Somerset Manganite (SMG)**




- 2-3/8" wide x 3/4" thick solid birch mortise and tenon framed doors with 5/8" thick solid birch raised center panels and 1" wide applied mitered birch accent molding
- 2-3/8" wide x 3/4" thick solid birch mortise and tenon framed drawer fronts with 5/8" thick solid birch raised center panels and 1" wide applied mitered birch accent molding
- Fully concealed hinges
- Available in Manganite stain finish
- Decorative hardware required

#### **Coventry Pacific White (CPW)**




- 2-3/8" wide x 3/4" thick solid MDF mortise and tenon framed doors with 5/8" thick solid MDF raised center panels and 1" wide applied mitered MDF accent molding
- 2-3/8" wide x 3/4" thick solid MDF mortise and tenon framed drawer fronts with 5/8" thick solid MDF raised center panels and 1" wide applied mitered MDF accent molding
- Fully concealed hinges
- Available in Pacific White painted finish
- Decorative hardware required

#### **Dartmouth Cinnamon (DCN)**




- 2-3/8" wide x 3/4" thick solid birch mortise and tenon framed doors with 5/8" thick solid birch raised center panels and 1" wide applied mitered birch accent molding
- 2-3/8" wide x 3/4" thick solid birch mortise and tenon framed drawer fronts with 5/8" thick solid birch raised center panels and 1" wide applied mitered birch accent molding
- Fully concealed hinges
- Available in Cinnamon stain finish
- Decorative hardware required

#### **Plymouth Cabernet (PCB)**



- 2-3/8" wide x 3/4" thick solid birch mortise and tenon framed doors with 5/8" thick solid birch raised center panels and 1" wide applied mitered birch accent molding
- 2-3/8" wide x 3/4" thick solid birch mortise and tenon framed drawer fronts with 5/8" thick solid birch raised center panels and 1" wide applied mitered birch accent molding
- Fully concealed hinges
- Available in Cabernet stain finish
- Decorative hardware required


#### **Clevedon Toffee Glaze (CTG)**



- 2-3/8" wide x 3/4" thick solid birch mortise and tenon framed doors with 5/8" thick solid birch raised center panels and 1" wide applied mitered birch accent molding
- 2-3/8" wide x 3/4" thick solid birch mortise and tenon framed drawer fronts with 5/8" thick solid birch raised center panels and 1" wide applied mitered birch accent molding
- Fully concealed hinges
- Available in hand-brushed Toffee Glaze stain finish
- Decorative hardware required


### **Square Raised Panel Miter Frame Door Styles**

#### **Laguna Cinnamon (LCN)**




- 3/4" thick x 2¾" wide solid birch 'pillow top' mitered framed doors with 5/8" thick solid birch raised center panels
- 3/4" thick x 2¾" wide solid birch 'pillow top' mitered framed drawer fronts with 5/8" thick solid birch raised center panels
- 8" high drawer fronts feature a 2" wide mitered frame
- Fully concealed hinges
- Available in Cinnamon stain finish
- Decorative hardware required

#### **Lyndhurst Cabernet (LCB)**




- 3/4" thick x 2¾" wide solid birch 'pillow top' mitered framed doors with 5/8" thick solid birch raised center panels
- 3/4" thick x 2¾" wide solid birch 'pillow top' mitered framed drawer fronts with 5/8" thick solid birch raised center panels
- 8" high drawer fronts feature a 2" wide mitered frame
- Fully concealed hinges
- Available in Cabernet stain finish
- Decorative hardware required

#### **Lewiston Toffee Glaze (LTG)**




- 3/4" thick x 2¾" wide solid birch 'pillow top' mitered framed doors with 5/8" thick solid birch raised center panels
- 3/4" thick x 2¾" wide solid birch 'pillow top' mitered framed drawer fronts with 5/8" thick solid birch raised center panels
- 8" high drawer fronts feature a 2" wide mitered frame
- Fully concealed hinges
- Available in hand-brushed Toffee Glaze finish
- Decorative hardware required

#### **Roxbury Manganite (RMG)**



- 3/4" thick x 2¾" wide solid birch 'pillow top' mitered framed doors with 5/8" thick solid birch raised center panels
- 3/4" thick x 2¾" wide solid birch 'pillow top' mitered framed drawer fronts with 5/8" thick solid birch raised center panels
- 8" high drawer fronts feature a 2" wide mitered frame
- Fully concealed hinges
- Available in Manganite stain finish
- Decorative hardware required

#### **Brookfield Pacific White (BPW)**



- 3/4" thick x 2¾" wide solid MDF 'pillow top' mitered framed doors with 5/8" thick solid MDF raised center panels
- 3/4" thick x 2¾" wide solid MDF 'pillow top' mitered framed drawer fronts with 5/8" thick solid MDF raised center panels
- 8" high drawer fronts feature a 2" wide mitered frame
- Fully concealed hinges
- Available in Pacific White painted finish
- Decorative hardware required


FULL Overlay cabinetry is constructed from various pieces of solid wood and wood veneers. Differences in grain pattern and color should be expected. Color differences in wood are the result of variations in minerals found in the soil native to the tree's origin. Absorption of these minerals will vary by tree or parts of said tree. In addition, color changes can be experienced due to different exposure to light. All species of wood will display characteristics such as knots, pinholes, sap runs, mineral streaks and darkening with age. It is the natural beauty of wood to exhibit these characteristics and they will be present throughout your cabinetry.

Our **Toffee Glaze** finish features hand applied glaze applied over the base stain which accentuates the door and drawer front profiles. This glazing, combined with occasional fly specks, dents, drips and runs is random and intentional in design to mimic the look of distressed furniture.

The Arctic White, Bronze Glaze, Pacific White and Pearl Gray finished product features solid wood painted face frames. As with any painted wood surface, expansion and contraction with changes in climate may cause fractures in the paint surface at joints. This is an acceptable characteristic and will vary based on climate conditions. In addition, there may be a slight color shift over time due to continued exposure to both natural and artificial light.


### **Shaker Square Recessed Panel Door Styles**

#### **Hargrove Cinnamon (HCN)**




- 3/4" thick x 3" wide solid birch Shaker style mortise and tenon framed doors with 5/8" thick birch veneer over MDF recessed center panels
- 3/4" thick x 3" wide solid birch Shaker style mortise and tenon framed drawer fronts with 5/8" thick birch veneer over MDF recessed center panels
- Fully concealed hinges
- Available in Cinnamon stain finish
- Decorative hardware required

#### **Kingsbridge Cabernet (KCB)**




- 3/4" thick x 3" wide solid birch Shaker style mortise and tenon framed doors with 5/8" thick birch veneer over MDF recessed center panels
- 3/4" thick x 3" wide solid birch Shaker style mortise and tenon framed drawer fronts with 5/8" thick birch veneer over MDF recessed center panels
- Fully concealed hinges
- Available in Cabernet stain finish
- Decorative hardware required

#### Franklin Manganite (FMG)




- 3/4" thick x 3" wide solid birch Shaker style mortise and tenon framed doors with 5/8" thick birch veneer over MDF recessed center panels
- 3/4" thick x 3" wide solid birch Shaker style mortise and tenon framed drawer fronts with 5/8" thick birch veneer over MDF recessed center panels
- Fully concealed hinges
- Available in Manganite stain finish
- Decorative hardware required

#### **Newport Pacific White (NPW)**



- 3/4" thick x 3" wide solid MDF Shaker style mortise and tenon framed doors with 5/8" thick solid MDF recessed center panels
- 3/4" thick x 3" wide solid MDF Shaker style mortise and tenon framed drawer fronts with 5/8" thick solid MDF recessed center panels
- Fully concealed hinges
- Available in Pacific White painted finish
- Decorative hardware required


#### **Tremont Pearl Gray (TPG)**



- 3/4" thick x 3" wide solid MDF Shaker style mortise and tenon framed doors with 5/8" thick solid MDF recessed center panels
- 3/4" thick x 3" wide solid MDF Shaker style mortise and tenon framed drawer fronts with 5/8" thick solid MDF recessed center panels
- Fully concealed hinges
- Available in Pearl Gray painted finish
- Decorative hardware required


# **Thermofoil Square Raised Panel Door Style**


#### **Hallmark Arctic White (HAW)**




- 3/4" thick, solid MDF raised panel vinyl clad doors
- 3/4" thick, solid MDF raised panel vinyl clad drawer fronts
- Fully concealed hinges
- Available in Arctic White vinyl
- Decorative hardware required

# **Full Overlay Cabinet Construction**







1	INTERIOR	Light stained birch wood veneer provides a durable, wipe clean finish	
2	FACE FRAME	1½" wide x 3/4" thick solid hardwood, doweled and joint-glued	
3	END PANELS	1/2" thick CARB2 plywood with natural birch wood veneer interior and raw veneer exterior. EXPOSED SIDES REQUIRE FINISHED END PANELS.	
4	FLOOR & Ceiling	1/2" thick CARB2 plywood with natural birch wood veneer both sides captured by end panels.	
5	BACK PANELS	1/2" thick CARB2 plywood with natural birch wood veneer interior and raw veneer exterior.	
6	"I-BEAM" SUPPORTS	1/2" thick CARB2 plywood, full depth braces provide stability and support for countertop attachment.	
7	ADJUSTABLE SHELVES	3/4" thick CARB2 plywood with natural birch wood veneer both sides with matching edgebanding. Base and wall adjustable shelves are full depth.	
8	SHELF SUPPORTS	Clear, high strength plastic with locking top tab to prevent shelf tip. Provides easy shelf adjustment.	
9	DOORS	Stylish, full-overlay doors available in stained hardwoods or MDF. See pages 2-4 for details.	
10	HINGES	Fully concealed, Soft Close 110° opening featuring multiple adjustments for ease of alignment.	
11	RUNNERS/ GLIDES	Drawers feature smooth ball bearing, full extension concealed runners with shock that engages when drawer is 1" from closing and applies resistance for soft closing; interior roll out trays have epoxy coated, under-mount suspension system with a smooth closing operation. Both withstand a 75 lb. load capacity.	
12	DRAWERS & ROLL-OUT TRAYS	5/8" thick solid birch hardwood, four-sided dovetail with 1/4" thick captured plywood floor, all finished with clear top coat to coordinate with cabinet interior.	
13	DRAWER FRONTS	Stylish full overlay drawer fronts available in solid hardwood or MDF. See pages 2-4 for details.	
14	INTEGRAL Toe Kick	1/2" thick plywood secured between end panels. Provides solid backing for installation of Matching Toe Kick (MTK8) or other materials such as ceramic, vinyl, etc.	










## **Customization Options**

#### **FACTORY FINISHED ENDS**

- Cabinets are manufactured with an unfinished wood veneer exterior. Exposed sides (visible once installation is complete) require a color matched end panel.
- Factory Finished Ends are available for all standard cabinets up to 90" tall
- Specify Left Side, Right Side or Both
- Finished Ends are wood veneer plywood, in a color matched stain or paint finish



#### **ALTERNATIVE OPTIONS:**


V-Groove Skin - Order separately for field installation Matching End Panel - Order separately for field installation

NOTE: Alternative Options cannot be used in conjunction with Factory Finished Ends

#### **CUSTOM DEPTH**

 Available on standard cabinet types in 1" depth increments





 Base cabinets with drawers that are customized from 15" to 23" deep will include working drawers.
 9" to 14" deep cabinets will have no drawer and a false drawer front.

#### **SOFT CLOSE HINGES**

- Cabinet hinges feature a Soft Close function
- Some styles feature doors that are lighter in weight, and the Soft Close function may need to be deactivated (OFF) in one hinge to help the door close completely
- To deactivate, change the position of the switch located in the cup of the door plate



The Soft Close feature is ON when the switch is towards the "-" symbol.



The Soft Close feature is OFF when the switch is towards the "o" symbol.

#### **WALL CABINET CODING**

#### STANDARD (12" DEEP)


30 Cabinet Cabinet Cabinet Code Height

#### **REFRIGERATOR** (24" DEEP)

Cabinet Cabinet Cabinet Cabinet Code Depth

- · Standard wall cabinets are 12" deep. Refrigerator wall cabinets are 24" deep.
- · Cabinet depth does not include door thickness
- Products are available in all door styles unless stated otherwise
- Standard cabinet exterior is unfinished veneer, exposed sides require Finished Ends or Matching End Panels

#### 15" High Double Door




**CUSTOM** 

W3015 W3315 W3615

- No adjustable shelf
- CUSTOM DEPTH: 5" to 15" deep

#### 12" High Double Door






W3012 W3612

- No adjustable shelf
- CUSTOM DEPTH: 5" to 15" deep

#### 15" High x 24" Deep Double Door




**CUSTOM** 

W302415 W332415 W362415

- No adjustable shelf
- Must be installed between two cabinets, cabinet and wall, or supported by refrigerator panels (RP)
- · CUSTOM DEPTH: 16" to 23" deep


# 12" High x 24" Deep Double Door





- No adjustable shelf
- Must be installed between two cabinets, cabinet and wall, or supported by refrigerator panels (RP)
- · CUSTOM DEPTH: 16" to 23" deep


#### 18" High Double Door



**CUSTOM** 


W3018 W3618

- No adjustable shelf
- · CUSTOM DEPTH: 5" to 15" deep



- No adjustable shelf
- Must be installed between two cabinets, cabinet and wall, or supported by refrigerator panels (RP)
- · CUSTOM DEPTH: 16" to 23" deep

#### 30" High Single Door





SPECIFY RIGHT or LEFT HINGED

W0930

\*W1230

\*W1530

\*W1830

W2130

- Two adjustable shelves
- \* Mullion doors available in select styles. Consult availability guide on page 14.
- · CUSTOM DEPTH: 5" to 15" deep

# 24" High Double Door CUSTOM DEPTH W3024 W3624

- One adjustable shelf
- · CUSTOM DEPTH: 5" to 15" deep

#### 36" High Single Door





SPECIFY RIGHT or LEFT HINGED

W0936

\*W1236

. . . . . . . . .

\*W1536

\*W1836

W2136

- Three adjustable shelves
- \* Mullion doors available in select styles. Consult availability guide on page 14.
- CUSTOM DEPTH: 5" to 15" deep

# 24" High x 24" Deep Double Door CUSTOM DEPTH W302424 W362424

- One adjustable shelf
- Must be installed between two cabinets, cabinet and wall, or supported by refrigerator panels (RP)
- · CUSTOM DEPTH: 16" to 23" deep

#### 42" High Single Door





SPECIFY RIGHT or LEFT HINGED

W0942

\*W1242

\*\* 12-7


\*W1542

\*W1842

W2142

- Three adjustable shelves
- \* Mullion doors available in select styles. Consult availability guide on page 14.
- CUSTOM DEPTH: 5" to 15" deep

#### 30" High Double Door






\*W2430 W2730 \*W3030 W3330 \*W3630


- Two adjustable shelves
- \* Mullion doors available in select styles. Consult availability guide on page 14.
- · CUSTOM DEPTH: 5" to 15" deep

#### 30" High Wall Angle




#### SPECIFY RIGHT or LEFT HINGED

\*WA2430



- Two adjustable shelves
- \* Mullion doors available in select styles. Consult availability guide on page 14.
- Clip corner back provides clearance for installation


#### 36" High Double Door






\*W2436 W2736 \*W3036 W3336 \*W3636

#### 36" High Wall Angle





\*WA2436




- Three adjustable shelves
- \* Mullion doors available in select styles. Consult availability guide on page 14.
- Clip corner back provides clearance for installation

#### - Three adjustable shelves

- \* Mullion doors available in select styles. Consult availability guide on page 14.
- · CUSTOM DEPTH: 5" to 15"deep


#### 42" High Double Door






\*W2442 W2742 \*W3042 W3342 \*W3642

#### 42" High Wall Angle



#### SPECIFY RIGHT or LEFT HINGED

\*WA2442




- Three adjustable shelves
- \* Mullion doors available in select styles. Consult availability guide on page 14.
- · CUSTOM DEPTH: 5" to 15" deep

- Three adjustable shelves
- \* Mullion doors available in select styles. Consult availability guide on page 14.
- Clip corner back provides clearance for installation


#### 36" and 42" High x 15" Deep Wall Angle



- Three adjustable shelves
- Mullion doors available in select styles.
   Consult availability guide on page 14.
- Clip corner back provides clearance for installation




- Three adjustable shelves
- Indicate R or L for blind side (right shown)
- Cabinet can be pulled for exact fit (see installation chart)
- 3" filler & 1/8" blind closure panel included
- CUSTOM DEPTH: 5" to 15" deep




- Two adjustable shelves
- Indicate R or L for blind side (right shown)
- Cabinet can be pulled for exact fit (see installation guide)
- 3" filler & 1/8" blind closure panel included
- · CUSTOM DEPTH: 5" to 15" deep

#### **Blind Corner Installation Guide**




#### 36" High Wall Blind Corner



- Three adjustable shelves
- Indicate R or L for blind side (right shown)
- Cabinet can be pulled for exact fit (see installation guide)
- 3" filler & 1/8" blind closure panel included
- · CUSTOM DEPTH: 5" to 15" deep

#### **Wall Microwave Shelf**

#### WMS301818



- Matching interior and exterior standard
- Must be installed between two cabinets or cabinet and wall
- Cannot be installed against Wall Angle cabinet (WA) or Wall Blind Corner Unit (WBCU)

#### 12" Deep Wine Rack

# 18"

- Matching interior and exterior standard
- 3/4" thick solid wood "X" shelf
- Must be installed between two cabinets or cabinet and wall

#### **Range Hood Combo - Arched Valance**

#### WRHC36A


- Available in 36" width
- Includes Hood, Chimney, Hood Liner and Blower
- Chimney is trimmable to adjust the height
- Blower is 390 CFM, 6.0 sones, enclosed light

# Available in BG, CB and TG only

38.31"

- Clearance of 3" on each side is recommended

#### 12" Deep Wall End Open Shelf



WEOS630 WEOS636 WEOS642

**WRX3018** 


- Reversible, may be installed left or right
- 1/4" thick wood veneer side is cut back to fit behind frame of adjacent cabinet
- 1¼" thick solid wood square corner top and bottom shelves
- 3/4" thick solid wood intermediate shelves

#### **Filler Strips**

`9.69

10.8

31" Trimmabi




FS30 FS36 FS42 FS630 FS636 FS642

- 3/4" thick solid wood
- Face and all edges finished


#### **Range Hood Combo - Straight Valance**

#### WRHC36S




- Available 36" width
- Includes Hood, Chimney, Hood Liner and Blower
- Chimney is trimmable to adjust the height
- Blower is 390 CFM, 6.0 sones, enclosed light
- Available in CN, MG and PW only
- Clearance of 3" on each side is recommended

#### **Angle Fillers**



- 3/4" thick solid wood
- Face and all edges finished
- Available in all styles except PG


#### **Fluted Fillers**



FF330 FF336 FF342

- 3/4" thick solid wood
- Face and all edges finished
- May be trimmed 1/2" each side
- Available in all styles except PG

#### 15" Wide Wall Skin




WSK1536 WSK1542


- 3/16" thick plywood
- Field installed
- Matching veneer exterior

NOTE: Cannot be used in conjunction with Factory Finished Ends

#### **Angle Fluted Fillers**



#### 24" Wide Wall Skin




WSK2412 WSK2415 WSK2418 WSK2424

- 3/16" thick plywood
- Field installed
- Matching veneer exterior

NOTE: Cannot be used in conjunction with Factory Finished Ends

#### 12" Wide Wall Skin




WSK1212 WSK1215 WSK1218 WSK1224 WSK1230 WSK1236 WSK1242

- 3/16" thick plywood
- Field installed
- Matching veneer exterior

NOTE: Cannot be used in conjunction with Factory Finished Ends

#### **Wall V-Groove Skin**




WVGSK30 WVGSK42

- 3/16" thick wood veneer v-groove matching exterior
- Grooves spaced 11/4" on center
- Field installed
- Matching veneer exterior

NOTE: Cannot be used in conjunction with Factory Finished Ends

#### **Matching Wall End Panels**




- Field installation
- Panel is for Left or Right application & fits flush against unfinished cabinet sides

NOTE: Cannot be used in conjunction with Factory Finished Ends


#### **Cabinet Fronts Only (CFO)**

Most Wall cabinets can be ordered as "Cabinet Fronts Only". Face frame, doors, hinges and bumpers will be supplied and shipped loose.

Please consult CFO availability guide on page 42.



#### **Shelf Kits**




SK1212	SK2112	SK3012
SK1512	SK2412	SK3312
SK1812	SK2712	SK3612

- 3/4" thick plywood faced with light birch veneer finish
- Edgebanded on front edge
- One shelf and set of clips per kit


**EXAMPLE:** 36" wide wall cabinet uses Shelf Kit SK3612


#### **Wood Furniture Shelf**

WFS48 WFS4815



- 3/4" plywood with stained or painted finish
- Two long sides edgebanded









# **Mullion Door Specification, Availability & Usage Guide**

MULLION DOOR		# 0F	DIMENSIONS (inches)		nches)		
SKU	DESCRIPTION	LITES	A	В	C	DESIGNED TO FIT THESE CABINETS	AVAILABILITY
MD1230	12x30 Mullion Door	6	8	29-11/16	11-11/16	W1230, W2430 (x2)	All Styles Except HAW
MD1530	15x30 Mullion Door	6	8	29-11/16	14-11/16	W1530, WA2430, W3030 (x2)	All Styles Except HAW
MD1830	18x30 Mullion Door	6	8	29-11/16	17-11/16	W1830, W3630 (x2)	All Styles Except HAW
MD1236	12x36 Mullion Door	8	7-1/2	35-11/16	11-11/16	W1236, W2436 (x2)	All Styles Except HAW
MD1536	15x36 Mullion Door	8	7-1/2	35-11/16	14-11/16	W1536, WA2436, WA271536, W3036 (x2)	All Styles Except HAW
MD1836	18x36 Mullion Door	8	7-1/2	35-11/16	17-11/16	W1836, W3636 (x2)	All Styles Except HAW
MD1242	12x42 Mullion Door	8	8-3/4	41-11/16	11-11/16	W1242, W2442 (x2)	All Styles Except HAW
MD1542	15x42 Mullion Door	8	8-3/4	41-11/16	14-11/16	W1542, WA2442, WA271542, W3042 (x2)	All Styles Except HAW
MD1842	18x42 Mullion Door	8	8-3/4	41-11/16	17-11/16	W3642 (x2)	All Styles Except HAW

- 3/4" thick door frame with outside profile matching selected door style
- Frame rout accepts various thickness decorative glass
- Mullion doors are slightly smaller in width than standard full overlay doors.
   When used in double door applications (24", 30" & 36" wide cabinets), hinge spacers are included to insure proper door alignment.
- Glass is NOT included and must be supplied by customer. Tempered glass is recommended.
- Glass insert clips included for field installation




#### **BASE CABINET CODING**



- · Standard Base Cabinets are 24" deep and 341/2" high
- · Desk Height base cabinets are 21" deep and 281/2" high
- · Cabinet depth does not include door thickness
- Products are available in all door styles unless stated otherwise
- Standard cabinet exterior is unfinished veneer, exposed sides require Finished Ends or Matching End Panels

#### 24" Deep Double Door






**B33** 

**B36** 

- One full-depth adjustable shelf
- CUSTOM DEPTH: 9" to 23" deep (9" to 14" deep options have false front & no drawer)

#### 24" Deep Single Door






SPECIFY RIGHT or LEFT HINGED

B12 B15 B18 B21


- One full-depth adjustable shelf
- CUSTOM DEPTH: 9" to 23" deep (9" to 14" deep options have false front & no drawer)

#### 24" Deep Single Door with 1 Roll-Out Tray



- One full-depth adjustable shelf
- One full width roll-out tray

#### 24" Deep Double Door






B24 B27 B30

- One full-depth adjustable shelf
- CUSTOM DEPTH: 9" to 23" deep (9" to 14" deep options have false front & no drawer)

#### 24" Deep Double Door with 1 Roll-Out Tray



- One full-depth adjustable shelf
- One full width roll-out tray

**B24-1T** 

**B27-1T** 

B30-1T

#### 24" Deep Double Door with 1 Roll-Out Tray

341/2"

B33-1T B36-1T

**B24-2T** 

**B27-2T** 

**B30-2T** 

- One full-depth adjustable shelf
- One full width roll-out tray

#### 24" Deep Double Door with 2 Roll-Out Trays

341/2"

- Two full-depth roll-out trays

#### 24" Deep Single Door with 2 Roll-Out Trays

SPECIFY RIGHT or LEFT HINGED

B12-2T


B15-2T

B18-2T

B21-2T

- Two full width roll-out trays

#### 24" Deep Single Full Height Door



CUSTOM DEPTH

SPECIFY
RIGHT OF LEFT HINGED

B09FH

B12FH

B15FH

B18FH


B21FH

**B33-2T** 

**B36-2T** 


- Two full-depth adjustable shelves
- CUSTOM DEPTH: 9" to 23" deep

#### 24" Deep Double Door with 2 Roll-Out Trays



- Two full width roll-out trays

#### 24" Deep Double Full Height Door





B24FH B27FH B30FH B33FH B36FH

- Two full-depth adjustable shelves
- · CUSTOM DEPTH: 9" to 23" deep


#### 24" Deep Base Single Wastebasket

# 34½"

#### B1WB15 B1WB18

- Basket slides on heavy duty, full extension runners
- 35 quart capacity plastic basket is secured by epoxy coated white wire "cage"
- White basket is removable
- Basket dimensions: 14"W x 10"D x 18"H
- Top mount roll-out tray for trash bag storage
- SOFT CLOSE DOOR (SCD) OPTION NOT AVAILABLE

#### 24" Deep Base - 4 Drawers






- Two standard top drawers
- Two deep drawers
- · CUSTOM DEPTH: 15" to 23" deep

#### 24" Deep Base Double Wastebasket


#### B2WB18 B2WB21



- Baskets slide on heavy duty, full extension runners
- 27 quart capacity plastic baskets (2) are secured by epoxy coated white wire "cage"
- White baskets are removable
- Basket dimensions:
   11"W x 11"D x 18"H
- Top mount roll-out tray for trash bag storage

#### - SOFT CLOSE DOOR (SCD) OPTION NOT AVAILABLE

#### 33" and 36" Easy Reach



- One full depth "L" shaped shelf
- Interior shelf MUST be installed prior to counter top
- Doors open 170 degrees for easy access
- SOFT CLOSE DOOR (SCD) OPTION NOT AVAILABLE


#### 24" Deep Base - 3 Drawers







BD12\*
BD15
BD18
BD24
BD30

#### 33" and 36" Easy Reach Super Suzan




- One standard top drawer
- Two deep drawers
- CUSTOM DEPTH: 15" to 23" deep
- \* Maximum drawer handle width for lower drawers is 4" wide for raised panel styles, 5½" wide for recessed panel styles.
- Two 26" or 28" diameter, pie-cut independently revolving all wood shelves
- Doors open 170 degrees for easy access
- SOFT CLOSE DOOR (SCD) OPTION NOT AVAILABLE







- No shelf, false drawer front
- May also be used as drop-in cooktop base
- · CUSTOM DEPTH: 9" to 23" deep



- Indicate R or L for blind side (right shown)
- Cabinet can be pulled for exact fit (see installation chart)
- 3" filler & 1/8" blind closure panel included
- · CUSTOM DEPTH: 9" to 23" deep




- No shelf, two false drawer fronts
- May also be used as drop-in cooktop base
- · CUSTOM DEPTH: 9" to 23" deep




- Indicate R or L for blind side (right shown)
- Cabinet can be pulled for exact fit (see installation chart)
- 3" filler & 3/16" blind closure panel included
- CUSTOM DEPTH: 9" to 23" deep (9" to 14" deep options have false front & no drawer)

#### **Sink Front Angle**




- Angle sink front must be installed between two cabinets
- Frame/door can be installed with hinges on right or left
- Floor support and toe base must be field constructed
- Maximum sink width for this application 25¾"

#### 24" Deep Base Pantry Pullout



- Available in 9" & 12" width cabinets
- Full extension ball bearing slides provide stable, smooth pullout function
- Adjustable shelves with chrome rails


#### 24" Deep Base Cooktop - Single False Front



**BCT30** 

- False top drawer front
- Two deep drawers
- Accepts drop-in cooktop


#### 24" Deep Filler Pantry Pullout



#### BFPO3 BFPO6

- Available in 3" & 6" widths with matching Filler Strip
- Full extension ball bearing slides provide stable, smooth pullout function
- Adjustable shelves with chrome rails
- Pull-out unit must be installed between two cabinets
- Filler strip attached to pull-out unit after installation

#### 24" Deep Base Cooktop - Double False Front




**BCT36** 

- False top drawer fronts
- Two deep drawers
- Accepts drop-in cooktop


#### 24" Deep Fluted Filler Pantry Pullout

#### BFFPO3



- Available in 3" width only with matching Fluted Filler Strip
- Full extension ball bearing slides provide stable, smooth pullout function
- Adjustable shelves with chrome rails
- Pull-out unit must be installed between two cabinets
- Fluted Filler Strip attached to pull-out unit after installation
- Available in all styles except PG

#### 24" Deep Base End Shelf




**SPECIFY RIGHT or LEFT** (left shown)

#### BEOS<sub>12</sub>

- 3/16" thick wood veneer side and 1/2" thick solid wood back panel
- 3/4" thick solid wood shelves
- 3/16" thick wood veneer side is cut back to fit behind frame of adjacent cabinet


NOTE: Cannot be used in conjunction with Factory **Finished Ends** 

#### 21" Deep Desk Knee Drawer



- One full width pencil/cosmetic drawer
- Knee drawer is designed for use between two desk base cabinets
- Comfortable height for dressing table or writing surface when installed at 28½" height with 1½" thick countertop
- Slab drawer front all door styles
- May be trimmed up to 1" on each side


#### **Filler Strips**



FS30 FS630


- 3/4" thick solid wood
- Face and all edges finished

#### 21" Deep Desk Drawer



DDR15 DDR18

#### **Fluted Fillers**




FF330

**AF330** 

- 3/4" thick solid wood
  - Face and all edges finished
- May be trimmed 1/2" each side
- Available in all styles except PG

- Three standard drawers
- Comfortable height for dressing table or writing surface
- Matching exterior standard

#### 21" Deep Desk Door



SPECIFY RIGHT or LEFT HINGED DDO15

30" 30"

4 <sup>1</sup>/4"

**Angle Filler** 

#### Angle Fluted Filler

45° 3" - 3" -

- 3/4" thick solid wood
- Face and all edges finished
- Available in all styles except PG

- One adjustable shelf
- Comfortable height for dressing table or writing surface
- Matching exterior standard

#### **Base Skin**


# 341/2" 23 1/4"

#### **BSK345**

- 3/16" thick plywood
- Field modified and installed
- Matching veneer exterior

NOTE: Cannot be used in conjunction with Factory **Finished Ends** 


#### 24" Deep End Panel with Filler



#### **BEP1.5**

- 11/2" and 3" solid wood filler included
- Panel and fillers supplied loose for field assembly
- Reversible, may be installed left or right
- 1/2" thick matching veneer interior and exterior

#### **Base V-Groove Skin**




#### BVGSK345

- 3/16" thick wood veneer v-groove exterior
- Grooves spaced 11/4" on center
- Field modified and installed

NOTE: Cannot be used in conjunction with **Factory Finished Ends** 


#### **Island Skin**



#### **ISK4848**

- 3/16" thick plywood
- Field modified and installed
- Matching veneer exterior


# **Matching Base End Panel MBEP**



- Field installation
- Panel is for Left or Right application & fits flush against unfinished cabinet sides
- \* BPW, LCB, LCN, LTG & RMG are 2-piece construction

NOTE: Cannot be used in conjunction with Factory **Finished Ends** 


#### **Island V-Groove Skin**



#### **IVGSK4848**

- 3/16" thick wood veneer v-groove matching exterior
- Grooves spaced 11/4" on center
- Field modified and installed

#### **Rollout Tray Kits**




ROT12	ROT21	ROT30
ROT15	ROT24	ROT33
ROT18	ROT27	ROT36

- 5/8" solid wood dovetail construction
- Consult availability guide
- Includes ¾ extension epoxy coated smooth-glide edge mounted runners
- 75 lb. load capacity
- Available for use base and tall cabinets
- Field-install into factory pre-drilled locations only
- Not for use in custom-depth cabinetry

ROLL-OUT TRAY KIT AVAILABILITY GUIDE					
PART#	DESIGNED TO FIT	ACTUAL WIDTH			
ROT12	B12, B12FH	8"			
ROT15	B15, B15FH	11"			
ROT18	B18, B18FH, U182484 / 90 / 96	14"			
ROT21	B21, B21FH	17"			
ROT24	B24, B24FH, SB24, U242484 / 90 / 96	20"			
ROT27	B27, B27FH, SB27	23"			
ROT30	B30, B30FH, SB30	26"			
ROT33	B33, B33FH, SB33	29"			
ROT36	B36, B36FH, SB36	32"			

#### **Shelf Kits**




SK1224	SK2124	SK3024
SK1524	SK2424	SK3324
SK1824	SK2724	SK3624

- 3/4" thick plywood faced with light birch veneer finish
- Edgebanded on front edge
- One shelf and set of clips per kit
- Consult availability guide


SHELF KIT AVAILABILITY GUIDE				
PART#	DESIGNED TO FIT	ACTUAL WIDTH		
SK1224	B12, B12FH	101/4"		
SK1524	B15, B15FH	131⁄4"		
SK1824	B18, B18FH, U182484/96	161⁄4"		
SK2124	B21, B21FH	19¼"		
SK2424	B24, B24FH, SB24, U242484 / 90 /96	221/4"		
SK2724	B27, B27FH, SB27	251/4"		
SK3024	B30, B30FH, SB30, BBCU39	281/4"		
SK3324	B33, B33FH, SB33, OC332484U / 90U / 96U	31¼"		
SK3624	B36, B36FH, SB36, BBCU42	34¼"		

#### Matching Toe Kick 8<sup>1</sup>




- 1/4" thick wood veneer

#### **Spice Drawer Insert**



- Solid hardwood drawer insert
- Three 5" high angled tiers
- Rear 4" deep compartment
- Sized to fit inside 15", 18", 21", 24", 27" wide drawers
- Not for use in custom-depth cabinetry

#### **Knife Block Insert**



- Solid hardwood drawer insert
- One full width front utensil compartment


KBI15 - 10 knife slots + utensil compartment (fits B15, BD15)

KBI18 - 13 knife slots + utensil compartment (fits B18, BD18, B36)

KBI21 - 16 knife slots + utensil compartment (fits B21)

- Not for use in custom-depth cabinetry

#### **Cutlery Divider Tray**



- Solid hardwood drawer insert
- One full width front utensil compartment

CDT15 - 6 compartments 10"-14" deep (fits B15, BD15)


CDT18 - 6 compartments 10"-14" deep (fits B18, BD18, B36)

CDT21 - 8 compartments 10"-14" deep (fits B21)

CDT24 - 8 compartments 10"-14" deep (fits B24, BD24)

- Not for use in custom-depth cabinetry

#### **Utensil Divider Tray**



- Solid hardwood drawer insert
- One full width front utensil compartment

UTD15 - 2 additional compartments 16" deep (fits B15, BD15)

UTD18 - 4 additional compartments 16" deep (fits B18, BD18, B36)

UDT21 - 5 additional compartments 16" deep (fits B21)


UTD24 - 5 additional compartments 16" deep (fits B24, BD24)

- Not for use in custom-depth cabinetry


#### **Cabinet Fronts Only (CFO)**

Most Base cabinets can be ordered as "Cabinet Fronts Only". Face frame, doors, drawer fronts, hinges, and bumpers will be supplied and shipped loose. In addition, plastic corner blocks will be supplied for false front installation requirements.

Please consult CFO availability guide on page 42.




#### **Sink Base Liner**




**SBL2730 SBL3336** 

- Helps protect sink cabinet from damage due to leaks in piping or drains
- Sleek surface for easy cleanup
- SBL2730 can be trimmed to fit SB27 or SB30
- SBL3336 can be trimmed to fit SB33 or SB36
- Field installed
- Grey polystyrene easy to clean surface
- Not for use in custom-depth cabinetry

#### **Tilt-out Tray Kits**



SBTOTK24 SBTOTK27 SBTOTK30 SBTOTK33 \* SBTOTK36\*



TD12CR TD18CR

- Kit attaches to sink base false drawer front to create tilt-out drawer
- Holds sponges, scouring pads, dish soaps, etc.
- Stainless steel construction
- Field installed prior to countertop
- \* Two trays included to fit double false fronts

- Available in 12" & 18" heights
- Chrome finish
- Stores baking sheets, serving dishes, etc.
- Comes with 4 clips & fasteners
- Attaches to cabinet middle or bottom shelf
- Field installed
- Not for use in custom-depth cabinetry

#### Touch-Up Kit

**TUK** 



- Includes fill stick, touch-up pen, and 4-door bumpers


**PLEASE NOTE:** Line drawings are artistic representations of products for general dimensioning purposes. These should not be relied upon for accurate product appearance. Please consult the website or a designer if you have any questions or specific design requirements.

#### **TALL CABINET CODING**

# U 24 24 84 Cabinet Cabinet Cabinet Cabinet Cabinet Depth Height

- · Standard Tall Cabinets are 24" deep
- · Add door thickness for total cabinet depth
- Products are available in all door styles unless stated otherwise
- Standard cabinet exterior is unfinished veneer, exposed sides require Finished Ends

#### 24" Deep Two Door Utility






#### U182496

- One fixed shelf dividing upper and lower doors, five adjustable shelves
- Optional rollout trays or additional shelves available
- Loose toe kick box for ease of installation
- Exposed sides require TSK96
- Factory finish ends not available
- CUSTOM DEPTH: 9" to 23" deep

#### 24" Deep Two Door Utility






SPECIFY RIGHT or LEFT HINGED

#### U182484

- One fixed shelf dividing upper and lower doors, four adjustable shelves
- Optional rollout trays or additional shelves available
- Exposed sides require TSK84
- CUSTOM DEPTH: 9" to 23" deep

#### 24" Deep Four Butt Door Utility






#### U242484

- One fixed shelf dividing upper and lower doors, four adjustable shelves
- Optional rollout trays or additional shelves available
- Exposed sides require TSK84
- CUSTOM DEPTH: 9" to 23" deep

#### 24" Deep Two Door Utility






RIGHT or LEFT HINGED

#### U182490

- One fixed shelf dividing upper and lower doors, four adjustable shelves
- Optional rollout trays or additional shelves available
- Exposed sides require TSK90
- CUSTOM DEPTH: 9" to 23" deep

#### 24" Deep Four Butt Door Utility






#### U242490

- One fixed shelf dividing upper and lower doors, four adjustable shelves
- Optional rollout trays or additional shelves available
- Exposed sides require TSK90
- CUSTOM DEPTH: 9" to 23" deep

#### 24" Deep Four Butt Door Utility






#### U242496

- One fixed shelf dividing upper and lower doors, five adjustable shelves
- Optional rollout trays or additional shelves available
- Loose toe kick box for ease of installation
- Exposed sides require TSK96
- Factory finish ends not available
- CUSTOM DEPTH: 9" to 23" deep

# 24" Deep Two Door Utility with Four Rollout Trays




# SPECIFY RIGHT or LEFT HINGED

#### U182496-4T

- One fixed shelf
- Four repositionable, full width rollout trays
- Two adjustable shelves
- Loose toe kick box for ease of installation
- Exposed sides require TSK96
- Factory finish ends not available

# 24" Deep Two Door Utility with Four Rollout Trays




# SPECIFY RIGHT or LEFT HINGED

U182484-4T

- One fixed shelf dividing upper and lower doors
- Four repositionable, full width rollout trays
- One adjustable shelf
- Exposed sides require TSK84


# 24" Deep Four Butt Door Utility with Four Rollout Trays



#### U242484-4T

- One fixed shelf dividing upper and lower doors
- Four repositionable, full width rollout trays
- One adjustable shelf
- Exposed sides require TSK84

# 24" Deep Two Door Utility with Four Rollout Trays




# SPECIFY RIGHT or LEFT HINGED

U182490-4T

- One fixed shelf dividing upper and lower doors
- Four repositionable, full width rollout trays
- Two adjustable shelves
- Exposed sides require TSK90

# 24" Deep Four Butt Door Utility with Four Rollout Trays




#### U242490-4T

- One fixed shelf dividing upper and lower doors
- Four repositionable, full width rollout trays
- Two adjustable shelves
- Exposed sides require TSK90

# 24" Deep Four Butt Door Utility with Four Rollout Trays

#### U242496-4T



- One fixed shelf dividing upper and lower doors
- Four repositionable, full width rollout trays
- Two adjustable shelves
- \* Loose toe kick box for ease of installation
- Exposed sides require TSK96
- Factory finish ends not available

#### 24" Deep Universal Oven


# 33° 24° 24° 21½°

#### OC332496U

- Consult chart for oven cutout dimensions
- One adjustable shelf
- 3 field removable drawers
- 3" stiles in oven compartment
- Loose toe kick box for ease of installation
- Exposed sides require TSK96
- Factory finish ends not available
- For frame openings refer to page 40

CABINET	MIN.	MAX	MIN.	MAX
	CUTOUT	CUTOUT	CUTOUT	CUTOUT
	WIDTH	WIDTH	HEIGHT	HEIGHT
0C332496U	27"	31"	22"	60"

#### 24" Deep Universal Oven




#### OC332484U

- Consult chart for oven cutout dimensions
- No adjustable shelf
- 3 field removable drawers
- 3" stiles in oven compartment
- Exposed sides require TSK84
- For frame openings refer to page 40

CABINET	MIN.	MAX	MIN.	MAX
	CUTOUT	CUTOUT	CUTOUT	CUTOUT
	WIDTH	WIDTH	HEIGHT	HEIGHT
0C332484U	27"	31"	22"	60"

#### **Rollout Tray Kits**




ROT12	ROT21	ROT30
ROT15	ROT24	ROT33
ROT18	ROT27	ROT36

- 5/8" solid wood dovetail construction
- Consult availability guide
- Includes ¾ extension epoxy coated smooth-glide edge mounted runners
- 75 lb. load capacity

ROLL-OUT TRAY KIT AVAILABILITY GUIDE				
SKU DESIGNED TO FIT				
ROT18 B18, B18FH, U182484 / 90 / 96				
ROT24 B24, B24FH, SB24, U242484 / 90 / 96				

#### 24" Deep Universal Oven



#### OC332490U

- Consult chart for oven cutout dimensions
- One adjustable shelf
- 3 field removable drawers
- 3" stiles in oven compartment
- Exposed sides require TSK90
- For frame openings refer to page 40

CABINET	MIN.	MAX	MIN.	MAX
	CUTOUT	CUTOUT	CUTOUT	CUTOUT
	WIDTH	WIDTH	HEIGHT	HEIGHT
0C332490U	27"	31"	22"	60"

#### **Shelf Kits**

Finished Shelf Width = SK3324


Cabinet Width - 13/4"

SK3324

- 3/4" thick plywood faced with light birch veneer finish
- Edgebanded on front edge
- One shelf and set of clips per kit

**EXAMPLE:** 18" wide tall cabinet uses Shelf Kit SK1824

#### **Tall Filler Strips**




FS84 FS90

FS96 FS696

- 3/4" thick solid wood
- Face and all edges finished


#### 24" Deep Refrigerator Panel




RP84 RP90 RP96

- 11/2" & 3" wide fillers included
- Panel and Fillers supplied loose for field assembly
- Reversible, may be installed left or right
- 1/2" thick veneer matching exterior/interior
- Filler may be scribed up to 5/8"


#### **Fluted Fillers**



#### **30" Deep Universal Refrigerator Panel**



#### **Tall Skin**




TSK84 TSK90 TSK96

- 3/16" thick plywood
- Field modified and installed
- Available in all finishes
- Matching veneer exterior

NOTE: Cannot be used in conjunction with Factory Finished Ends

#### **Tall V-Groove Skin**

#### TVGSK96




- 3/16" thick wood veneer v-groove exterior
- Grooves spaced 1¼" on center
- Field modified and installed
- Trimmable for 84" and 90" applications

NOTE: Cannot be used in conjunction with Factory Finished Ends

#### **Matching Toe Kick 8**<sup>1</sup>






- 1/4" thick wood veneer

#### **Cabinet Fronts Only (CF0)**

Most Tall cabinets can be ordered as "Cabinet Fronts Only". Face frame, doors, hinges and bumpers will be supplied and shipped loose.

Please consult CFO availability guide on page 42.



#### **Touch-Up Kit**

**TUK** 




- Includes fill stick, touch-up pen, and 4-door bumpers

PLEASE NOTE: Line drawings are artistic representations of products for general dimensioning purposes. These should not be relied upon for accurate product appearance. Please consult the website or a designer if you have any questions or specific design requirements.


### **Vanity Base Cabinets**

#### **VANITY CABINET CODING**



- · Standard Vanity Base Cabinets are 21" deep and 341/2" high
- Cabinet depth does not include door thickness
- Custom Depths are available where indicated. Use Standard Base Cabinet coding to order as specified.
- · Products are available in all door styles unless stated otherwise
- Standard cabinet exterior is unfinished veneer, exposed sides require Finished Ends

#### 21" Deep Double Door Vanity Base



Two standard drawers


**STANDARD** 21" DEPTHS VB3321

**VB3621** 



- Order **B33** or **B36**
- · Select 9" to 23" depth
- 9" to 14" deep have false fronts & no drawer

21" Deep Single Door Vanity Base



- One full depth adjustable shelf
- One standard drawer

#### **SPECIFY RIGHT or LEFT HINGED**

**STANDARD** 21" DEPTHS

> **VB1221 VB1521 VB1821 VB2121**




# **CUSTOM**

#### FOR CUSTOM DEPTHS


- Order **B12**, **B15**, **B18** or
- Select 9" to 23" depth
- 9" to 14" deep have false fronts & no drawer

#### 21" Deep Single Door Vanity Sink Base



False drawer front

#### 21" Deep Double Door Vanity Base



- One full depth adjustable shelf

One standard drawer


**STANDARD** 21" DEPTHS

> **VB2421 VB2721 VB3021**

#### FOR CUSTOM DEPTHS

- · Order **B24**, **B27** or **B30**
- · Select 9" to 23" depth
  - 9" to 14" deep have false fronts & no drawer

#### 21" Deep Double Door Vanity Sink Base



**STANDARD** 

21" DEPTHS

VSB2421

VSB2721

VSB3021

- FOR CUSTOM DEPTHS
- Order SB24, SB27 or **SB30**
- Select 9" to 23" depth

30

### **Vanity Base Cabinets**

#### 21" Deep Double Door Vanity Sink Base


33", 36" 21" 34½" 18½"

STANDARD 21" DEPTHS VSB3321 VSB3621

CUSTOM DEPTH \_

- No shelf, two false fronts
- · Order SB33 or SB36
- · Select 9" to 23" depth

#### 21" Deep Double Full Height Door Vanity Base



VB2721FH VB3021FH VB3321FH VB3621FH

STANDARD 21" DEPTHS


**VB2421FH** 

CUSTOM DEPTH

#### FOR CUSTOM DEPTHS

- · Order B24FH, B27FH, B30FH or B36FH
- · Select 9" to 23" depth

#### 21" Deep Single Full Height Door Vanity Base



SPECIFY RIGHT or LEFT HINGED

> STANDARD 21" DEPTHS


VB1221FH VB1521FH VB1821FH VB2121FH



- Two adjustable shelves
- · Order B12FH, B15FH, B18FH or B21FH
- · Select 9" to 23" depth

#### 21" Deep Vanity Base Drawer

- Two adjustable shelves



- One standard drawer
- Two deep drawers

STANDARD 21" DEPTHS

> VBD1221 VBD1521


> VBD1821 VBD2421



#### FOR CUSTOM DEPTHS

- Order **BD12**, **BD15**, **BD18** or **BD24**
- Select 15" to 23" depth


#### 21" Deep Vanity Sink Base Liner



VSBL2124 VSBL2730 VSBL3336


- Helps protect sink cabinet from damage due to leaks in piping or drains
- VSBL2124 can be trimmed to fit VSB2121 or VSB2421
- VSBL2730 can be trimmed to fit VSB2721 or VSB3021
- VSBL3336 can be trimmed to fit VSB3321 or VSB3621
- Field installed
- Grey polystyrene easy to clean surface
- Not for use in custom-depth cabinetry

#### 21" Deep Desk Knee Drawer



- One full width pencil/cosmetic drawer
- Knee drawer is designed for use between two desk base cabinets
- Comfortable height for dressing table or writing surface when installed at 28½" height with 1½" thick countertop
- Slab drawer front all door styles
- May be trimmed up to 1" on each side

# **Vanity Linen & Wall Cabinets**




- One fixed shelf dividing upper and lower doors, four adjustable shelves
- Exposed sides require VTSK84

# 21" Deep Four Door Linen

**STANDARD 21" DEPTH** 

VLC242184



#### FOR CUSTOM DEPTHS

- · Order **U242484**
- · Select 9" to 23" depth
- One fixed shelf dividing upper and lower doors, four adjustable shelves
- Exposed sides require VTSK84


#### 30" High x 7" Deep Vanity Wall Boutique

# 30'

#### VWB2430

- Two adjustable shelves
- Matching interior and exterior standard

#### **Vanity Base Skin**




#### **VBSK345**

- Field modified and installed
- 3/16" thick plywood matching exterior


NOTE: Cannot be used in conjunction with **Factory Finished Ends** 

# **Vanity Wall Cabinets**

#### **Angle Fillers**




#### **Filler Strips**



- Face and all edges finished


#### **Fluted Fillers FF330**



#### **Matching Toe Kick 8**1


MTK8

**FS30 FS630 FS84** 



- 1/4" thick wood veneer

#### **Vanity Shelf Kit**



3/4" thick plywood with natural birch veneer finish

- Edgebanded on front edge

EXAMPLE: 36" wide vanity cabinet uses Shelf Kit VSK3621

VSK1221

VSK1521

VSK1821

VSK2121

VSK2421


VSK2721

VSK3021

VSK3321

VSK3621


# **Molding**



- 3/4" thick solid wood
- May be trimmed 3" on each end

#### **Scribe Molding**

SM8




- 1/4" thick solid wood

# Valance 48" 3" - 3/4" thick solid wood

**Batten Molding** 


**BM8** 



- 1/4" thick solid wood



ICM8




- May be trimmed on each end



- 3/4" thick solid wood


**Angle Crown Molding** 



- 3/4" thick solid wood
- Use with TMMS8 for top of cabinet installation
- Only available in CB, CN, MG, PW and PG finishes

#### **Outside Corner Molding**

OSC8




- 3/4" thick solid wood

#### **Soffit Crown Molding**

SCM8


ACM8



- 3/4" thick solid wood
- Use with TMMS8 for top of cabinet installation

#### **Quarter Round**

QR8



- 3/4" thick solid wood

#### **Crown Molding**


2<sup>5/8</sup>"

- 3/4" thick solid wood
- Use with TMMS8 for top of cabinet installation

### **Molding**


# **Classic Crown Molding** CCM8 35/8"

- 3/4" thick solid wood
- Use with TMMS8 for top of cabinet installation
- Available in all styles except PG




- 1" thick solid wood

# **Top Molding Mounting Strip**




- Recommended for installation of ACM8, CM8, CCM8, SCM8 moldings





- Solid hardwood

**Rope Molding** 



2¾"


TMMS8

RM8

**DM8** 


- 3/4" thick solid wood
- Available in all styles except PG

#### **Split Spindle**



- Solid hardwood
- Available in all styles except PG


#### **Dentil Molding**






- 3/4" thick solid wood
- Available in all styles except PG

#### Corbel




- Solid hardwood
- Available in all styles except AW, PW and PG

#### **Classic Light Rail**




- 3/4" thick solid wood

#### CLR8



#### **Furniture Base Molding**




- 3/4" thick solid wood

FBM8

### **Decorative Hardware**





**DH45-100 - 7" Euro Pull** 3¾" center (96mm)

**DH45-102 - 10" Euro Pull\*** 6-15/16" center (176mm)

**DH45-104 - 13" Euro Pull\*** 93/4" center (248mm)




**DH44-346 - 8" Square Bar Pull** 7½" center (196mm)

**DH44-348 - 9" Square Bar Pull** 8-13/16" center (224mm)

**DH44-350 - 13" Square Bar Pull\*** 12-5/8" center (320mm)

**DH44-352 - 19" Square Bar Pull\*** 18-7/8" center (480mm)



**DH116-120 - 10" Quadra Pull** 5" inside center (128mm)

8-13/16" outside center (224mm)

**DH116-122 - 11" Quadra Pull** 6-5/16" inside center (160mm) 10-1/16" outside center (256mm)

**DH116-126 - 14" Quadra Pull** 8-13/16" inside center (224mm) 12-5/8" outside center (320mm)

**DH116-134 - 20" Quadra Pull\*** 15-1/8" inside center (384mm) 18-7/8" outside center (480mm)

**DH116-136 - 24" Quadra Pull\*** 18-7/8" inside center (480mm) 22-11/16" outside center (576mm)

\* Due to the overall length of this hardware, it is not compatible with drilling template HDWE TEMPLATE-AW.

### **Decorative Hardware**



#### DH43-826

- Elongated oval knob
- Antique pewter
- 2" length

#### DH43-828



4-3/4" outside length

DH43-824 - 1" Backplate for DH43-828 - Antique pewter - 3¾" center (96mm)

#### DH43-820

- 51/4" outside length



- 4-1/8" outside length

- Elongated oval knob
- Oiled bronze
- 2" length

#### DH43-632



DH43-628

- 1" Backplate for DH43-632
- Oiled bronze
- 3%" center (96mm)
- 51/4" outside length

#### DH43-624



#### DH43-630



- DH43-618
- Octagon knob
- Oiled bronze
- 1-3/8" diameter

#### DH43-614



- Traditional pull
- Oiled bronze
- 3-3/4" center (96mm)
- 4-1/2" outside length



#### DH43-628

- 1" Backplate for DH43-614
- Oiled bronze
- 3-3/4" center (96mm)
- 5-1/4" outside length

#### DH43-624



- Screw-head cup pull
- Oil rubbed bronze
- 2-1/2" center (64mm)
- 4-1/8" outside length

#### **DH99-188**



- Round knob
- Brushed nickel
- 1-1/4" diameter

#### DH99-128



- Contemporary bow pull
- 3-11/16" center (93mm)
- 5-1/4" outside length

### DH93-152



- Raised mitered knob
- Antique pewter
- 1-3/8" square

#### DH93-112



- Raised mitered pull
- 5" (128mm) center
- 6-3/8" outside length

#### DH43-124



- Octagon knob
- Antique silver
- 1-3/8" diameter

#### DH43-114



### **Decorative Hardware**

#### DH65-432



- Birdcage knob
- Stainless steel
- 2-1/2" length

#### DH65-402



- 3-3/4" center (96mm)
- 4" outside length

#### DH65-200



- Birdcage knob
- Antique iron
- 2-1/2" length

#### DH65-120



- 3-3/4" center (96mm)
- 4" outside length

#### DH88-104



- Antique pewter
- 3-1/2" length

#### **DH88-110**



#### DH95-144



- Square dimpled knob
- Matte nickel
- 1-1/4" square

#### DH87-102



- Square ribbed knob
- Brushed nickel
- 1" square


DH87-112



#### **HDWE TEMPLATE-AW**

#### **Hardware Drilling Template**

Align with door frame to quickly and accurately mark hole locations.



NOTE: Refer to the individual decorative hardware size specifications to determine compatibility with this template.

#### DH95-104




- Square dimpled pull
- Matte nickel
- 6-5/16" center (160mm)
- 7-1/2" outside length




- Ribbed bow pull
- Brushed nickel
- 3-3/4" center (96mm)
- 4-11/16" outside length

### **Cabinet Frame & Opening Dimensions**




### **Cabinet Frame & Opening Dimensions**




NOTE: 96" TALL CABINETS ARE SUPPLIED WITH LOOSE TOE KICK BOX (EXPOSED SIDES REQUIRE TSK96)

## **Cabinet Frame & Opening Dimensions**



NOTE: B27, B30 have full width drawers




DRAWER BOX INSIDE DIMENSIONS							
CABINET	SH <i>A</i>	SHALLOW DRAWER			DEEP DRAWER		
	HEIGHT	DEPTH	WIDTH	HEIGHT	DEPTH	WIDTH	
B12, BD12	4-3/8"	19-11/16"	6-7/8 <b>"</b>	6-3/4"	19-11/16"	6-7/8"	
VB1221, VBD1221	4-3/8"	16-11/16"	6-7/8 <b>"</b>	6-3/4"	16-11/16"	6-7/8"	
B15, BBCU42, BD15	4-3/8"	19-11/16"	9-7/8"	6-3/4"	19-11/16"	9-7/8"	
VB1521, VBD1521	4-3/8"	16-11/16"	9-7/8"	6-3/4"	16-11/16"	9-7/8"	
DDO15, DDR15	4-3/8"	19-11/16"	9-7/8"	N/A	N/A	N/A	
B18, BD18	4-3/8"	19-11/16"	12-7/8"	6-3/4"	19-11/16"	12-7/8"	
VB1821, VBD1821	4-3/8"	16-11/16"	12-7/8"	6-3/4"	16-11/16"	12-7/8"	
B21	4-3/8"	19-11/16"	15-7/8 <b>"</b>	N/A	N/A	N/A	
B24, BD24	4-3/8"	19-11/16"	18-7/8 <b>"</b>	6-3/4"	19-11/16"	18-7/8"	
VB2421	4-3/8"	16-11/16"	18-7/8 <b>"</b>	N/A	N/A	N/A	
B27	4-3/8"	19-11/16"	21-7/8"	N/A	N/A	N/A	
B30, BD30	4-3/8"	19-11/16"	24-7/8 <b>"</b>	6-3/4"	19-11/16"	24-7/8"	
VB3021	4-3/8"	16-11/16"	24-7/8 <b>"</b>	N/A	N/A	N/A	
B33	4-3/8"	19-11/16"	11-1/4"	N/A	N/A	N/A	
B36, BD36	4-3/8"	19-11/16"	12-7/8"	6-3/4"	19-11/16"	30-7/8"	
VB3621	4-3/8"	16-11/16"	12-7/8"	N/A	N/A	N/A	
OC332484U, OC332490U, OC332496U	4-3/8"	19-11/16"	24-7/8"	N/A	N/A	N/A	

## **Cabinet Fronts Only - Availability Guide**

- Most cabinets can be ordered as "Cabinet Fronts Only" (CFO)
- Face frames, doors, hinges, and bumpers will be supplied and shipped loose
- Doors are pre-drilled for hinge installation

CABINET	CFO CABINET FRONT
W0930	CF0W0930
W0936	CF0W0936
W0942	CF0W0942
W1230	CF0W1230
W1236	CF0W1236
W1242	CF0W1242
W1530	CF0W1530
W1536	CF0W1536
W1542	CF0W1542
W1830	CF0W1830
W1836	CF0W1836
W1842	CF0W1842
W2130	CF0W2130
W2136	CF0W2136
W2142	CF0W2142
W2430	CF0W2430
W2436	CF0W2436
W2442	CF0W2442
W2730	CF0W2730
W2736	CF0W2736
W2742	CF0W2742
W3012	CF0W3012
W3015	CF0W3015
W3018	CF0W3018
W3024	CF0W3024
W3030	CF0W3030
W3036	CF0W3036

CABINET	CFO CABINET FRONT
W3042	CF0W3042
W3315	CF0W3315
W3330	CF0W3330
W3336	CF0W3336
W3342	CF0W3342
W3612	CF0W3612
W3615	CF0W3615
W3618	CF0W3618
W3624	CF0W3624
W3630	CF0W3630
W3636	CF0W3636
W3642	CF0W3642
B12	CF0B12
B15	CF0B15
B18	CF0B18
B21	CF0B21
B24	CF0B24
B27	CF0B27
B30	CF0B30
B33	CF0B33
B36	CF0B36
U1884	CF0U1884
U1890	CF0U1890
U1896	CF0U1896
U2484	CF0U2484
U2490	CF0U2490
U2496	CF0U2496









## hdckitchens.com

Semi-Custom Kitchen & Bath Cabinetry



Instant Kitchen Estimator



Cabinet Quality



Free Color Samples



Measuring Guide





