Page: 1
Printed: 04/14/2015
Revision: 04/14/2015

Supersedes Revision: 03/26/2015

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Home Armor House Wash

Company Name: W. M. Barr Phone Number:

2105 Channel Avenue (901)775-0100

Memphis, TN 38113

Web site address: www.wmbarr.com

**Emergency Contact:** 3E 24 Hour Emergency Contact (800)451-8346 **Information:** W.M. Barr Customer Service (800)398-3892

Intended Use: Mold and Mildew Stain Remover

Synonyms: FG503, FG503B

Additional Information This product is regulated by the United States Consumer Product Safety Commission

and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to

using the product.

#### 2. HAZARDS IDENTIFICATION

Skin Corrosion/Irritation, Category 1A-1C Serious Eye Damage/Eye Irritation, Category 1



GHS Signal Word: Danger

GHS Hazard Phrases: H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

**GHS Precaution Phrases:** P260: Do not breathe mist/spray.

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician.

P321: Specific treatment see label.

P363: Wash contaminated clothing before reuse.

GHS Storage and Disposal

P405: Store locked up.

Phrases:


P501: Dispose of contents/container according to local, state and federal regulations.

Page: 2 Printed: 04/14/2015 Revision: 04/14/2015

Supersedes Revision: 03/26/2015

Hazard Rating System:





HMIS:

OSHA Regulatory Status:

This material is classified as hazardous under OSHA regulations.

Potential Health Effects (Acute and Chronic):

Inhalation Acute Exposure Effects:

May cause irritation of respiratory tract and irritation of mucous membranes. If sodium hypochlorite is mixed with ammonia or other chemicals, evolution of chlorine or chlorine based compounds results. These gases can produce pulmonary edema. NEVER MIX

WITH ANY OTHER CHEMICALS.

Skin Contact Acute Exposure Effects:

This product is a skin irritant. May cause redness and possibly inflammation of the skin.

May cause chemical burns to broken skin.

Eye Contact Acute Exposure Effects:

This material is an eye irritant.

Ingestion Acute Exposure Effects:

Liquid can be corrosive to the mouth and throat, mucous membranes and stomach. Swallowing can burn the tissues, cause abdominal pain, nausea, vomiting, circulatory collapse, confusion, delirium, coma, and collapse. Swallowing large quantities can

cause death.

Chronic Exposure Effects:

Prolonged or repeated contact may cause dermatitis and sensitization. May cause

constant irritation of eyes and respiratory tract.

**Medical Conditions Generally** Asthma or other pre-existing lung/respiratory illnesses.

Aggravated By Exposure:

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS # Hazardous Components (Chemical Name) Concentration RTECS #

7681-52-9 Sodium hypochlorite {Hypochlorous acid, sodium < 5.0 % NH3486300

salt}

Additional Chemical

Specific percentage of composition is being withheld as a trade secret.

nformation

Page: 3 Printed: 04/14/2015 Revision: 04/14/2015 Supersedes Revision: 03/26/2015

## 4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

Inhalation:

If user experiences breathing difficulty, move to air free of vapors. Administer oxygen or

artificial respiration until medical assistance can be rendered.

Skin contact:

Wash with soap and large quantities of water for at least 15 minutes. Seek medical

attention if irritation from contact persists.

Eye contact:

Immediately flush eyes with water, remove any contact lens, continue flushing with water

for at least 15 minutes. Get medical attention.

Ingestion:

If conscious, drink one or two glasses of water or milk, or give milk of magnesia. Never attempt to give anything by mouth to an unconscious person. Call your poison control

center, hospital emergency room, or physician immediately.

Signs and Symptoms Of

Exposure:

Primary routes of exposure:

Note to Physician: Call your local poison control center for further instructions.

Inhalation and dermal.

## 5. FIRE FIGHTING MEASURES

N/A

No data. Flash Pt:

LEL: No data. UEL: No data. **Explosive Limits:** 

No data. **Autoignition Pt:** 

Suitable Extinguishing Media: Non-combustible liquid - use extinguishing media for underlying cause of fire.

**Unsuitable Extinguishing** 

None known.

Media:

Fire Fighting Instructions: Self-contained respiratory protection should be provided for fire fighters fighting fires in

buildings or confined areas. Use water spray to cool nearby containers and structures

exposed to fire.

Flammable Properties and

Hazards:

This material is non-combustible.

## 6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Released Or

Spilled:

Clean-up:

Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind, out

of low areas, and ventilate closed spaces before entering.

Small spills:

Take up the spilled liquid with sand, earth, or other noncombustible absorbent material

and place in a plastic container where applicable.

Large spills:

Dike far ahead of spill for later disposal.

Keep material out of sewers, storm drains, surface waters, and soil. Sodium

hypochlorite is very toxic to aquatic life.

Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.

**GHS** format

Page: 4
Printed: 04/14/2015
Revision: 04/14/2015

Supersedes Revision: 03/26/2015

#### 7. HANDLING AND STORAGE

Precautions To Be Taken in Handling:

Read carefully all cautions and directions on product label before use. Since empty container retains residue, follow all label warnings even after container is empty.

Dispose of empty container according to all regulations. Do not reuse this container.

Precautions To Be Taken in Storing:

(Specify Type):

Keep container tightly closed when not in use. Store in a cool, dry place. Protect from

freezing. Avoid extreme high or low temperatures.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS # Partial Chemical Name OSHA TWA ACGIH TWA Other Limits

7681-52-9 Sodium hypochlorite {Hypochlorous No data. No data. No data.

acid, sodium salt}

Respiratory Equipment For OSHA controlled work place and other regular users -- Use only with adequate

ventilation under engineered air control systems designed to prevent exceeding

appropriate TLV. For occasional use, where engineered air control is not feasible, use properly maintained and properly fitted NIOSH approved respirators. A dust mask does

not provide protection against vapors.

**Eye Protection:** Safety glasses, chemical goggles or face shields are recommended to safeguard against

potential eye contact, irritation, or injury. Contact lenses should not be worn while

working with chemicals.

Chemcial splash goggles or safety glasses with a faceshield should be worn if the

possibility of splashing exists.

**Protective Gloves:** Wear impermeable gloves. Gloves contaminated with product should be discarded.

Promptly remove clothing that becomes soiled with product.

Other Protective Clothing: Various application methods can dictate use of additional protective safety equipment,

such as impermeable aprons, etc., to minimize exposure. Before reuse, thoroughly clean any clothing or protective equipment that has been contaminated by prior use. Discard any clothing or other protective equipment that cannot be decontaminated, such

as gloves or shoes.

**Engineering Controls** 

(Ventilation etc.):

Use only with adequate ventilation to prevent build-up of vapors. Open all windows and doors. Use only with a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea, or

eye-watering -- Stop -- ventilation is inadequate. Leave area immediately.

Work/Hygienic/Maintenance

Practices:

A source of clean water should be available in the work area for flushing eyes and skin.

Do not eat, drink, or smoke in the work area.

Wash hands thoroughly after use.

Page: 5
Printed: 04/14/2015
Revision: 04/14/2015

Supersedes Revision: 03/26/2015

9.	PHYSICAL AND CHEMICAL PROPERTIES
Physical States:	[ ] Gas [ X ] Liquid [ ] Solid
Appearance and Odor:	Light yellow, free and clear.
Melting Point:	No data.
Boiling Point:	> 212.00 F
Autoignition Pt:	No data.
Flash Pt:	No data.
Explosive Limits:	LEL: No data. UEL: No data.
Specific Gravity (Water = 1):	1.06
Bulk density:	8.84 LB/GA
Vapor Pressure (vs. Air or	< 0.1 MM HG
mm Hg):	
Vapor Density (vs. Air = 1):	> 1
Evaporation Rate:	<1
Solubility in Water:	No data.
Solubility Notes:	Completely soluble in water.
рН:	12 - 13
Percent Volatile:	N.D.
	10. STABILITY AND REACTIVITY
Stability:	Unstable [ ] Stable [ X ]
Conditions To Avoid - Instability:	No data available.
Incompatibility - Materials To Avoid:	Incompatible with acids, ammonia, or other household chemicals. Do not mix with acids, ammonia, or other household chemicals as dangerous fumes may result.
	Incompatible with strong oxidizing and reducing agents.
Hazardous Decomposition On Byproducts:	rThermal decomposition may produce chlorine gas.
Possibility of Hazardous Reactions:	Will occur [ ] Will not occur [ X ]
Conditions To Avoid - Hazardous Reactions:	No data available.

Page: 6
Printed: 04/14/2015
Revision: 04/14/2015

Supersedes Revision: 03/26/2015

# 11. TOXICOLOGICAL INFORMATION

**Toxicological Information:** This product was not tested as a whole. Refer to section 2 for acute and chronic effects.

CAS # Hazardous Components (Chemical Name) NTP IARC ACGIH OSHA

7681-52-9 Sodium hypochlorite {Hypochlorous acid, sodium salt} n.a. n.a. n.a. n.a.

# 12. ECOLOGICAL INFORMATION

General Ecological

This product was not tested as a whole.

Information:

#### 13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of in accordance with local, state, and federal laws.

#### 14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not regulated by 49 CFR.

DOT Hazard Class: UN/NA Number:

# 15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS # Hazardous Components (Chemical Name) S. 302 (EHS) S. 304 RQ S. 313 (TRI)

7681-52-9 Sodium hypochlorite {Hypochlorous acid, sodium No Yes 100 LB No

salt}

**This material meets the EPA** [X] Yes [ ] No Acute (immediate) Health Hazard **'Hazard Categories' defined** [ ] Yes [X] No Chronic (delayed) Health Hazard

for SARA Title III Sections [ ] Yes [X] No Fire Hazard

311/312 as indicated: [ ] Yes [X] No Sudden Release of Pressure Hazard

[ ] Yes [X] No Reactive Hazard

CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists

7681-52-9 Sodium hypochlorite {Hypochlorous acid, sodium CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -

salt} Inventory; CA PROP.65: No

**Regulatory Information** All components of this material are listed on the TSCA Inventory or are exempt.

Statement:

# **16. OTHER INFORMATION**

**Revision Date:** 04/14/2015

Preparer Name: W.M. Barr EHS Dept (901)775-0100

Additional Information About No data available.

This Product:

**Company Policy or** The information contained herein is presented in good faith and believed to be accurate

**Disclaimer:** as of the effective date shown above. This information is furnished without warranty of

any kind. Employers should use this information only as a supplement to other

information gathered by them and must make independent determination of suitability

and completeness of information from all sources to assure proper use of these

materials and the safety and health of employees. Any use of this data and information

must be determined by the user to be in accordance with applicable federal, state and

Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.

GHS format

Page: 7
Printed: 04/14/2015
Revision: 04/14/2015

Supersedes Revision: 03/26/2015 local laws and regulations. Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc. **GHS** format