

TOWNSEND® PEDESTAL SINK and OPTIONAL FURNITURE

Pedestal Sink and Leg Combinations:

- 0328.800** Faucet holes on 8" (203mm) centers (Illustrated)
- 0328.400** Faucet holes on 4" (102mm) centers
- 0328.100** Center hole only
 - Fine fireclay
 - Classic styled rectangular pedestal lavatory
 - Rear overflow
 - Supplied with mounting kit
 - Right Height® for greater comfort during use
 - Faucet ledge with large deck area (faucet not included)
 - Pedestal tops can also be used with design matched vanity or washstand furniture
 - **Design coordinates with Townsend® Collection**



Townsend pedestal combination 0328.800

Bowl Size:

19" (485mm) wide,
12-3/4" (324mm) front to back,
5" (128mm) deep

Nominal Dimensions:

Pedestal Sink and Leg Combinations:

30" x 19-1/2" x 35-1/4" (762 x 495 x 895mm)

Pedestal Sink and Furniture Combinations:

30" x 19-1/2" x 35-7/8" (762 x 495 x 910mm)

- 0328.008** Pedestal top-8" (203mm) centers
- 0328.004** Pedestal top-4" (102mm) centers
- 0328.001** Pedestal top-center hole only
- 0039.001** Pedestal leg only
- 9036.030** 30" (762mm) vanity less drawer pulls
- 7760.000** Drawer pulls (set of 2) for 30" (762mm) vanity
- 9039.030** 30" (762mm) washstand less towel bar
- 3749.000** Towel bar for 30" (762mm) washstand
- 7720.018** Optional decorative p-trap drain



Townsend pedestal top sink 0328.008
shown with 9036.030 vanity
and 7760.000 drawer pulls

Compliance Certifications -

Meets or Exceeds the Following Specifications:


- ASME A112.19.2/CSA B45.1

SEE REVERSE FOR ROUGHING-IN DIMENSIONS

To Be Specified:

- Chinaware Color: White Linen
- Vanity Finish: White Smoked Grey
- Vanity Drawer Pulls Finish: Chrome Brushed Nickel
- Washstand Finish: White Smoked Grey
- Washstand Towel Bar Finish: Chrome Brushed Nickel
- Faucet*:
- Supplies:
- P-Trap Finish: Chrome Brushed Nickel

* See Townsend faucet section for models available



NOTES:
 * DIMENSIONS SHOWN FOR LOCATION OF SUPPLIES AND "P" TRAPS ARE SUGGESTED.
 ■ SUITABLE FOR REINFORCEMENT ONLY. ACTUAL DIMENSIONS MUST BE TAKEN FROM FIXTURE.
 FITTING NOT INCLUDED AND MUST BE ORDERED SEPARATELY.
 PROVIDE SUITABLE REINFORCEMENT FOR ALL WALL SUPPORTS.
 INSTALLATION INSTRUCTIONS SUPPLIED WITH LAVATORY.
 FURNITURE SPECIFIC INSTRUCTIONS SUPPLIED WITH OPTIONAL FURNITURE.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerance established by ANSI Standard A112.19.2
 These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

TOWNSEND® PEDESTAL SINK

- 0328.800** Faucet holes on 8" (203mm) centers (Illustrated)
- 0328.400** Faucet holes on 4" (102mm) centers
- 0328.100** Center hole only
 - Fine fireclay
 - Classic styled rectangular pedestal lavatory
 - Rear overflow
 - Supplied with mounting kit
 - Right Height® for greater comfort during use
 - Faucet ledge with large deck area (faucet not included)
 - **Design coordinates with Townsend® Fixtures and Faucets**



Nominal Dimensions:

30" x 19-1/2"
(762 x 495mm)

35-1/4" height
(895mm)

SEE REVERSE FOR ROUGHING-IN DIMENSIONS

- 0328.008** Pedestal top-8" (203mm) centers
- 0328.004** Pedestal top-4" (102mm) centers
- 0328.001** Pedestal top-center hole only
- 0039.001** Pedestal only

Bowl sizes:

19" (485mm) wide,
12-3/4" (324mm) front to back,
5" (128mm) deep

Compliance Certifications -


Meets or Exceeds the Following Specifications:

- ASME A112.19.2/CSA B45.1

To Be Specified:

- Color: White Linen
- Faucet Finish:
- Supplies:
- 1-1/4" Trap:
- Nipple:

* See faucet section for additional models available



NOTES:

- * DIMENSIONS SHOWN FOR LOCATION OF SUPPLIES AND "P" TRAPS ARE SUGGESTED.
- ▼ PEDESTAL ANCHORING SCREWS NOT INCLUDED.
- SUITABLE FOR REINFORCEMENT ONLY. ACTUAL DIMENSIONS MUST BE TAKEN FROM FIXTURE.
- FITTING NOT INCLUDED AND MUST BE ORDERED SEPARATELY.
- PROVIDE SUITABLE REINFORCEMENT FOR ALL WALL SUPPORTS.
- INSTALLATION INSTRUCTIONS SUPPLIED WITH LAVATORY.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerance established by ANSI Standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.