Page: 1

	<b>1. PRODUCT AND COMPANY</b>	DENTIFICATION
Product Name:	Klean Strip Liquid Sander	
Company Name:	W. M. Barr	Phone Number:
	2105 Channel Avenue	(901)775-0100
	Memphis, TN 38113	
Web site address:	www.wmbarr.com	
Emergency Contact:	3E 24 Hour Emergency Contact	(800)451-8346
Information:	W.M. Barr Customer Service	(800)398-3892
Intended Use:	Paint Adhesion Product	
Product Code:	QKLS285	

# 2. HAZARDS IDENTIFICATION

#### Serious Eye Damage/Eye Irritation, Category 2

GHS Signal Word:	Warning
GHS Hazard Phrases:	H319: Causes serious eye irritation.
GHS Precautionary Phrases:	P264: Wash hands thoroughly after handling. P280: Wear protective gloves/protective clothing/eye protection/face protectio}.
GHS Response Phrases:	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+313: If eye irritation persists, get medical advice/attention.
GHS Storage and Disposal Phrases:	No phrases apply.
OSHA Regulatory Status:	This material is classified as hazardous under OSHA regulations.
Potential Health Effects (Acute and Chronic):	EYES: Can cause eye irritation.
	SKIN: Can cause skin irritation.
	INHALATION: May cause irritation of the respiratory tract, experienced as nasal discomfort, possibly with chest pain and coughing.
	INGESTION: Moderately toxic. May cause stomach or intestinal upset or discomfort (nausea, vomiting, diarrhea).
	This product contains crystalline silica in the form of quartz. In respirable form, chronic overexposure can cause lung disease and silicosis. The silica in this product is not in respirable form. The silica is encapsulated, which should present no health hazard due to inhalation exposure.
Medical Conditions Generally Aggravated By Exposure:	None known.

#### SAFETY DATA SHEET Klean Strip Liquid Sander

Page: 2

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS CAS # Hazardous Components (Chemical Name) Concentration 112-34-5 Diethylene glycol monobutyl ether 1.0 -5.0 % {2-(2-Butoxyethoxy)ethanol {(a glycol ether)} 68439-46-3 Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated) 1.0 -5.0 % 627-93-0 Dimethyl adipate 0.1 -1.0 % 1119-40-0 Dimethyl glutarate 0.1 -1.0 % Additional Chemical Information Specific percentage of composition is being withheld as a trade secret. 4. FIRST AID MEASURES INHALATION: **Emergency and First Aid Procedures:** If user experiences breathing difficulty, move to air free of vapors. Administer oxygen or artificial respiration until medical assistance can be rendered. SKIN CONTACT: Immediately wash with soap and water. Seek medical attention if irritation from contact persists. EYE CONTACT: Immediately flush with water, remove any contact lens, and continue flushing with water for at least 15 minutes. Get medical attention immediately. INGESTION: Do not induce vomiting, unless directed to by medical personnel. Call your poison control center, hospital, emergency room, or physician immediately for instructions. Do not give anything by mouth to an unconscious person. Signs and Symptoms Of See Potential Health Effects. Exposure: Note to Physician: Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient. 5. FIRE FIGHTING MEASURES Flash Pt: > 200.00 F Method Used: Setaflash Closed Cup (Rapid Setaflash) LEL: No data. UEL: No data. Explosive Limits: No data. **Autoignition Pt:** Non-combustible liquid - use extinguishing media for underlying cause of fire. Suitable Extinguishing Media: Unsuitable Extinguishing Media: None known. Fire Fighting Instructions: If involved in a fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH approved or equivalent) and full protective gear. Flammable Properties and No data available. Hazards: **Hazardous Combustion** Oxides of carbon Products:

Page: 3

	6. ACCIDENTAL RELEASE MEASURES
Steps To Be Taken In Case Material Is Released Or Spilled:	Isolate the immediate area. Prevent unauthorized entry. Stay upwind, out of low areas, and ventilate closed spaces before entering. Do not touch or walk through spilled material. Stop leak if you can do so without risk. Prevent entry into waterways, sewers, or confined areas. A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to compatible containers. For large spills, dike ahead of the spill.
	7. HANDLING AND STORAGE
Precautions To Be Taken in Handling:	Read carefully all cautions and directions on product label before use. Since empty container retains residue, follow all label warnings even after container is empty. Dispose of empty container according to all waste regulations. Do not reuse this container.
Precautions To Be Taken in Storing:	Avoid contact with eyes, skin, and mucous membranes. Do not take internally. Keep container tightly closed when not in use. Store in a cool, dry place. Do not store near flames or at elevated temperatures.
-	OSURE CONTROLS/PERSONAL PROTECTION
Respiratory Equipment (Specify Type):	For consumer use, use only with adequate ventilation. If strong odor is noticed or you experience slight dizziness - STOP - ventilation is inadequate. Leave area immediately.
	For OSHA controlled workplace and other regular users - Use only with adequate ventilation under engineered air control systems designed to prevent exceeding appropriate TLVs. For occasional use, where engineered air control is not feasible, use properly maintained and properly fitted NIOSH approved respirators for organic vapors. A dust mask does not provide protection against vapors.
Eye Protection:	Wear chemical splash goggles to safeguard against potential eye contact, irritation, or injury.
Protective Gloves:	For consumer use and when used as directed, usually none is required. People with sensitive skin should wear chemical resistant gloves, such as nitrile or latex rubber gloves.
Other Protective Clothing:	Various application methods can dictate use of additional protective safety equipment, such as impermeable aprons, etc., to minimize exposure. Before reuse, thoroughly clean any clothing or protective equipment that has been contaminated by prior use. Discard any clothing or other protective equipment that cannot be decontaminated, such as gloves or shoes.
Engineering Controls	Use only with adequate ventilation to prevent build-up of vapors. Open all windows and doors.
(Ventilation etc.):	Use only with a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea, or eye-watering - STOP - ventilation is not adequate. Leave area immediately and move to fresh air.
Work/Hygienic/Maintenance Practices:	Wash hands thoroughly after use and before eating, drinking, or smoking.
	Do not eat, drink, or smoke in the work area.
	Facilities storing or handling this material should be equipped with an emergency eyewash and safety shower.

# **SAFETY DATA SHEET** Klean Strip Liquid Sander

9.	PHYSICAL AND CHEMICAL PROPERTIES
Physical States:	[]Gas [X]Liquid []Solid
Appearance and Odor:	White to light tan liquid with a mild odor.
	Odor threshold ND
pH:	11.07
Melting Point:	No data.
Boiling Point:	> 99.00 F
Flash Pt:	> 200.00 F Method Used: Setaflash Closed Cup (Rapid Setaflash)
Evaporation Rate:	< 1
Flammability (solid, gas):	No data available.
Explosive Limits:	LEL: No data. UEL: No data.
Vapor Pressure (vs. Air or mm	N.D.
Hg):	
Vapor Density (vs. Air = 1):	N.D.
Specific Gravity (Water = 1):	1.061
Density:	8.85 LB/GL
Solubility in Water:	Appreciably
Solubility Notes:	ND-Not Determined.
Octanol/Water Partition	ND
Coefficient:	
Percent Volatile:	87.64 % by weight.
VOC / Volume:	2.2500 % WT
Autoignition Pt:	No data.
Decomposition Temperature:	No data.
Viscosity:	650 - RT,S2,12rpm CPS
Additional Physical Information	ND = Not Determined.
	10. STABILITY AND REACTIVITY
Stability:	Unstable [ ] Stable [ X ]

Stability:	Unstable [ ]	Stable [ X ]
Conditions To Avoid - Instability	<b>/:</b> No data availabl	e.
Incompatibility - Materials To Avoid:	Incompatible wit	h strong oxidizers, alkalies, and acids.
Hazardous Decomposition or Byproducts:	Decomposition I	may produce carbon monoxide and carbon dioxide.
Possibility of Hazardous Reactions:	Will occur [ ]	Will not occur [ X ]
Conditions To Avoid - HazardousNo data available. Reactions:		

Page: 5

		11. TOXICOLOGICAL	INFORMA			
Toxicological	Information:	This product has not been tested as	a whole. Refer to	o section 2 for	acute and chro	nic effects.
		CAS# 112-34-5: Standard Draize Test, Eyes, Species Result: Behavioral: Anticonvulsant. - American Journal of Ophthalmology Chicago, IL 60611, Vol/p/yr: 29,1363	v., Ophthalmic Pi		. Michigan Ave	., Suite 1415,
		CAS# 68439-46-3: Acute toxicity, LD50, Oral, Rat, 1378 Result: Behavioral: Somnolence (general de Behavioral: Ataxia. Gastrointestinal:Hypermotility, diarrhe - Journal of the American College of 10(4),427, 1991	oressed activity) ea.		Inc., New York	<, NY, Vol/p/yr:
Carcinogenicit Information:	ty/Other					
CAS #	Hazardous Com	ponents (Chemical Name)	NTP	IARC	ACGIH	OSHA
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}		n.a.	n.a.	n.a.	n.a.
68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)		n.a.	n.a.	n.a.	n.a.
627-93-0	Dimethyl adipate		n.a.	n.a.	n.a.	n.a.
1119-40-0	Dimethyl glutarate		n.a.	n.a.	n.a.	n.a.
		12. ECOLOGICAL IN	IFORMAT	ION		
General Ecolo	gical Information:	No information available for this prod	uct as a whole.			
		13. DISPOSAL CON	SIDERATI	ONS		
Waste Disposa	al Method:	Dispose of in accordance with local,	state, and federa	al laws.		
		Do not place material in general trasl	۱.			
		Do not allow material to enter bodies	of water or sewe	ers.		
		14. TRANSPORT IN	FORMATI	ON		
LAND TRANSI	PORT (US DOT):					
DOT Prope DOT Hazard UN/NA Nun		Not regulated by D.O.T.				
Additional Tra	insport					

# **SAFETY DATA SHEET** Klean Strip Liquid Sander

Page: 6

	15. REGULATOR		TION		
EPA SARA (S	uperfund Amendments and Reauthorization Act o	of 1986) Lists			
CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol  {(a glycol ether)}	No	No	Yes-Cat. N230	
68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)	No	No	No	
627-93-0	Dimethyl adipate	No	No	No	
1119-40-0	Dimethyl glutarate	No	No	No	
CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists			
112-34-5	Diethylene glycol monobutyl etherCAA HAP,ODC: Yes - Cat.; CWA NPDES: No; TSCA{2-(2-Butoxyethoxy)ethanol {(a glycol ether)}Inventory; CA PROP.65: No		PDES: No; TSCA: Yes -		
68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No			
627-93-0	Dimethyl adipate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No			
1119-40-0	-		No; TSCA: Yes -		
Additional Reg	gulatory This product is regulated by the	United States Cons	umer Product Safet	ty Commission and is	
Information	subject to certain labeling requir requirements differ from the class sheets (SDS). The product label use, and should always be read	sification criteria ar also includes other	d hazard informatio important informati	n required for safety data on, including directions for	

16. OTHER INFORMATION		
Revision Date:	07/21/2020	
Preparer Name:	W.M. Barr EHS Dept (901)775-0100	
Additional Information About This Product:	No data available.	
Company Policy or Disclaimer:	The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.	

# **15. REGULATORY INFORMATION**