# **Material Safety Data Sheet**

Issuing Date No data available Revision Date 08-Jun-2013 Revision Number 2

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name Acrylic Vial China

**Recommended Use** Tools for Leveling (Contain Chemical).

Supplier Address Johnson Level & Tool 6333 W Donges Bay Rd Mequon WI

53092 US Phone:770-862-2603

Contact:Eron Heflin Email:eronheflin@mphsales.com Contact Phone770-862-2603

#### 2. HAZARDS IDENTIFICATION

WARNING!

# **Emergency Overview**

COMBUSTIBLE LIQUID AND VAPOR

May cause eye irritation

Aspiration hazard if swallowed - can enter lungs and cause damage

Appearance YellowPhysical State Liquid.Odor Petroleum like

**Potential Health Effects** 

Principle Routes of Exposure Eye contact. Skin contact. Inhalation.

**Acute Toxicity** 

**Eyes** May cause irritation.

**Skin** May cause skin irritation and/or dermatitis.

**Inhalation**Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion Ingestion and diarrhea. Potential for

aspiration if swallowed. Aspiration may cause pulmonary edema and pneumonitis.

Chronic Effects No known effect based on information supplied.

**Aggravated Medical** 

Conditions

None known.

**Environmental Hazard** See Section 12 for additional Ecological Information.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
---------------	--------	----------

Fuels, jet aircraft, coal solvent extraction, hydrocracked hydrogenated  Jet engine fuel produced by hydrogenation of the middle distillate fraction of the products of	94114-58-6	60-100
middle distillate fraction of the products of hydrocracking of coal extract or		
Supplier Trade Secret	Proprietary	< 0.1

# 4. FIRST AID MEASURES

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Keep eye

wide open while rinsing.

Skin Contact Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. Consult a physician if necessary.

**Inhalation** Move to fresh air. If breathing is irregular or stopped, administer artificial respiration. If

symptoms persist, call a physician.

Ingestion Rinse mouth. Drink plenty of water. Do NOT induce vomiting. If vomiting occurs, lean victim

forward to reduce the risk of aspiration. Call a physician or Poison Control Center immediately.

Notes to Physician Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

Flammable Properties Combustible liquid.

Flash Point 60C / 140F

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment. Dry chemical. Carbon dioxide (CO<sub>2</sub>). Water spray. Alcohol-resistant foam.

Hazardous Combustion Products Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge Yes.

Specific Hazards Arising from the Chemical Flammable. Keep product and empty container away from heat and

sources of ignition. Risk of ignition.

**Protective Equipment and Precautions for Firefighters** 

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health Hazard 1 Flammability 2 Stability 0 Physical and Chemical

Hazards -

Revision Date 08-Jun-2013 1101071 - Acrylic Vial China

6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions** Remove all sources of ignition. Take precautionary measures against static discharges. Use

personal protective equipment. Avoid contact with skin, eyes and clothing.

**Environmental Precautions** Refer to protective measures listed in Sections 7 and 8.

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Take precautionary measures against static discharges. Dam up. Cover liquid spill with sand, Methods for Cleaning Up

earth or other noncombustible absorbent material. Pick up and transfer to properly labeled

containers. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice.

> Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Remove and wash contaminated clothing before re-use. Keep away from open flames, hot surfaces and

sources of ignition.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat Storage

and sources of ignition. Protect from light. Keep in properly labeled containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

This product does not contain any hazardous materials with occupational exposure limits **Exposure Guidelines** 

established by the region specific regulatory bodies.

Showers **Engineering Measures** 

> Evewash stations Ventilation systems

**Personal Protective Equipment** 

**Eye/Face Protection** Tightly fitting safety goggles.

**Skin and Body Protection** Protective gloves.

**Respiratory Protection** No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Handle in accordance with good industrial hygiene and safety practice. When using, do not eat, **Hygiene Measures** 

drink or smoke. Provide regular cleaning of equipment, work area and clothing.

**Autoignition Temperature** 

**Boiling Point/Range** 

Solubility

9. PHYSICAL AND CHEMICAL PROPERTIES

Yellow. Petroleum like. **Appearance** Odor

**Odor Threshold** No information available **Physical State** Liquid

**UNKNOWN** 

140F / 60C **Flash Point** 

**Decomposition Temperature** No information available Melting Point/Range No information available

Flammability Limits in Air No information available

**Explosion Limits** No information available

**Water Solubility** Negligible

**Evaporation Rate** No information available

**Vapor Density** No data available Vapor Pressure No data available

No information available

No information available

176°C / 349°F

## 10. STABILITY AND REACTIVITY

**Stability** Stable under recommended storage conditions.

Incompatible Products Strong oxidizing agents.

Conditions to Avoid Heat, flames and sparks.

**Hazardous Decomposition** 

**Products** 

Carbon oxides.

Hazardous Polymerization Hazardous polymerization does not occur.

## 11. TOXICOLOGICAL INFORMATION

**Acute Toxicity** 

**Product Information** 

**Chronic Toxicity** 

**Chronic Toxicity** No known effect based on information supplied.

Target Organ Effects None known.

#### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

# 13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR

261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

**Contaminated Packaging** Dispose of in accordance with local regulations.

California Hazardous Waste Codes 331

### 14. TRANSPORT INFORMATION

**DOT** NOT REGULATED

TDG Not regulated

MEX Not regulated

# 14. TRANSPORT INFORMATION Not regulated

ICAO Not regulated

IATA Not regulated

IMDG/IMO Not regulated

# 15. REGULATORY INFORMATION

#### **International Inventories**

TSCA Complies
DSL Not determined

#### **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Acute Health Hazard

Chronic Health Hazard

Fire Hazard

Sudden Release of Pressure Hazard

Reactive Hazard

Yes

No

No

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### **U.S. State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Fuels, jet aircraft, coal solvent		Χ			
extraction, hydrocracked					
hydrogenated					
Jet engine fuel produced by					
hydrogenation of the middle					
distillate fraction of the					
products of hydrocracking of					
coal extract or					

#### International Regulations

Mexico - Grade Moderate risk, Grade 2

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

B3 Combustible liquid D2A Very toxic materials



# 16. OTHER INFORMATION

Revision Date 08-Jun-2013

Revision Note No information available

#### **General Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**