# SAFETY DATA SHEET

**Issuing Date** No data available

Revision Date 16-Sep-2014

**Revision Number** 2



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### Product identifier

Product Name	M-1 Deck & Roof Cleaner Concentrate	
Other means of identification		
UN-No.	UN1824	
Synonyms	None	
Recommended use of the chemical	and restrictions on use	
Recommended Use	Deck cleaner	
Uses advised against	No information available	
Details of the supplier of the safety data sheet		
Supplier Name Supplier Address	Sunnyside Corporation 225 Carpenter Avenue Wheeling IL 60090 US	
Supplier Phone Number	Phone:7326827422 Fax:8475419043 Contact Phone7326827422	
Supplier Email Emergency telephone number	anewman@sunnysidecorp.com	

## 2. HAZARDS IDENTIFICATION

#### **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1



Specific target organ toxicity (single exposure	)	Category 3

#### GHS Label elements, including precautionary statements

Signal word	E Danger	mergency Overview	
Hazard Statements Causes severe skin burns and May cause respiratory irritation			
	The second secon		
Appearance Yellow	Ph	ysical State Liquid	Odor Mile

### Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician Specific treatment (see supplemental first aid instructions on this label)

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

#### Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician

#### Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal** Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable



#### Unknown Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

#### **Other information**

No information available

#### Interactions with Other Chemicals

No information available.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%	Trade Secret
Supplier Trade Secret	Proprietary	7 - 13	*
Supplier Trade Secret	Proprietary	5 - 10	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

## 4. FIRST AID MEASURES

## First aid measures

General Advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Seek immediate medical attention/advice. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin Contact	Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen.
Ingestion	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.
Most important symptoms and	offects both couts and delayed

## Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Burning sensation. Effects



#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

### **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO2). Water spray.

#### **Unsuitable Extinguishing Media**

CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific Hazards Arising from the Chemical

Some are oxidizers and may ignite combustibles (wood, paper, oil, clothing, etc.).

Uniform Fire Code

CORROSIVE: BASE-LIQUID

Hazardous Combustion Products Carbon oxides.

Explosion Data Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.



## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Stop leak if you can do it without risk.
Other Information	DO NOT GET WATER INSIDE CONTAINERS.
Environmental Precautions	
Environmental Precautions	Prevent entry into waterways, sewers, basements or confined areas.
Methods and material for containm	ent and cleaning up
Methods for Containment	Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

#### Conditions for safe storage, including any incompatibilities

Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.
Incompatible Products	Acids. Bases. Oxidizing agent.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Supplier Trade Secret	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
		(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health



Other Exposure Guidelines	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters
Appropriate engineering controls	
Engineering Measures	Showers Eyewash stations Ventilation systems
Individual protection measures, suc	ch as personal protective equipment
Eye/Face Protection	Tight sealing safety goggles. Face protection shield.
Skin and Body Protection	Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant apron. Impervious gloves.
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Take off contaminated clothing and wash before reuse. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. For environmental protection, remove and wash all contaminated protective equipment before re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### **Physical and Chemical Properties**

Property pHValues 13Remarks/ MethodMelting / freezing pointNo data availableNone knownMolting point / boiling range100 °C / 212 °FNone knownBoiling point / boiling range100 °C / 9034 FNone knownFlash Point5001 C / 9034 FNone knownEvaporation RateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNoNone known	Physical State Appearance Color	Liquid Yellow No information available	Odor Odor Threshold	Mild No information available
Upper flammability limitNo data availableLower flammability limitNo data availableVapor pressureNo data availableVapor densityNo data availableNo data availableNone knownSpecific GravityNo data availableNone knownWater SolubilityCompletely solubleNone knownSolubility in other solventsNo data availableNone knownPartition coefficient: n-octanol/waterNo data availableNone knownAutoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone known	pH   Melting / freezing point   Boiling point / boiling range   Flash Point   Evaporation Rate   Flammability (solid, gas)   Flammability Limit in Air   Upper flammability limit   Lower flammability limit   Vapor pressure   Vapor density   Specific Gravity   Water Solubility   Solubility in other solvents   Partition coefficient: n-octanol/wate   Autoignition temperature   Decomposition temperature	13   No data available   100 °C / 212 °F   5001 C / 9034 F   No data available   No data available	None known None known	



Dynamic viscosity Explosive properties Oxidizing Properties

#### **Other Information**

Softening Point VOC Content (%) Particle Size Particle Size Distribution No data available No data available No data available

No data available No data available No data available

## **10. STABILITY AND REACTIVITY**

None known

#### **Reactivity**

No data available.

#### Chemical stability

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### **Conditions to avoid**

Exposure to air or moisture over prolonged periods.

#### **Incompatible materials**

Acids. Bases. Oxidizing agent.

#### Hazardous Decomposition Products

Carbon oxides.

## **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

#### **Product Information**

Inhalation	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
Eye Contact	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
Skin Contact	Specific test data for the substance or mixture is not available. May cause burns.



#### Ingestion

Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Supplier Trade Secret	-	= 1350 mg/kg (Rabbit)	-
Supplier Trade Secret	= 600 mg/kg (Rat)	-	-

#### Information on toxicological effects

Symptoms	Erythema (skin redness). Burning. Ma	ay cause blindness. Coughing and/ or wheezing.
----------	--------------------------------------	--

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.
Mutagenic Effects	No information available.
Carcinogenicity	Contains no ingredient listed as a carcinogen.
Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic Toxicity	No known effect based on information supplied. Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen.
Target Organ Effects	Respiratory system. Eyes. Skin. Gastrointestinal tract (GI).
Aspiration Hazard	No information available.
Numerical measures of toxicity	Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 7,317.00 mg/kg ATEmix (dermal) 10,547.00 mg/kg (ATE)



## **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Harmful to aquatic life.

#### Persistence and Degradability

No information available.

#### **Bioaccumulation**

No information available

#### Other adverse effects

No information available.

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal methods	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.
US EPA Waste Number	D002

### California Hazardous Waste Codes 122 561

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Supplier Trade Secret	Toxic
	Corrosive

## 14. TRANSPORT INFORMATION

DOT	
UN-No.	UN1824
Proper Shipping Name	SODIUM HYDROXIDE SOLUTION
Hazard Class	8
Packing Group	II
Description	UN1824, SODIUM HYDROXIDE SOLUTION, 8, II
Emergency Response Guide	154
Number	
TDG UN-No. Proper Shipping Name Hazard Class Packing Group Description	UN1824 SODIUM HYDROXIDE SOLUTION 8 II UN1824, SODIUM HYDROXIDE SOLUTION, 8, II



<u>MEX</u> UN-No. Proper Shipping Name Hazard Class Packing Group Description	UN1824 SODIUM HYDROXIDE SOLUTION 8 II UN1824 SODIUM HYDROXIDE SOLUTION, 8, II
ICAO UN-No. Proper Shipping Name Hazard Class Packing Group Description	UN1824 SODIUM HYDROXIDE SOLUTION 8 II UN1824, SODIUM HYDROXIDE SOLUTION, 8, II
IATA_ UN-No. Proper Shipping Name Hazard Class Packing Group Description	UN1824 SODIUM HYDROXIDE SOLUTION 8 II UN1824, SODIUM HYDROXIDE SOLUTION, 8, II
IMDG/IMO UN-No. Proper Shipping Name Hazard Class Packing Group EmS No. Description	UN1824 SODIUM HYDROXIDE SOLUTION 8 II F-A, S-B UN1824, SODIUM HYDROXIDE SOLUTION, 8, II
<u>RID</u> UN-No. Proper Shipping Name Hazard Class Packing Group Classification code Description	UN1824 SODIUM HYDROXIDE SOLUTION 8 II C5 UN1824 SODIUM HYDROXIDE SOLUTION, 8, II
ADR UN-No. Proper Shipping Name Hazard Class Packing Group Classification code Description	UN1824 SODIUM HYDROXIDE SOLUTION 8 II C5 UN1824 SODIUM HYDROXIDE SOLUTION, 8, II
ADN UN-No. Proper Shipping Name Hazard Class Packing Group Classification code Description Hazard Labels Limited Quantity	UN1824 SODIUM HYDROXIDE SOLUTION 8 II C5 UN1824 SODIUM HYDROXIDE SOLUTION, 8, II 8 1 L



## **15. REGULATORY INFORMATION**

#### International Inventories

TSCA DSL Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Supplier Trade Secret	1000 lb			Х

### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Supplier Trade Secret	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

#### US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Supplier Trade Secret	Х	Х	Х	Х	

#### International Regulations

#### Mexico

National occupational exposure limits		
Component	Carcinogen Status	Exposure Limits

.. ..



Supplier Trade Secret (7 - 13)	Mexico: Ceiling 2 mg/m <sup>3</sup>
-----------------------------------	-------------------------------------

Mexico - Occupational Exposure Limits - Carcinogens

### Canada

WHMIS Hazard Class E - Corrosive material



## **16. OTHER INFORMATION**

NFPA HMIS		ability 0 ability 0	Instability 0 Physical Hazard 0	Physical and Chemical Hazards - Personal Protection X
Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501			
Revision Date Revision Note	16-Sep-2014 No information ava	lable		

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

#### **End of Safety Data Sheet**