SAFETY DATA SHEET

HCS-2012 APPENDIX D TO §1910.1200

Version 1

Product Name Lithium Ion Battery - ICR18650 -3.7V - 2600mAh

Issue Date 25-Mar-2016 Revision date 25-Mar-2016

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Lithium Ion Battery - ICR18650 -3.7V - 2600mAh Lithium Ion Battery

Other means of identification

Voltage : 3.7V Watt-Hour: 9.62Wh Battery Weight: 58g

Recommended use of the chemical and restrictions on use

Recommended UsePower supply.Uses advised againstNo information available

Details of the supplier of the safety data sheet

SupplierGREAT POWER BATTERY (ZHUHAI) CO., LTDAddressXINQING TECHNOLOGY PARK, ZHUFENG AVENUE, JING AN TOWN,
DOUMEN DISTRICT, ZHUHAI CITY, GUANGDONG PROVINCE, CHINAPostal Code519100Phone+86-756-3922111FAX+86-756-3922334E-mailrenzheng@greatpower.net

Emergency telephone number

+86-756-3922334

2. HAZARDS IDENTIFICATION

GHS Classification

Not classified according to GHS as an article.

Label elements

Symbols/Pictograms	None
Signal word	None
Hazard Statements	None
Precautionary Statements	
Prevention	None
Prevention Response	None None

Hazards not otherwise classified (HNOC)

No information available

Unknown acute toxicity

.?% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature	Mixture		
Chemical Na	me	CAS No	Weight-%

Lithium Cobalt Oxide (CoLiO2)	12190-79-3	30 - 60
Graphite	7782-42-5	10 - 30
Phosphate(1-), hexafluoro-, lithium	21324-40-3	5 - 10
Dimethyl carbonate	616-38-6	5 - 10
Cellulose, carboxymethyl ether	9000-11-7	1 - 5
Polypropylene	9003-07-0	1 - 5
Carboxymethyl cellulose	9000-11-7	1 - 5
Nickel	7440-02-0	1 - 5
Aluminum foil	7429-90-5	1 - 5

4. FIRST AID MEASURES

Description of first aid measures

General advice	No hazards which require special first aid measures.
Inhalation	Not an expected route of exposure.
Skin Contact	No special technical protective measures are necessary.
Eye contact	Not an expected route of exposure.
Ingestion	Rinse mouth Get medical attention Never give anything by mouth to an
-	unconscious person

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors Keep product and empty container away from heat and sources of ignition In the event of fire and/or explosion do not breathe fumes

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area)

Methods and material for containment and cleaning up

Pick up and transfer to properly labeled containers Pick up and transfer to properly labeled containers

Should not be released into the environment

7. HANDLING AND STORAGE

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice Ensure adequate ventilation, especially in confined areas Keep away from heat, sparks, flame and other sources of ignition Do not eat, drink or smoke when using this product

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place Keep away from heat

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Union
-

Chemical Name	Latvia	France	Finland	Germany	Italy
Nickel (CAS #: 7440-02-0)	TWA: 0.05 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³ TWA:	Skin	-
		_	0.1 mg/m ³		
Aluminum foil (CAS #:	TWA: 2 mg/m ³	TWA: 10 mg/m ³	TWA: 1.5 mg/m ³	TWA: 4 mg/m ³	-
7429-90-5)		TWA: 5 mg/m ³	-	TWA: 1.5 mg/m ³	

Chemical Name	Poland	Portugal	Spain	Switzerland	Netherlands
Nickel (CAS #: 7440-02-0)	TWA: 0.25 mg/m ³	TWA: 1.5 mg/m ³	TWA: 1 mg/m ³	TWA: 0.5 mg/m ³	-
Aluminum foil (CAS #:	TWA: 2.5 mg/m ³	TWA: 10 mg/m ³ TWA:	TWA: 10 mg/m ³ TWA:	TWA: 3 mg/m ³	TWA: 0.05 mg/m ³
7429-90-5)	TWA: 1.2 mg/m ³	5 mg/m ³	5 mg/m ³	-	_

Chemical Name	Norway	United Kingdom	Australia	Austria	Belgium
Lithium Cobalt Oxide	-	-	-	Skin	-
(CoLiO2) (CAS #:					
12190-79-3)					
Graphite (CAS #: 7782-42-5)	-	-	3 mg/m ³	STEL 10 mg/m ³	-
				TWA: 5 mg/m ³	
Phosphate(1-), hexafluoro-,	-	-	2.5 mg/m ³	-	-
lithium (CAS #: 21324-40-3)					
Nickel (CAS #: 7440-02-0)	TWA: 0.05 mg/m ³	STEL: 1.5 mg/m ³	1 mg/m ³	-	-
	STEL: 0.15 mg/m ³	TWA: 0.5 mg/m ³			
Aluminum foil (CAS #:	TWA: 5 mg/m ³	STEL: 30 mg/m ³	10 mg/m ³	STEL 20 mg/m ³	-
7429-90-5)	STEL: 10 mg/m ³	STEL: 12 mg/m ³	5 mg/m ³	TWA: 10 mg/m ³	
,	-	TWA: 10 mg/m ³	-	-	
		TWA: 4 mg/m ³			

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas Remove all sources of ignition

Individual protection measures, such as personal protective equipment

Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA
	approved respiratory protection should be worn. Positive-pressure supplied air
	respirators may be required for high airborne contaminant concentrations.
	Respiratory protection must be provided in accordance with current local
	regulations.
Hand Protection	No special technical protective measures are necessary.
Eye/face protection	No special technical protective measures are necessary.
Skin and body protection	Wear suitable protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

normation on pasic physical and c	iennear properties
Appearance	Solid
Color	Silver
Odor	Odorless
Odor Threshold	Not determined
рН	Not determined
Melting point/freezing point	Not determined
Boiling point / boiling range	Not determined
Flash point	Not applicable
Evaporation rate	Not determined
Flammability (solid, gas)	Not flammable
Flammability Limit in Air	Not determined
Vapor Pressure	Not applicable
Vapor density	Not determined
Density	Not determined
Relative density	Not determined
Bulk density	Not determined
Specific gravity	Not determined
Water solubility	Not determined
Partition coefficient (LogPow)	Not determined
Autoignition temperature	Not determined
Decomposition temperature	Not determined
Kinematic viscosity	Not determined
Dynamic viscosity	Not determined
Explosive properties	Not an explosive
Oxidizing properties	Not determined

Other information

No information available

10. STABILITY AND REACTIVITY

Reactivity

Stable under recommended storage and handling conditions (see SECTION 7, handling and storage).

Chemical stability

Stable under normal conditions

Possibility of Hazardous Reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

None known based on information supplied

Hazardous Decomposition Products

None known based on information supplied

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory
	system
Eye contact	Contact with eyes may cause irritation
Skin Contact	Substance may cause slight skin irritation
	Ingestion may cause irritation to mucous membranes

Information on toxicological effects

Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dimethyl carbonate (CAS #:	= 13000 mg/kg (Rat)	> 5 g/kg (Rabbit)	= 140 mg/L (Rat)4 h
616-38-6)			
Polypropylene (CAS #:	>5 g/kg	-	-
9003-07-0)			
Nickel (CAS #: 7440-02-0)	> 9000 mg/kg (Rat)	-	-

Skin corrosion/irritation

Non-irritating to the skin

Serious eye damage/eye irritation

No eye irritation

Sensitization

No information available

Germ cell mutagenicity

No information available

Carcinogenicity

Chemical Name	ACGIH	IARC	NTP	OSHA
Lithium Cobalt Oxide	A3	-	-	-
(CoLiO2) (CAS #:				
12190-79-3)				
Nickel (CAS #:	-	Group 2B	Known	X
7440-02-0)			Reasonably Anticipated	

Reproductive toxicity

No information available

STOT - single exposure

No information available

STOT - repeated exposure

No information available

Aspiration hazard

No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants EC50	Fish LC50	Crustacea EC50
Lithium Cobalt Oxide (CoLiO2)	-	275 mg/L/96h(Fundulus	-
(CAS #: 12190-79-3)		heteroclitus)	
Nickel (CAS #: 7440-02-0)	0.18 mg/L/72h	100 mg/L/96h Brachydanio rerio	100 mg/L/48h Daphnia magna
	Pseudokirchneriella subcapitata	1.3 mg/L/96h Cyprinus carpio	1 mg/L/48h Daphnia magna
	0.174 - 0.311 mg/L/96h	semi-static	Static
	Pseudokirchneriella subcapitata	10.4 mg/L/96h Cyprinus carpio	
	static	static	

Persistence and degradability

No information available

Bioaccumulative potential

No information available

Mobility in soil

No information available

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations

Contaminated packa	Contaminated packaging Dispose of in accordance with federa		ral, state and local regul	lations
Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Nickel	-	Included in waste streams:	-	-
7440-02-0		F006, F039		

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Lithium Cobalt Oxide (CoLiO2)	Toxic
12190-79-3	
Nickel	Toxic powder
7440-02-0	Ignitable powder
Aluminum foil	Ignitable powder
7429-90-5	

14. TRANSPORT INFORMATION

DOT / IMDG / IATA

The polymer lithium ion batteries has passed the test UN38.3

According to packing instruction PI965~PI967 section II of IATA DGR 56th Edition for transportation or the special provision 188 of IMDG or 49CFR 173. 185.

The products are not subject to dangerous goods.

UN/ID No.	Not regulated
Proper shipping name	Not regulated
Hazard Class	Not regulated
Packing Group	Not regulated
Special precautions	No information available
Marine pollutant	Not applicable

15. REGULATORY INFORMATION

International Invel			r			n	1	1
Component	AICS	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	TSCA
Lithium Cobalt Oxide (CoLiO2) 12190-79-3 (30 - 60)	Х	X	X	Х	X	Х	-	X
Graphite 7782-42-5 (10 - 30)	Х	X	X	-	X	Х	X	X
Phosphate(1-), hexafluoro-, lithium 21324-40-3 (5 - 10)	Х	Х	X	Х	X	Х	X	X
Dimethyl carbonate 616-38-6 (5 - 10)	Х	X	Х	Х	Х	Х	Х	Х
Cellulose, carboxymethyl ether 9000-11-7 (1 - 5)	Х	X	-	-	X	-	-	-
Polypropylene 9003-07-0 (1-5)	Х	X	-	Х	X	Х	Х	Х
Nickel 7440-02-0 (1 - 5)	Х	X	Х	-	X	Х	Х	Х
Aluminum foil 7429-90-5 (1 - 5)	Х	X	Х	-	Х	Х	Х	Х

International Inventories

"-" Not Listed "X" Listed

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Nickel - 7440-02-0	0.1
Aluminum foil - 7429-90-5	1.0

SARA 311/312 Hazard Categories

Does not apply

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Nickel 7440-02-0	-	Х	Х	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

roquironnonto at the local,	regional, or state level pertain	ing to releases of the materia	
Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Nickel	100 lb	-	RQ 100 lb final RQ
7440-02-0			RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Nickel - 7440-02-0	Carcinogen

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Dimethyl carbonate 616-38-6	Х	X	Х
Aluminum foil 7429-90-5	Х	Х	Х
Nickel 7440-02-0	Х	X	Х

16. OTHER INFORMATION

Revision Note

Issue Date	25-Mar-2016
Revision date	25-Mar-2016
Revision Note	Not applicable

Key or legend to abbreviations and acronyms used in the safety data sheet

TWA - TWA (time-weighted average)

STEL - STEL (Short Term Exposure Limit)

Ceiling - Maximum limit value

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

----- End of Safety Data Sheet ------