# SAFETY DATA SHEET

**Issuing Date** 

Revision Date 28-Dec-2014

**Revision Number** 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier			
Product Name Model Name	Li-ion Battery 523450		
Other means of identification Synonyms	None		
Recommended use of the chemical	and restrictions on use		
Recommended Use	LITHIUM ION BATTERIES		
Uses advised against	No information available		
Details of the supplier of the safety	data sheet		
Supplier Name	Ningbo Hi-Tech Zone Inno Technology Co., Ltd.		
Supplier Address	<b>Hock 2, 1177# Lingyun Road, High-Tech Zone, Ningbo, China</b> CN 315040		
Supplier Phone Number	Phone: +860574-87914443 Fax: +860574-87914443 Contact Phone +860574-87914443		
Supplier Email Emergency telephone number	sales@china-inno.com		

## 2. HAZARDS IDENTIFICATION

## **Classification**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) This product is an article which is a sealed battery and as such does not require an MSDS per the OSHA hazard communication standard unless ruptured. The hazards indicated are for a ruptured battery.


Skin corrosion/irritation Serious eye damage/eye irritation Skin sensitization Carcinogenicity Category 2 Category 2 Category 1 Category 1A

Page 1/13

### Specific target organ toxicity (repeated exposure)

Category 1

## GHS Label elements, including precautionary statements



### **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Contaminated work clothing should not be allowed out of the workplace Wear protective gloves Do not breathe dust/fume/gas/mist/vapors/spray Do not eat, drink or smoke when using this product

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention Specific treatment (see supplemental first aid instructions on this label)

### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Skin

IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention

### **Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal** Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Not applicable

## Unknown Toxicity

## Other information

Very toxic to aquatic life with long lasting effects Repeated or prolonged skin contact may cause allergic reactions with susceptible persons

## **Interactions with Other Chemicals**

No information available.

First aid measures

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No.	weight %
Lithium cobalt Oxide	12190-79-3	30
Graphite	7782-42-5	15
Lithium Hexafluorophosphate	21324-40-3	8
Aluminum	7429-90-5	7
Copper	7440-50-8	5
EC	96-49-1	12
PC	108-32-7	8
Polypropylene	9003-07-0	8
Polyethylene	9002-88-4	7

4. FIRS	T AID	MEASU	<b>JRES</b>
---------	-------	-------	-------------

General Advice	First aid is upon rupture of sealed battery.
Eye Contact	If symptoms persist, call a physician. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area.
Skin Contact	Wash off immediately with soap and plenty of water for at least 15 minutes. In the case of skin irritation or allergic reactions see a physician. May cause an allergic skin reaction.
Inhalation	Remove to fresh air. If symptoms persist, call a physician. Get medical attention immediately if symptoms occur.
Ingestion	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Itching. Coughing and/ or wheezing. Effects

## Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically. May cause sensitization of susceptible persons.

## 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### <u>Unsuitable extinguishing media</u> CAUTION: Use of water spray when fighting fire may be inefficient.

<u>Specific Hazards Arising from the Chemical</u> Product is or contains a sensitizer. May cause sensitization by skin contact.

### **Hazardous Combustion Products**

Explosion Data Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

Personal Precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas.	
Other Information	Refer to protective measures listed in Sections 7 and 8.	
Environmental Precautions		
Environmental Precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so.	
Methods and material for containment and cleaning up		
Methods for Containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Pick up and transfer to properly labeled containers.	

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Handling	In case of rupture. Use personal protection equipment. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Do not breathe dust/fume/gas/mist/vapors/spray.	
Conditions for safe storage, includ	ng any incompatibilities	
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place.	
Incompatible Products	Strong acids. Strong oxidizing agents. Strong bases.	
8. EXPOSURE CONTROLS/PERSONAL PROTECTION		

## **Control parameters**

## **Exposure Guidelines**

x: 0.02 mg/m <sup>3</sup> n <sup>3</sup> respirable fraction scept graphite fibers ng/m <sup>3</sup> fume TWA: 1 Cu dust and mist	synthetic TWA: 5 mg/m respirable fraction synthetic (vacated) TWA: 2.5 mg/m <sup>3</sup> respirable dust natural (vacated) TWA: 10 mg/m <sup>3</sup> total dust synthetic (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction synthetic TWA: 15 mppcf natural	IDLH: 100 mg/m <sup>3</sup> c mist	dust, fume and
ccept graphite fibers	synthetic TWA: 5 mg/m respirable fraction synthetic (vacated) TWA: 2.5 mg/m <sup>3</sup> respirable dust natural (vacated) TWA: 10 mg/m <sup>3</sup> total dust synthetic (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction synthetic TWA: 15 mppcf natural	IDLH: 100 mg/m <sup>3</sup> o	dust, fume and
ng/m³ fume TWA: 1 Cu dust and mist	(vacated) TWA: 2.5 mg/m <sup>3</sup> respirable dust natural (vacated) TWA: 10 mg/m <sup>3</sup> total dust synthetic (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction synthetic TWA: 15 mppcf natural TWA: 0.1 mg/m <sub>3</sub> fume TWA: 1 mg/m <sub>3</sub> dust and mist	IDLH: 100 mg/m <sup>3</sup> o mist	
ng/m³ fume TWA: 1 Cu dust and mist	TWA: 0.1 mg/m₃ fume TWA: 1 mg/m₃ dust and mist	mist	
ng/m <sup>3</sup> fume TWA: 1 Cu dust and mist	TWA: 1 mg/m₃ dust and mist	mist	
	(vacated) TWA: 0.1 mg/m <sup>3</sup> Cu dust, fume, mist	TWA: 1 mg/m <sup>3</sup> du TWA: 0.1 mg/n	
n <sup>3</sup> respirable fraction	TWA: 5 mg/m <sup>3</sup> respirable fractior (vacated) TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup>		
: 2.5 mg/m³ F	TWA: 2.5 mg/m <sup>3</sup> F TWA: 2.5 mg/m <sup>3</sup> dust (vacated) TWA: 2.5 mg/m <sup>3</sup>		
	: 2.5 mg/m³ F	<ul> <li>(vacated) TWA: 15 mg/m<sup>3</sup> total dust (vacated) TWA: 5 mg/m<sup>3</sup> respirable fraction (vacated) TWA: 5 mg/m<sup>3</sup> Al Aluminum</li> <li>: 2.5 mg/m<sup>3</sup> F TWA: 2.5 mg/m<sup>3</sup> dust</li> </ul>	(vacated) TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 5 mg/m <sup>3</sup> Al Aluminum : 2.5 mg/m <sup>3</sup> F TWA: 2.5 mg/m <sup>3</sup> dust

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters



## Appropriate engineering controls

Engineering Measures	Showers Eyewash stations Ventilation systems
Individual protection measures, su	ch as personal protective equipment
Eye/Face Protection	If splashes are likely to occur:. Wear safety glasses with side shields (or goggles). None required for consumer use.
Skin and Body Protection	Wear protective gloves and protective clothing. Long sleeved clothing. Impervious gloves.
Respiratory Protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Wash hands before breaks and immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## **Physical and Chemical Properties**

Physical State	Solid		
Appearance	Gray	Odor	Odorless
Color	No information available	Odor Threshold	No information available
Property	Values	Remarks/ Method	
рН	No data available	None known	
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	No data available	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air			
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Specific Gravity	No data available	None known	
Water Solubility	Insoluble in water	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octanol/wate	r0.00001	None known	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	0.00001	None known	
Explosive properties	No data available		
Oxidizing Properties	No data available		
5			
Other Information			
Softening Point	No data available		
VOC Content (%)	No data available		
Particle Size	No data available		
Particle Size Distribution			

## **10. STABILITY AND REACTIVITY**

## **Reactivity**

No data available.

<u>Chemical stability</u> Stable under recommended storage conditions.

## **Possibility of Hazardous Reactions**

None under normal processing.

<u>Hazardous Polymerization</u> Hazardous polymerization does not occur.

<u>Conditions to avoid</u> None known based on information supplied.

## **Incompatible materials**

Strong acids. Strong oxidizing agents. Strong bases.

# Hazardous Decomposition Products Carbon oxides.

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information. In case of rupture:.		
Inhalation	Specific test data for the substance respiratory tract.	or mixture is not available. May	cause irritation of
Eye Contact	Specific test data for the substance or mixture is not available. Expected to be an irritant based on components. Irritating to eyes. May cause redness, itching, and pain. May cause temporary eye irritation.		
Skin Contact	Specific test data for the substance or mixture is not available. Expected to be an irritant based on components. Irritating to skin. Prolonged contact may cause redness and irritation.		
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.		
Component Information			
Chemical Name Graphite 7782-42-5	<b>Oral LD50</b> > 10000 mg/kg (Rat)	Dermal LD50 -	Inhalation LC50 -

-

## Information on toxicological effects

Symptoms	Erythema (skin redn Hives.	ess). May cause redness a	and tearing of the eyes. Itch	ning. Rashes.
Delayed and immediate effects as	well as chronic effect	s from short and long-ter	<u>m exposure</u>	
Sensitization	May cause sensitiza	tion of susceptible persons	. May cause sensitization I	oy skin contact.
Mutagenic Effects	No information available.			
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.			
	CGIH	IARC	NTP	OSHA
Lithium Cobalt Oxide (CoLiO2) 12190-79-3	A3	Group 2B		X

	earch on Cancer) Humans
Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure. Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from chronic or repeated exposure. (STOT RE).
Chronic Toxicity	Contains a known or suspected carcinogen. Avoid repeated exposure. Prolonged exposure may cause chronic effects. May cause adverse liver effects. Carbon black has been classified by the International Agency for Research on Cancer (IARC) as possibly carcinogenic to humans (Group 2B) by inhalation.
Target Organ Effects	Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Central Vascular System (CVS). Kidney. Liver. Lungs. Nasal cavities.
Aspiration Hazard	No information available.
Numerical measures of toxisity. Dr.	

## Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) mg/kg

## ATEmix (dermal) mg/kg (ATE) ATEmix (inhalation-dust/mist) mg/l

## **12. ECOLOGICAL INFORMATION**

<u>Ecotoxicity</u> Very toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Copper 7440-50-8	96h EC50: 0.031 - 0.054 mg/L (Pseudokirchneriella subcapitata) 72h EC50: 0.0426 - 0.0535 mg/L (Pseudokirchneriella subcapitata)	96h LC50: 0.0068 - 0.0156 mg/L (Pimephales promelas) 96h LC50: = 0.112 mg/L (Poecilia reticulata) 96h LC50: = 0.3 mg/L (Cyprinus carpio) 96h LC50: = 0.8 mg/L (Cyprinus carpio) 96h LC50: = 1.25 mg/L (Lepomis macrochirus) 96h LC50: = 0.052 mg/L (Oncorhynchus mykiss) 96h LC50: = 0.2 mg/L (Pimephales promelas) 96h LC50: < 0.3 mg/L (Pimephales promelas)		48h EC50: = 0.03 mg/L

# Persistence and Degradability No information available.

## **Bioaccumulation**

No information available

Other adverse effects No information available.

## **13. DISPOSAL CONSIDERATIONS**

Waste	treatment methods	

Disposal methods	Should not be released into the environment.			
Contaminated Packaging	Dispose of in accordance with federal, state and local regulations.			
Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes

## California Hazardous Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Lithium Cobalt Oxide (CoLiO2)	Toxic
12190-79-3	

Copper 7440-50-8 Aluminum 7429-90-5

Toxic

Ignitable powder

## **14. TRANSPORT INFORMATION**

Note:	The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule) Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"
DOT Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A
TDG	Not regulated
<u>MEX</u>	Not regulated
ICAO	Not regulated
IATA Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
IMDG/IMO	Not regulated

### 1183438 - Lithium-ion Rechargeable Cell

Hazard Class EmS No.	N/A F-A, S-I
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

## **15. REGULATORY INFORMATION**

## **International Inventories**

	o "
TSCA	Complies
DSL	All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## **US Federal Regulations**

## SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Lithium Cobalt Oxide (CoLiO2) - 12190-79-3	12190-79-3	30	0.1
Copper - 7440-50-8	7440-50-8	5	1.0
Aluminum - 7429-90-5	7429-90-5	7	1.0
SARA 311/312 Hazard Categories			
Acute Health Hazard	No		
Chronic Health Hazard	No		
Fire Hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

<u>CWA (Clean Water Act)</u> This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Copper 7440-50-8		Х	Х	

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Copper 7440-50-8	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
US State Regulations			

## California Proposition 65

.

This product contains the following Proposition 65 chemicals.

**Chemical Name** 

**California Proposition 65** 

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Lithium Cobalt Oxide (CoLiO2) 12190-79-3	Х		Х	Х	Х
Graphite 7782-42-5	х	Х	Х		
Copper 7440-50-8	Х	Х	Х		
Aluminum 7429-90-5	Х	Х	Х	Х	Х

**Carcinogen Status** 

## **International Regulations**

## Mexico National occupational exposure limits Component

Graphite 7782-42-5(15)

> Copper 7440-50-8 ( 5 )

Aluminum 7429-90-5 ( 7 )

Mexico - Occupational Exposure Limits - Carcinogens

Canada WHMIS Hazard Class Non-controlled

## **16. OTHER INFORMATION**

NFPA	Health Hazards 1	Flammability 0	Instability 0	Physical and
HMIS	Health Hazards 0	Flammability 0	Physical Hazard 0	Chemical Hazards - Personal Protection X

**Exposure Limits** Mexico: TWA= 2 mg/m<sup>3</sup>

Mexico: TWA= 1 mg/m<sup>3</sup> Mexico: TWA= 0.2 mg/m<sup>3</sup> Mexico: STEL= 2 mg/m<sup>3</sup> Mexico: TWA= 10 mg/m<sup>3</sup> **Prepared By** 

Ningbo Hi-Tech Zone Inno Technology Co., Ltd.

Issuing Date	
<b>Revision Date</b>	
<b>Revision Note</b>	

28-Dec-2014 No information available

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## End of Safety Data Sheet

