## SAFETY DATA SHEET

Issuing Date 17-Mar-2015 Revision Date 17-Mar-2015 Revision Number 2



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

**COMPANY/UNDERTAKING** 

**Product identifier** 

Product Name MSDS ProWood CA-C

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Lumber, Chemically Treated

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier NameUniversal Forest ProductsSupplier Address2801 E. Beltline NE

Grand Rapids

MI 49525 US

Supplier Phone Number Phone:770-472-3003

Fax:770-472-3091

Contact Phone770-472-3003

Supplier Email
Emergency telephone number

bmayo@ufpi.com

## 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Reproductive toxicity	Category 2

#### GHS Label elements, including precautionary statements



#### **Emergency Overview**

#### Signal word

#### **Danger**

#### **Hazard Statements**

Toxic if swallowed Harmful if inhaled

May cause an allergic skin reaction

May cause cancer

Suspected of damaging fertility or the unborn child



**Appearance** Varies

Physical State Solid

Odor Woody

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Specific treatment (see .? on this label)

Specific treatment (see supplemental first aid instructions on this label)

#### Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

## Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable



Page 2/11

#### **Unknown Toxicity**

98.5% of the mixture consists of ingredient(s) of unknown toxicity

#### Other information

Harmful to aquatic life with long lasting effects

Repeated or prolonged skin contact may cause allergic reactions with susceptible persons

#### **Interactions with Other Chemicals**

No information available.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

.

Chemical Name	CAS No	Weight-%	Trade Secret
Wood dust, all soft and hard woods	RR-00514-1	60 - 100	*
Propiconazole [1-[2-(2,4-Dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl ]-methyl-1H-1,2,4,-triazole]	60207-90-1	1 - 5	*
Ethanol, a-[2-(4-chlorophenyl)ethyl]-a-(1,1-dimethylethyl)-1H-1,2,4-triazole	107534-96-3	1 - 5	*
Copper(II) carbonate hydroxide	12069-69-1	1 - 5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

## 4. FIRST AID MEASURES

#### First aid measures

**General Advice** Show this safety data sheet to the doctor in attendance.

**Eye Contact** Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist,

call a physician.

**Skin Contact** Wash with soap and water. May cause an allergic skin reaction. In the case of skin

irritation or allergic reactions see a physician.

**Inhalation** Remove to fresh air.

**Ingestion** Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water.

Never give anything by mouth to an unconscious person. Get medical attention.

#### Most important symptoms and effects, both acute and delayed

**Most Important Symptoms and** Coughing and/ or wheezing. Difficulty in breathing. Itching. Rashes. Hives. **Effects** 

#### Indication of any immediate medical attention and special treatment needed

**Notes to Physician** May cause sensitization of susceptible persons. Treat symptomatically.



## 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

#### **Specific Hazards Arising from the Chemical**

Product is or contains a sensitizer. May cause sensitization by skin contact.

Uniform Fire Code Sensitizer: Solid

#### **Hazardous Combustion Products**

Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes. Ensure adequate ventilation. Avoid generation of dust. Do not

breathe dust. Use personal protective equipment as required.

**Other Information** Refer to protective measures listed in Sections 7 and 8.

**Environmental Precautions** 

**Environmental Precautions** Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

(U<sub>L</sub>)

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Do not breathe dust.

Avoid generation of dust. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before

reuse.

#### Conditions for safe storage, including any incompatibilities

**Storage** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Store locked up.

Incompatible Products None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

#### **Exposure Guidelines**

	Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ī	Wood dust, all soft and hard woods	TWA: 1 mg/m³ (inhalable fraction)	(vacated) 5 mg/m³ PEL	TWA: 1 mg/m <sup>3</sup>
	RR-00514-1		STEL: 10 mg/m <sup>3</sup>	_
Ī	Copper(II) carbonate hydroxide	TWA: 1 mg/m <sup>3</sup> Cu dust and mist	<del>-</del>	IDLH: 100 mg/m³ Cu dust and
-	12069-69-1	_		mist
-				TWA: 1 mg/m <sup>3</sup> Cu dust and mist

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992) See section 15 for national exposure control parameters

#### Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Wear safety glasses with side shields (or goggles).

**Skin and Body Protection** Wear protective gloves and protective clothing.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Take off contaminated clothing and wash before reuse. Do not breathe dust. Wash hands before breaks and immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES



Revision Date 17-Mar-2015 1125379 - MSDS ProWood CA-C

#### **Physical and Chemical Properties**

**Physical State Appearance** Varies Odor Woody

**Odor Threshold** Color No information available No information available

Property Values Remarks Method

No data available Hq None known Melting / freezing point No data available None known Boiling point / boiling range No data available None known No data available None known **Flash Point Evaporation Rate** No data available None known No data available Flammability (solid, gas) None known

Solid

Flammability Limit in Air

No data available **Upper flammability limit** No data available Lower flammability limit

Vapor pressure No data available None known Vapor density No data available None known **Specific Gravity** No data available None known No information available Water Solubility None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known None known No data available Kinematic viscosity Dynamic viscosity No data available None known

**Explosive properties** No data available **Oxidizing Properties** No data available

#### Other Information

No data available **Softening Point VOC Content (%)** No data available **Particle Size** No data available

**Particle Size Distribution** 

## 10. STABILITY AND REACTIVITY

## Reactivity

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

## **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### Conditions to avoid

Excessive heat.

#### **Incompatible materials**

None known based on information supplied.

#### **Hazardous Decomposition Products**

Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product Information .

**Inhalation** Specific test data for the substance or mixture is not available. Harmful by inhalation.

(based on components).

**Eye Contact** Specific test data for the substance or mixture is not available.

**Skin Contact** Specific test data for the substance or mixture is not available.

**Ingestion** Specific test data for the substance or mixture is not available. Toxic if swallowed. (based

on components).

## **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Propiconazole [1-[2-(2,4-Dichlorophenyl)-4-propyl- 1,3-dioxolan-2-yl]-methyl-1H-1,2,4,-t riazole] 60207-90-1	-	-	= 1264 mg/m <sup>3</sup> ( Rat ) 4 h
Ethanol, a-[2-(4-chlorophenyl)ethyl]-a- (1,1-dimethylethyl)-1H-1,2,4-triazole 107534-96-3	-	-	> 800 mg/m³(Rat)4 h

## Information on toxicological effects

**Symptoms** Coughing and/ or wheezing. Itching. Rashes. Hives.



#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause sensitization of susceptible persons. May cause sensitization by skin contact.

Mutagenic Effects No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Wood dust, all soft and hard		Group 1	Known	X
woods				
RR-00514-1				

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Reproductive Toxicity**Contains a known or suspected reproductive toxin.

STOT - single exposure No information available.

**STOT - repeated exposure** No information available.

Chronic Toxicity Contains a known or suspected carcinogen. Contains a known or suspected reproductive

toxin. Possible risk of irreversible effects. May cause adverse liver effects. Wood dust has been classified by the International Agency for Research on Cancer (IARC) as a known

human carcinogen (Group 1).

Target Organ Effects Respiratory system. Skin. Eyes. Gastrointestinal tract (GI). Reproductive System. Kidney.

Liver.

**Aspiration Hazard** No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 250.00 mg/kg

ATEmix (inhalation-dust/mist)

1.90 mg/l

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

#### **Persistence and Degradability**

No information available.

#### **Bioaccumulation**

No information available

#### Other adverse effects

No information available.



Page 8/11

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

**Contaminated Packaging** Dispose of contents/containers in accordance with local regulations.

#### California Hazardous Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Copper(II) carbonate hydroxide	Toxic
12069-69-1	

## 14. TRANSPORT INFORMATION

DOTNOT REGULATEDProper Shipping NameNON REGULATED

Hazard Class N/A

TDG Not regulated

MEX Not regulated

ICAO Not regulated

<u>IATA</u> Not regulated

Proper Shipping Name NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

RIDNot regulatedADRNot regulated

ADN Not regulated

## 15. REGULATORY INFORMATION

## **International Inventories**

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List



## **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Propiconazole [1-[2-(2,4-Dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]-meth yl-1H-1,2,4,-triazole] - 60207-90-1	60207-90-1	1 - 5	1.0
Copper(II) carbonate hydroxide - 12069-69-1	12069-69-1	1 - 5	1.0

## SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden release of pressure hazard No
Reactive Hazard No

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Copper(II) carbonate hydroxide 12069-69-1		Х		

## CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Wood dust, all soft and hard woods - RR-00514-1	Carcinogen

## U.S. State Right-to-Know Regulations

.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Wood dust, all soft and hard woods RR-00514-1			Χ		
Copper(II) carbonate hydroxide 12069-69-1			Х	Х	
Propiconazole [1-[2-(2,4-Dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]-meth yl-1H-1,2,4,-triazole] 60207-90-1	Х			Х	

## International Regulations

#### Mexico

**National occupational exposure limits** 

Component	Carcinogen Status	Exposure Limits

\_\_\_\_\_



Wood dust, all soft and hard woods	Mexico: TWA 5 mg/m <sup>3</sup>
RR-00514-1 ( 60 - 100 )	Mexico: STEL 10 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

Canada WHMIS Hazard Class D2B - Toxic materials



## 16. OTHER INFORMATION

NFPA Health Hazards 2 Flammability 1 Instability 0 Physical and

HMIS Health Hazards 2 \* Flammability 0 Physical Hazard 0 Personal Protection

Χ

Chronic Hazard Star Legend \* = Chronic Health Hazard

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

**Issuing Date** 17-Mar-2015 **Revision Date** 17-Mar-2015

Revision Note No information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

