

Introduction

Thank you for purchasing XPOWER Flexible PVC Ducting Hose. This product is compatible with XPOWER confined space fan and XPOWER Axial Fan, to help set up a breeze for a variety of industrial, residential, and construction applications. Please read and save these instructions.

Compatible Products

Hose Model	8DH25, 8DHC25	12DH25	16DH15, 16DH25
Compatible Fan Model	X-8	X-12	X-41ATR, X-47ATR


Installation & Uninstallation

A. 8DH25 / 12DH25

When used, untie the strip of the two open sides of the product, and expand the hose inside. For ventilating (exhausting), attach side A to the outtake (intake) of the fan, fasten the belt on side A of the hose.

When finished, compress side B of the hose into the intake side. Tie up the strip of both sides.


(Continued on back page)



B. 8DHC25

When used, open the caps of the carrier. Expand the hose. For ventilating (exhausting), attach side A to the outtake (intake) of the fan, fasten the belt on side A of the hose.


When finished, compress the hose from side B into the carrier. Close the cap.



C. 16DH15 / 16DH25

When used, untie the rope of the two open sides of the product, and expand the hose inside. Before install, make sure an additional adapter, 16DHK is safely attached to the fan. For ventilating (exhausting), attach the 16DHK's intake side to the outtake (intake) of the fan. Then install the intake side of the hose onto the 16DHK adapter. Fasten the rope on it.

When finished, compress the outtake side of the hose into the intake side. Tie up the strip of both sides. To uninstall the 16DHK from the fan is recommended.



Safety Instruction

1. Do not use or store this product under extreme environments, including but not limited to, high or low temperature, corrosive or solvent chemical exposure.
2. Make sure children have no access to this product.