
88 5004 941 Kitchen Island Combo

IMPORTANT NOTE

Carefully remove all the parts from the carton and put them individually on a soft cloth to prevent scratches or other damages occuring to the wood parts.

We have taken great care in the design of this product and request that you carefully and strictly follow our assembly instructions to ensure a completed product as it was designed.





Tools required for assembly: Phillips screwdriver


88 5004 942 Kitchen Island Combo


IMPORTANT NOTE

Carefully remove all the parts from the carton and put them individually on a soft cloth to prevent scratches or other damages occuring to the wood parts.

We have taken great care in the design of this product and request that you carefully and strictly follow our assembly instructions to ensure a completed product as it was designed.









For assembly see instructions in carton 88 5004 943

Tools required for assembly: Phillips screwdriver


88 5004 943 Kitchen Island Combo

IMPORTANT NOTE

Carefully remove all the parts from the carton and put them individually on a soft cloth to prevent scratches or other damages occuring to the wood parts.

We have taken great care in the design of this product and request that you carefully and strictly follow our assembly instructions to ensure a completed product as it was designed.





Also need the following from carton 88 5004 941, 88 5004 942

Top Unit (A)	1 pc.	Hex Wrench	1 pc.
Part List in carton 88 5004 942		Small Hex Wrench	1 pc.
Top (B)	1 pc.	Cam Lock	5 pcs
Back Stretcher (C)	2 pcs.	Cam Lock Screw	5 pcs
Back Stretcher (D)	1 pc.	Head Cap Bolt	19 pcs
Middle Panel (E)	1 pc.	Adjustable Pin	33 pcs
Rail (F)	2 pcs.	Machine Screw	4 pcs
Shelf (G)	4 pcs.	Drawer Pull Handle	4 pcs
Base (H)	1 pc.	Wood Screw	10 pcs
Back Panel (N)	2 pcs.		


Tools Required For Assembly: Phillips screwdriver

Assembly Instructions 2/4


IMPORTANT

Do not tighten up all the screws until each part is properly assembled.

You should keep Hex Wrench in the safe place as you may need to tighten up the Head Cap Bolts in the future.




Put Cam Lock Screws into the pre-drilled holes of Leg (K),(L) and tighten.



Slide Back Panel (N) to unit, then attach Back Stretcher (C) to unit using Cam Locks.


Attach Leg (L) to the unit using Cam Locks.

Assembly Instructions 3/4



STEP 3

Attach unit from Step 2 and Middle Panel (E) to Base (H) with Head Cap Bolts.




STEP 4

Attach Leg (I) and (J) to Base (H) with Head Cap Bolts.

Slide Side Panels (M) into position.

Assembly Instructions 4/4



with Wood Screws. (see Figure 3)

Top Unit (A) and assemble Pull Handle with Machine Screws.

> Place Top (A) on the unit with Head Cap Bolts.

Slide the Drawers into position.

Head Cap Bolt

Adjustable Pin

Insert Adjustable Pins Into both side panels at the desired level.

Slide Shelf (O) into Place.