



387509 IFU  
 25.6.2010

KB-TZ  $\frac{3}{8} \times 3$

# 387509





$h_{nom}$ [in.]	$h_1$ [in.]	$t_{fix}$ [in.]	$T_{inst}$ [ft-lb]
$2\frac{3}{8}$ "	$2\frac{5}{8}$ "	$\frac{1}{4}$ "	25

Use only carbide-tipped masonry drill bits complying with ANSI B212.15-1994

Hilti Inc. (US), [www.us.hilti.com](http://www.us.hilti.com), 1 800 879 8000  
 Hilti Co. (Canada), [www.ca.hilti.com](http://www.ca.hilti.com), 1 800 363 4458

387510 IFU  
 25.6.2010

KB-TZ  $\frac{3}{8} \times 3\frac{3}{4}$  # 387510



$h_{nom}$ [in.]	$h_1$ [in.]	$t_{fix}$ [in.]	$T_{inst}$ [ft-lb]
$2\frac{3}{8}$ "	$2\frac{5}{8}$ "	1"	25



Use only carbide-tipped masonry drill bits complying with ANSI B212.15-1994

Hilti Inc. (US), [www.us.hilti.com](http://www.us.hilti.com), 1 800 879 8000  
 Hilti Co. (Canada), [www.ca.hilti.com](http://www.ca.hilti.com), 1 800 363 4458

387511 IFU  
25.6.2010

KB-TZ  $\frac{3}{8} \times 5$

# 387511



$h_{nom}$ [in.]	$h_1$ [in.]	$t_{fix}$ [in.]	$T_{inst}$ [ft-lb]
$2\frac{3}{8}$ "	$2\frac{5}{8}$ "	$2\frac{1}{4}$ "	25



Use only carbide-tipped masonry drill bits complying with ANSI B212.15-1994

Hilti Inc. (US), [www.us.hilti.com](http://www.us.hilti.com), 1 800 879 8000  
Hilti Co. (Canada), [www.ca.hilti.com](http://www.ca.hilti.com), 1 800 363 4458

387512 IFU  
25.6.2010

KB-TZ  $\frac{1}{2} \times 3\frac{3}{4}$

# 387512



$h_{nom}$ [in.]	$h_1$ [in.]	$t_{fix}$ [in.]	$T_{inst}$ [ft-lb]
$2\frac{3}{8}$ "	$2\frac{5}{8}$ "	$\frac{3}{4}$ "	40



Use only carbide-tipped masonry drill bits complying with ANSI B212.15-1994

Hilti Inc. (US), [www.us.hilti.com](http://www.us.hilti.com), 1 800 879 8000  
Hilti Co. (Canada), [www.ca.hilti.com](http://www.ca.hilti.com), 1 800 363 4458

387513 IFU  
25.6.2010

KB-TZ  $\frac{1}{2} \times 4\frac{1}{2}$

# 387513



$h_{nom}$ [in.]	$h_1$ [in.]	$t_{fix}$ [in.]	$T_{inst}$ [ft-lb]
$2\frac{3}{8}$ "	$2\frac{5}{8}$ "	$1\frac{1}{2}$ "	40
$3\frac{5}{8}$ "	4"	$\frac{1}{4}$ "	40



Use only carbide-tipped masonry drill bits complying with ANSI B212.15-1994

Hilti Inc. (US), [www.us.hilti.com](http://www.us.hilti.com), 1 800 879 8000  
Hilti Co. (Canada), [www.ca.hilti.com](http://www.ca.hilti.com), 1 800 363 4458

387514 IFU  
25.6.2010

KB-TZ  $\frac{1}{2} \times 5\frac{1}{2}$

# 387514



$h_{nom}$ [in.]	$h_1$ [in.]	$t_{fix}$ [in.]	$T_{inst}$ [ft-lb]
$2\frac{3}{8}$ "	$2\frac{5}{8}$ "	$2\frac{1}{2}$ "	40
$3\frac{5}{8}$ "	4"	$1\frac{1}{4}$ "	40



Use only carbide-tipped masonry drill bits complying with ANSI B212.15-1994

Hilti Inc. (US), [www.us.hilti.com](http://www.us.hilti.com), 1 800 879 8000  
Hilti Co. (Canada), [www.ca.hilti.com](http://www.ca.hilti.com), 1 800 363 4458

387515 IFU  
 25.6.2010

KB-TZ 1/2 x 7

# 387515



$h_{nom}$ [in.]	$h_1$ [in.]	$t_{fix}$ [in.]	$T_{inst}$ [ft-lb]
2 3/8"	2 5/8"	4"	40
3 5/8"	4"	2 3/4"	40



Use only carbide-tipped masonry drill bits complying with ANSI B212.15-1994

Hilti Inc. (US), www.us.hilti.com, 1 800 879 8000  
 Hilti Co. (Canada), www.ca.hilti.com, 1 800 363 4458

387516 IFU  
 25.6.2010

KB-TZ  $\frac{5}{8} \times 4\frac{3}{4}$

# 387516



$h_{nom}$ [in.]	$h_1$ [in.]	$t_{fix}$ [in.]	$T_{inst}$ [ft-lb]
$3\frac{5}{8}$ "	$3\frac{7}{8}$ "	$\frac{3}{8}$ "	60

Use only carbide-tipped masonry drill bits complying with ANSI B212.15-1994



Hilti Inc. (US), [www.us.hilti.com](http://www.us.hilti.com), 1 800 879 8000  
 Hilti Co. (Canada), [www.ca.hilti.com](http://www.ca.hilti.com), 1 800 363 4458



387517 IFU  
25.6.2010

KB-TZ  $\frac{5}{8} \times 6$

# 387517



$h_{nom}$ [in.]	$h_1$ [in.]	$t_{fix}$ [in.]	$T_{inst}$ [ft-lb]
$3\frac{5}{8}$ "	$3\frac{7}{8}$ "	$1\frac{5}{8}$ "	60
$4\frac{1}{2}$ "	$4\frac{3}{4}$ "	$\frac{3}{4}$ "	60



Use only carbide-tipped masonry drill bits complying with ANSI B212.15-1994

Hilti Inc. (US), [www.us.hilti.com](http://www.us.hilti.com), 1 800 879 8000  
Hilti Co. (Canada), [www.ca.hilti.com](http://www.ca.hilti.com), 1 800 363 4458

387518 IFU  
 25.6.2010

KB-TZ  $\frac{5}{8} \times 8\frac{1}{2}$

# 387518



$h_{nom}$ [in.]	$h_1$ [in.]	$t_{fix}$ [in.]	$T_{inst}$ [ft-lb]
$3\frac{5}{8}$ "	$3\frac{7}{8}$ "	$4\frac{1}{8}$ "	60
$4\frac{1}{2}$ "	$4\frac{3}{4}$ "	$3\frac{1}{4}$ "	60



Use only carbide-tipped masonry drill bits complying with ANSI B212.15-1994

Hilti Inc. (US), [www.us.hilti.com](http://www.us.hilti.com), 1 800 879 8000  
 Hilti Co. (Canada), [www.ca.hilti.com](http://www.ca.hilti.com), 1 800 363 4458

387519 IFU  
25.6.2010

KB-TZ  $\frac{5}{8} \times 10$

# 387519



$h_{nom}$ [in.]	$h_1$ [in.]	$t_{fix}$ [in.]	$T_{inst}$ [ft-lb]
$3\frac{5}{8}$ "	$3\frac{7}{8}$ "	$5\frac{5}{8}$ "	60
$4\frac{1}{2}$ "	$4\frac{3}{4}$ "	$4\frac{3}{4}$ "	60



Use only carbide-tipped masonry drill bits complying with ANSI B212.15-1994

Hilti Inc. (US), [www.us.hilti.com](http://www.us.hilti.com), 1 800 879 8000  
Hilti Co. (Canada), [www.ca.hilti.com](http://www.ca.hilti.com), 1 800 363 4458

387520 IFU  
25.6.2010

KB-TZ  $\frac{3}{4} \times 5\frac{1}{2}$

# 387520



$h_{nom}$ [in.]	$h_1$ [in.]	$t_{fix}$ [in.]	$T_{inst}$ [ft-lb]
$4\frac{3}{8}$ "	$4\frac{5}{8}$ "	$\frac{1}{8}$ "	110



Use only carbide-tipped masonry drill bits complying with ANSI B212.15-1994

Hilti Inc. (US), [www.us.hilti.com](http://www.us.hilti.com), 1 800 879 8000  
Hilti Co. (Canada), [www.ca.hilti.com](http://www.ca.hilti.com), 1 800 363 4458

387521 IFU  
25.6.2010

KB-TZ  $\frac{3}{4} \times 8$

# 387521



$h_{nom}$ [in.]	$h_1$ [in.]	$t_{fix}$ [in.]	$T_{inst}$ [ft-lb]
$4\frac{3}{8}$ "	$4\frac{5}{8}$ "	$2\frac{5}{8}$ "	110
$5\frac{3}{8}$ "	$5\frac{3}{4}$ "	$1\frac{5}{8}$ "	110



Use only carbide-tipped masonry drill bits complying with ANSI B212.15-1994

Hilti Inc. (US), [www.us.hilti.com](http://www.us.hilti.com), 1 800 879 8000  
Hilti Co. (Canada), [www.ca.hilti.com](http://www.ca.hilti.com), 1 800 363 4458

387522 IFU  
 25.6.2010

KB-TZ  $\frac{3}{4} \times 10$

# 387522



$h_{nom}$ [in.]	$h_1$ [in.]	$t_{fix}$ [in.]	$T_{inst}$ [ft-lb]
$4\frac{5}{8}$ "	$4\frac{5}{8}$ "	$4\frac{5}{8}$ "	110
$5\frac{3}{8}$ "	$5\frac{3}{4}$ "	$3\frac{5}{8}$ "	110

Use only carbide-tipped masonry drill bits complying with ANSI B212.15-1994

Hilti Inc. (US), [www.us.hilti.com](http://www.us.hilti.com), 1 800 879 8000  
 Hilti Co. (Canada), [www.ca.hilti.com](http://www.ca.hilti.com), 1 800 363 4458