

Version 2.0

#### Revision Date 03/13/2017

Print Date 03/13/2017

Zepinc

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	A07995 ZEP FOOD ODOR ELIMINATOR 20n14
Material number	:	0000000001049483
Manufacturer or supplier's d	leta	ils
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

#### Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

#### Recommended use of the chemical and restrictions on use

Recommended use : Air Care

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

## SECTION 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Appearance	Aerosol containing a liquefied gas
Colour	clear, light yellow
Odour	acetone-like

#### **GHS** Classification

Flammable aerosols Gases under pressure Eye irritation Specific target organ toxicity - single exposure	<ul> <li>Category 1</li> <li>Liquefied gas</li> <li>Category 2A</li> <li>Category 3 (Central nervous system)</li> </ul>	1)
GHS label elements		
Hazard pictograms		
Signal word	: Danger	
Hazard statements	: H222 Extremely flammable aerosol.	



Version 2.0	Revision Date 03/13/2017	Print Date 03/13/2017
	H280 Contains gas under pressur H319 Causes serious eye irritatio H336 May cause drowsiness or d	n.
Precautionary statements	<ul> <li>Prevention:</li> <li>P210 Keep away from heat, hot s and other ignition sources. No sm P211 Do not spray on an open fla P251 Pressurized container: Do ruse.</li> <li>P261 Avoid breathing dust/ fume/P264 Wash skin thoroughly after P271 Use only outdoors or in a w P280 Wear eye protection/ face pResponse:</li> <li>P304 + P340 + P312 IF INHALED and keep comfortable for breathin CENTER/doctor if you feel unwell P305 + P351 + P338 IF IN EYES for several minutes. Remove conteasy to do. Continue rinsing.</li> <li>P337 + P313 If eye irritation persidattention.</li> <li>Storage:</li> <li>P403 Store in a well-ventilated plaP410 + P412 Protect from sunlightemperatures exceeding 50 °C/ 15 Disposal:</li> <li>Dispose of contents/container in regulation.</li> </ul>	hoking. ame or other ignition source. hot pierce or burn, even after gas/ mist/ vapours/ spray. handling. rell-ventilated area. brotection. D: Remove person to fresh air ng. Call a POISON E: Rinse cautiously with water tact lenses, if present and ists: Get medical advice/ ace. ht. Do not expose to 22 °F.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

## Hazardous components

Chemical name	CAS-No.	Concentration [%]		
acetone	67-64-1	>= 70 - < 90		
propane	74-98-6	>= 10 - < 20		
butane	106-97-8	>= 5 - < 10		
The exact percentages of disclosed substances are withhold as trade secrets				

The exact percentages of disclosed substances are withheld as trade secrets.

## SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
lf inhaled	: Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice.
In case of skin contact	: Wash off immediately with plenty of water. Remove contaminated clothing and shoes.



Version 2.0	Revision Date 03/13/2017	Print Date 03/13/2017
	Wash contaminated clothing befor If skin irritation persists, call a phy	
In case of eye contact	<ul> <li>Rinse immediately with plenty of v for at least 15 minutes.</li> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a second secon</li></ul>	
If swallowed	: Keep respiratory tract clear. Do not give milk or alcoholic bever Never give anything by mouth to a If symptoms persist, call a physicia DO NOT induce vomiting unless of physician or poison control center.	an unconscious person. an. lirected to do so by a
Most important symptoms and effects, both acute and delayed	: Effects are dependent on exposur contact time). Effects are immediate and delayed Symptoms may include irritation, r Symptoms may include central ne resulting in headache, nausea and Causes serious eye irritation. May cause drowsiness or dizzines Review section 2 of SDS to see all	d. redness, pain, and rash. rvous system depression, d/or dizziness.
Notes to physician	: Treat symptomatically. Symptoms	s may be delayed.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	ligh volume water jet	
Specific hazards during firefighting	Do not allow run-off from fire fighting to enter dr courses.	ains or water
Hazardous combustion products	Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	Jse extinguishing measures that are appropriate sircumstances and the surrounding environment	
Further information	Collect contaminated fire extinguishing water senust not be discharged into drains. Fire residues and contaminated fire extinguishing be disposed of in accordance with local regulati For safety reasons in case of fire, cans should be reparately in closed containments. Use a water spray to cool fully closed containers	ng water must ons. pe stored



Version 2.0Revision Date 03/13/2017Print Date 03/13/2017

Special protective equipment for firefighters

: Wear self-contained breathing apparatus for firefighting if necessary.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Use personal protective equipment. Insure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Reware of vapours accumulating to form explo oncentrations. Vapours can accumulate in low	
Environmental precautions	Prevent product from entering drains. Prevent further leakage or spillage if safe to do the product contaminates rivers and lakes or espective authorities.	
Methods and materials for containment and cleaning up	oak up with inert absorbent material (e.g. sar cid binder, universal binder, sawdust).	nd, silica gel,

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	:	<ul> <li>BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.</li> <li>No smoking.</li> <li>Keep container tightly closed in a dry and well-ventilated place.</li> <li>Containers which are opened must be carefully resealed and kept upright to prevent leakage.</li> <li>Observe label precautions.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	:	Keep away from oxidizing agents and strongly acid or alkaline materials.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters



Version 2.0

Revision Date 03/13/2017

Print Date 03/13/2017

Components	CAS-No.	Value type	Control	Basis
		(Form of	parameters /	
		exposure)	Permissible	
			concentration	
acetone	67-64-1	TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	250 ppm	NIOSH REL
			590 mg/m3	
		TWA	1,000 ppm	OSHA Z-1
			2,400 mg/m3	
		TWA	750 ppm	OSHA P0
			1,800 mg/m3	
		STEL	1,000 ppm	OSHA P0
			2,400 mg/m3	
		STEL	750 ppm	CAL PEL
			1,780 mg/m3	
		С	3,000 ppm	CAL PEL
		PEL	500 ppm	CAL PEL
			1,200 mg/m3	
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm	NIOSH REL
			1,800 mg/m3	
		TWA	1,000 ppm	OSHA Z-1
			1,800 mg/m3	
		TWA	1,000 ppm	OSHA P0
			1,800 mg/m3	
	Ī	PEL	1,000 ppm	CAL PEL
			1,800 mg/m3	
butane	106-97-8	TWA	800 ppm	NIOSH REL
			1,900 mg/m3	
		TWA	800 ppm	OSHA P0
			1,900 mg/m3	
		PEL	800 ppm	CAL PEL
			1,900 mg/m3	-

## **Biological occupational exposure limits**

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-PROPANONE	67-64-1	Acetone	Urine	End of	25 mg/l	ACGIH BEI
				shift (As soon as		
				possible after		
				exposure		
				ceases)		

	measures
 · · · · · · · · · · · · · · · · · ·	

: effective ventilation in all processing areas

#### Personal protective equipment

Respiratory protection	: In the case of vapour formation use a respirator with an approved filter.
Hand protection Material	: Protective gloves



ersion 2.0	Revision Date 03/13/2017	Print Date 03/13/2017
	with the producers of the protective	e gloves.
Eye protection	: Eye wash bottle with pure water Safety glasses	
Skin and body protection	: Impervious clothing Choose body protection according concentration of the dangerous su	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at	the end of workday.

ZepInc

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Aerosol contain	ing a liquefied gas
Colour	clear, light yello	w
Odour	acetone-like	
Odour Threshold	No data availabl	e
рН	Not applicable	
Melting point/freezing point	No data availabl	e
Boiling point	No data availabl	e
Flash point		
	No data availabl	e
Evaporation rate	No data availabl	e
Flammability (solid, gas)	Extremely flamr	nable aerosol.
	NI 17 111	
Upper explosion limit	No data availabl	-
Lower explosion limit	No data availabl	-
Vapour pressure	No data availabl	e
Relative vapour density	No data availabl	e
Density	0.795 g/cm3	
Bulk density	No data availabl	e
Solubility(ies)		
Water solubility	No data availabl	е
Solubility in other solvents	not determined	
Partition coefficient: n- octanol/water	No data availabl	e
Auto-ignition temperature	No data availabl	e
Thermal decomposition	No data availabl	e
Viscosity		
Viscosity, kinematic	No data availabl	е



Version 2.0

Revision Date 03/13/2017

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Acids
Hazardous decomposition products	: No hazardous decomposition products are known.

## SECTION 11. TOXICOLOGICAL INFORMATION

**Potential Health Effects** 

	Aggravated Medical	: None known.
S	Symptoms of Overexposure	<ul> <li>Effects are dependent on exposure (dose, concentration, contact time).</li> <li>Effects are immediate and delayed.</li> <li>Symptoms may include irritation, redness, pain, and rash.</li> <li>Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness.</li> </ul>
С	Carcinogenicity:	
IJ	ARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
A	ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
C	DSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Ν	NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acute	toxicity	
<u>C</u>	components:	
	<b>cetone:</b> Acute oral toxicity	: LD50 Rat: 5,800 mg/kg



Version 2.0	Revision Date 03/13/2017	Print Date 03/13/2017
Acute inhalation toxicity	: LC50 Rat: 132 mg/l Exposure time: 3 h	
	LC50 Rat: 50.1 mg/l	
Acute dermal toxicity	: LD50 Guinea pig: > 7,426 mg/kg	
	LD50 Rabbit: > 7,426 mg/kg	
<b>propane:</b> Acute inhalation toxicity	: LC50 Mouse: 1,237 mg/l Exposure time: 2 h	
	LC50 Rat: 658 mg/l Exposure time: 4 h	
	LC50 Rat: 1,355 mg/l	
<b>butane:</b> Acute inhalation toxicity	: LC50 Mouse: 1,237 mg/l Exposure time: 2 h	
	LC50 Rat: 1,355 mg/l	
Skin corrosion/irritation		
Product:		
Remarks: May cause skin irr	itation in susceptible persons.	
Serious eye damage/eye irritati	ion	
Product:		
Remarks: Severe eye irritation	on	
Respiratory or skin sensitisation	n	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
acetone: propane: butane:		
STOT - single exposure		



Version 2.0

Revision Date 03/13/2017

No data available

#### STOT - repeated exposure

No data available

## Aspiration toxicity

No data available

#### Further information

## Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

## SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

## Persistence and degradability

No data available Bioaccumulative potential

<u> </u>	
Partition coefficient: n- octanol/water <u>Components:</u> butane :	: Remarks: No data available
Partition coefficient: n- octanol/water	: Pow: 2.89
Mobility in soil	
No data available	
Other adverse effects	
No data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life with long lasting effects.



Version 2.0

Revision Date 03/13/2017

Print Date 03/13/2017

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

## SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

## SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule. No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

**CERCLA** Reportable Quantity



Version 2.0

Revision Date 03/13/2017

Print Date 03/13/2017

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
acetone	67-64-1	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Fire Hazard Acute Health Hazard Sudden Release of Pressure Hazard	
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.	
The components of this product are reported in the following inventories:		
	On TSCA Inventory All components of this product are on the Canadian DSL	
For information on the country notification status for other regions please contact the manufacturer's regulatory group.		
Inventory Acronym and Validity Area Legend:		

TSCA (USA), DSL (Canada), NDSL (Canada)

## **SECTION 16. OTHER INFORMATION**




Version 2.0

Revision Date 03/13/2017

Print Date 03/13/2017





## **OSHA - GHS Label Information:**

Hazard pictograms	
Signal w ord	: Danger:
Hazard statements	<ul> <li>Extremely flammable aerosol. Contains gas under pressure; may explode if heated.</li> <li>Causes serious eye irritation. May cause drow siness or dizziness.</li> </ul>
Precautionary statements	:
	<ul> <li>Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Use only outdoors or in a w ell-ventilated area. Wear eye protection/face protection.</li> <li>Response: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unw ell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.</li> <li>Storage: Store in a w ell-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.</li> <li>Disposal: Dispose of contents/container in accordance with local regulation.</li> </ul>

Version:	2.0
Revision Date:	03/13/2017
Print Date:	03/13/2017

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical<sup>™</sup>, Selig<sup>™</sup>, Misty®, Next Dimension<sup>™</sup>, Petro®, i-Chem®, TimeMist®, TimeWick<sup>™</sup>, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National<sup>™</sup>, FC Forward Chemicals®,Rexodan®, Mykal<sup>™</sup>, and a number of private labeled brands.



Version 2.0

Revision Date 03/13/2017

