SAFETY DATA SHEET

Revision Number 2

Revision Date 13-Feb-2017

(UL)

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name WA3559 56v Lithium 2.0Ah battery

Other means of identification

Issuing Date No data available

UN-No. UN3480

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use LITHIUM ION BATTERIES

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Positec(Macao Commercial Offshore) Limited

Supplier Address 18 Dongwang Road, Suzhou Industrial Park

Suzhou Jiangsu 215123 CN

Supplier Phone Number Phone:(86) 512 65152888

Fax:(86) 512 65152885

Supplier Email email@positecgroup.com

Emergency telephone number

Company Emergency Phone

Number

In USA and Canada 1-800-424-9300. Outside USA and Canada 1-703-741-5970

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). This product is an article which is a sealed battery and as such does not require an MSDS per the OSHA hazard communication standard unless ruptured. The hazards indicated are for a ruptured battery.



Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1

GHS Label elements, including precautionary statements

Emergency Overview

Signal word Danger

Hazard Statements

Harmful if swallowed

Harmful in contact with skin

Causes skin irritation

Causes serious eye irritation

May cause an allergic skin reaction

May cause cancer

Causes damage to organs through prolonged or repeated exposure



This product is an article which contains a chemical substance. Safety information is given for exposure to the article as sold. Intended use of the product should not result in exposure to the chemical substance. This is a battery. In case of rupture: the above hazards exist.

Appearance Black Physical state Solid Odor None

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Wear eye/face protection

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see supplemental first aid instructions on this label)

Lyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Skin

IF ON SKIN: Wash with plenty of soap and water

Call a POISON CENTER or doctor/physician if you feel unwell



Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

14.6 % of the mixture consists of ingredient(s) of unknown toxicity

Other information

Very toxic to aquatic life with long lasting effects

Repeated or prolonged skin contact may cause allergic reactions with susceptible persons

Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

.

Chemical name	CAS No	Weight-%	Trade Secret
Supplier Trade Secret	Trade Secret	10 - 30	*
Supplier Trade Secret	Trade Secret	7 - 13	*
Supplier Trade Secret	Trade Secret	7 - 13	*
Supplier Trade Secret	Trade Secret	5 - 10	*
Supplier Trade Secret	Trade Secret	1 - 5	*
Supplier Trade Secret	Trade Secret	1 - 5	*
Supplier Trade Secret	Trade Secret	1 - 5	*
Supplier Trade Secret	Trade Secret	1 - 5	*
Supplier Trade Secret	Trade Secret	1 - 5	*
Supplier Trade Secret	Trade Secret	1 - 5	*
Supplier Trade Secret	Trade Secret	1 - 5	*
Supplier Trade Secret	Trade Secret	0.1 - 1	*
Supplier Trade Secret	Trade Secret	0.1 - 1	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General Advice First aid is upon rupture of sealed battery.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep



Page 3/16

eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. If symptoms

persist, call a physician. May cause an allergic skin reaction. Remove and isolate

contaminated clothing and shoes.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur. If not breathing,

give artificial respiration. If breathing is difficult, (trained personnel should) give oxygen.

Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an

unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Wear personal protective clothing (see section 8). Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of

contamination.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and

Effects

Burning sensation. Itching. Rashes. Hives. Coughing and/ or wheezing.

Indication of any immediate medical attention and special treatment needed

Notes to Physician May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical, CO2, water spray or regular foam. Move containers from fire area if you can do it without risk.

Large Fire Move containers from fire area if you can do it without risk.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

Move containers from fire area if you can do it without risk.

(U)

Page 4/16

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice.

Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Protect from moisture. Store away from other materials. Store locked up.

Incompatible Products Strong acids. Strong oxidizing agents. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines The following ingredients are the only ingredients of the product above the cut-off level (or

level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure

limits from the sources listed here

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Supplier Trade Secret	TWA: 0.2 mg/m³ fume TWA: 1 mg/m³	TWA: 0.1 mg/m³ fume	IDLH: 100 mg/m ³ dust, fume and mist
	Cu dust and mist	TWA: 1 mg/m ³ dust and mist	TWA: 1 mg/m ³ dust and mist
		(vacated) TWA: 0.1 mg/m ³ Cu dust,	TWA: 0.1 mg/m³ fume
		fume, mist	
Supplier Trade Secret	TWA: 1 fiber/cm3 respirable fibers:	-	
	length >5 µm, aspect ratio >=3:1, as		
	determined by the membrane filter		



illumination		
TWA: 5 mg/m³ inhalable fraction		
TWA: 0.2 mg/m ³ Ni inhalable	TWA: 1 mg/m ³ Ni	IDLH: 10 mg/m ³ Ni
particulate matter	(vacated) TWA: 1 mg/m ³ Ni	TWA: 0.015 mg/m ³ except Nickel
·	, ,	carbonyl Ni
TWA: 1 mg/m³ respirable particulate	TWA: 15 mg/m³ total dust	TWA: 10 mg/m ³ total dust
matter	TWA: 5 mg/m ³ respirable fraction	TWA: 5 mg/m ³ respirable dust
	(vacated) TWA: 15 mg/m³ total dust	
	(vacated) TWA: 5 mg/m ³ respirable	
	Aluminum	
TWA: 1.5 mg/m ³	TWA: 1 mg/m ³	IDLH: 10 mg/m ³
· ·	(vacated) TWA: 1 mg/m ³	TWA: 0.015 mg/m ³
TWA: 0.2 mg/m ³ Mn	(vacated) Ceiling: 5 mg/m ³	IDLH: 500 mg/m ³ Mn
· ·	Ceiling: 5 mg/m³ Mn	TWA: 1 mg/m³ Mn
		STEL: 3 mg/m ³ Mn
TWA: 0.02 mg/m ³ respirable	(vacated) TWA: 1 mg/m ³ fume	IDLH: 500 mg/m ³
particulate matter		TWA: 1 mg/m ³ fume
TWA: 0.1 mg/m³ inhalable particulate		STEL: 3 mg/m ³
		3
		
TWA: 0.02 mg/m ³	-	
, and the second		
TWA: 2.5 mg/m ³ F	TWA: 2.5 mg/m ³ F	
-	(vacated) TWA: 2.5 mg/m ³	
TWA: 3 mg/m³ inhalable particulate	TWA: 3.5 mg/m ³	IDLH: 1750 mg/m ³
matter	(vacated) TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³
		TWA: 0.1 mg/m³ Carbon black in
		presence of Polycyclic aromatic
		hydrocarbons PAH
TWA: 0.1 mg/m ³ dust and fume	TWA: 0.01 mg/m ³	IDLH: 10 mg/m³ dust
·	(vacated) TWA: 0.01 mg/m ³	TWA: 0.01 mg/m ³ dust
	TWA: 0.2 mg/m³ Ni inhalable particulate matter TWA: 1 mg/m³ respirable particulate matter TWA: 1.5 mg/m³ TWA: 0.2 mg/m³ Mn TWA: 0.2 mg/m³ respirable particulate matter TWA: 0.1 mg/m³ inhalable particulate matter TWA: 0.02 mg/m³ Mn respirable particulate matter TWA: 0.1 mg/m³ inhalable particulate matter TWA: 0.1 mg/m³ Mn inhalable particulate matter TWA: 0.1 mg/m³ SM inhalable particulate matter TWA: 0.02 mg/m³ TWA: 2.5 mg/m³ F TWA: 3 mg/m³ inhalable particulate matter	[4-mm objective], using phase-contrast illumination TWA: 5 mg/m³ inhalable fraction TWA: 0.2 mg/m³ Ni inhalable particulate matter TWA: 1 mg/m³ respirable particulate matter TWA: 15 mg/m³ total dust TWA: 5 mg/m³ tospirable fraction (vacated) TWA: 15 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction (vacated) TWA: 5 mg/m³ total dust (vacated) TWA: 5 mg/m³ (vacated) TWA: 1 mg/m³ (vacated) TWA: 1 mg/m³ (vacated) TWA: 1 mg/m³ fume (vacated) STEL: 3 mg/m³ fume (vacated) STEL: 3 mg/m³ fume (vacated) Ceiling: 5 mg/m³ fume (vacated) Ceiling: 5 mg/m³ fume (vacated) Ceiling: 5 mg/m³ TWA: 0.1 mg/m³ Mn inhalable particulate matter TWA: 0.1 mg/m³ Mn inhalable particulate matter TWA: 2.5 mg/m³ F TWA: 2.5 mg/m³ F TWA: 2.5 mg/m³ TWA: 2.5 mg/m³ TWA: 3.5 mg/m³ TWA: 3.5 mg/m³ TWA: 0.1 mg/m³ dust and fume TWA: 0.01 mg/m³

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing. Long sleeved clothing. Impervious gloves.

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling

the product.



None

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Solid Appearance Black

Color No information available Odor Threshold No information available

Odor

Property Values Remarks Method

No data available None known pН Melting / freezing point No data available None known None known No data available Boiling point / boiling range Flash Point No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limit in Air

Upper flammability limit
Lower flammability limit
No data available
No data available

Vapor pressure No data available None known Vapor density No data available None known **Specific Gravity** No data available None known Virtually insoluble **Water Solubility** None known No data available Solubility in other solvents None known Partition coefficient: n-octanol/waterNo data available None known None known **Autoignition temperature** No data available **Decomposition temperature** No data available None known No data available Kinematic viscosity None known No data available None known

Dynamic viscosityNo data availableExplosive propertiesNo data availableOxidizing propertiesNo data available

Other Information

Softening Point

VOC Content (%)

Particle Size

No data available
No data available
No data available

Particle Size Distribution



Page 7/16

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong acids. Strong oxidizing agents. Strong bases.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

In case of rupture:.

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components). Prolonged contact may cause redness and irritation. May be absorbed

through the skin in harmful amounts. Harmful in contact with skin.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea. Harmful if swallowed. (based on components).

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Supplier Trade Secret	= 370 mg/kg (Rat)	= 560 mg/kg (Rabbit) = 400 mg/kg (Rabbit)	= 2310 ppm (Rat) 4 h = 2310 mg/kg (Rat) 4 h	
Supplier Trade Secret	= 984 mg/kg (Rat)	-	-	
Supplier Trade Secret	> 9000 mg/kg (Rat)	-	-	
Supplier Trade Secret	= 9 g/kg (Rat)	-	-	



Supplier Trade Secret	> 15400 mg/kg (Rat)	> 3 g/kg(Rabbit)	-
Supplier Trade Secret	> 2000 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms Erythema (skin redness). May cause redness and tearing of the eyes. Itching. Rashes.

Hives.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause sensitization in susceptible persons. May cause sensitization by skin contact.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Supplier Trade Secret		Group 3		
Supplier Trade Secret	A1	Group 1	Known	Х
Supplier Trade Secret		Group 2B	Reasonably Anticipated	Х
Supplier Trade Secret	A3	Group 2B		Х
Supplier Trade Secret	A3	Group 2B		Х

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure. Based on

classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from

chronic or repeated exposure. (STOT RE).

Chronic Toxicity Contains a known or suspected carcinogen. Avoid repeated exposure. Prolonged exposure

may cause chronic effects. May cause adverse effects on the bone marrow and

blood-forming system. May cause adverse liver effects.

Target Organ Effects Blood. Central Nervous System (CNS). Central Vascular System (CVS). Eyes. Kidney.

Liver. Lungs. Nasal cavities. Respiratory system. Skin. Gastrointestinal tract (GI). Digestive

System.

Aspiration Hazard No information available.



Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)
1,222.00 mg/kg
ATEmix (dermal)
1,584.00 mg/kg (ATE)
ATEmix (inhalation-vapor)
23.77 ATEmix



Page 10/16

12. ECOLOGICAL INFORMATION

<u>Ecotoxicity</u>
Very toxic to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Supplier Trade Secret		96h LC50: 296 - 320 mg/L		
		(Pimephales promelas)		
Supplier Trade Secret		96h LC50: = 13.6 mg/L		
1		(Morone saxatilis)		
Supplier Trade Secret	96h EC50: 0.031 - 0.054	96h LC50: 0.0068 - 0.0156		48h EC50: = 0.03 mg/L
	mg/L (Pseudokirchneriella	mg/L (Pimephales promelas)		
	subcapitata) 72h EC50:	96h LC50: = 1.25 mg/L		
	0.0426 - 0.0535 mg/L	(Lepomis macrochirus) 96h		
	(Pseudokirchneriella	LC50: = 0.052 mg/L		
	subcapitata)	(Oncorhynchus mykiss) 96h		
		LC50: = 0.2 mg/L		
		(Pimephales promelas) 96h		
		LC50: < 0.3 mg/L		
		(Pimephales promelas) 96h		
		LC50: = 0.112 mg/L		
		(Poecilia reticulata) 96h		
		LC50: = 0.3 mg/L (Cyprinus		
		carpio) 96h LC50: = 0.8		
		mg/L (Cyprinus carpio)		
Supplier Trade Secret	72h EC50: = 0.18 mg/L	96h LC50: > 100 mg/L		48h EC50: > 100 mg/L 48h
	(Pseudokirchneriella	(Brachydanio rerio) 96h		EC50: = 1 mg/L
	subcapitata) 96h EC50:	LC50: = 1.3 mg/L (Cyprinus		
	0.174 - 0.311 mg/L	carpio) 96h LC50: = 10.4		
	(Pseudokirchneriella	mg/L (Cyprinus carpio)		
	subcapitata)			
Supplier Trade Secret				24h EC50: > 5600 mg/L
Supplier Trade Secret		96h LC50: = 0.064 mg/L		48h EC50: = 0.00024 mg/L
		(Lepomis macrochirus) 96h		1
		LC50: = 0.0062 mg/L		
		(Oncorhynchus mykiss) 96h		
		LC50: 0.00155 - 0.00293		
		mg/L (Pimephales promelas)		

Persistence and Degradability

No information available.

Bioaccumulation

Chemical name	Log Pow
Supplier Trade Secret	0.48

Other adverse effects

No information available.



Page 11/16

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

Dispose of contents/containers in accordance with local regulations. **Contaminated Packaging**

US EPA Waste Number D011

California Hazardous Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Supplier Trade Secret	Toxic Ignitable
Supplier Trade Secret	Toxic
Supplier Trade Secret	Ignitable powder
Supplier Trade Secret	Toxic powder Ignitable powder
Supplier Trade Secret	Ignitable powder
Supplier Trade Secret	Toxic
Supplier Trade Secret	Toxic

14. TRANSPORT INFORMATION

Note:

The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule)

Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"

DOT

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class

UN3480, LITHIUM ION BATTERIES, 9 Description 147

Emergency Response Guide

Number

TDG



UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class 9

Marine Pollutant This product contains a chemical which is listed as a severe marine pollutant according to

TDG.

Description UN3480, LITHIUM ION BATTERIES, 9

MEX

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class 9

Description UN3480, LITHIUM ION BATTERIES, 9

ICAO

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class 9

Description UN3480, LITHIUM ION BATTERIES, 9

<u>IATA</u>

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class 9

Description UN3480, LITHIUM ION BATTERIES, 9

IMDG/IMO

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class 9

EmS-No. F-A, S-

Description UN3480, LITHIUM ION BATTERIES, 9

RID

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class 9
Classification code M4

Description UN3480, LITHIUM ION BATTERIES, 9

<u>ADR</u>

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class 9
Classification code M4
Tunnel restriction code (E)

Description UN3480, LITHIUM ION BATTERIES, 9

<u>ADN</u>

UN-No. UN3480

Proper Shipping Name LITHIUM ION BATTERIES

Hazard Class 9 Classification code M4

Special Provisions 188, 230, 310, 348, 636, 661

Description UN3480, LITHIUM ION BATTERIES, 9

Limited Quantity 0

15. REGULATORY INFORMATION

International Inventories

TSCA Not determined



DSL Not determined **IECSC**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Supplier Trade Secret -		7 - 13	1.0
Supplier Trade Secret -		1 - 5	0.1
Supplier Trade Secret -		1 - 5	1.0
Supplier Trade Secret -		1 - 5	0.1
Supplier Trade Secret -		1 - 5	1.0
Supplier Trade Secret -		1 - 5	1.0
Supplier Trade Secret -		1 - 5	0.1
Supplier Trade Secret -		0.1 - 1	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard No **Chronic Health Hazard** No Fire Hazard No Sudden release of pressure hazard No **Reactive Hazard** No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Supplier Trade Secret		Х	X	
Supplier Trade Secret		Х		
Supplier Trade Secret		Х	Х	
Supplier Trade Secret		X	Х	

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances	RQ
		RQs	
Supplier Trade Secret	5000 lb		RQ 5000 lb final RQ
			RQ 2270 kg final RQ
Supplier Trade Secret	5000 lb		RQ 5000 lb final RQ
			RQ 2270 kg final RQ
Supplier Trade Secret	100 lb		RQ 100 lb final RQ
			RQ 45.4 kg final RQ
Supplier Trade Secret	1000 lb		RQ 1000 lb final RQ
			RQ 454 kg final RQ

US State Regulations

California Proposition 65



Page 14/16

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65		
Supplier Trade Secret -	Carcinogen		
Supplier Trade Secret -	Carcinogen		
Supplier Trade Secret -	Carcinogen		
Supplier Trade Secret -	Developmental		
Supplier Trade Secret -	Carcinogen		

U.S. State Right-to-Know Regulations

.

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Supplier Trade Secret	Х	X	X	Х	
Supplier Trade Secret	Х	Х	X	Х	Х
Supplier Trade Secret	Х		X	Х	Х
Supplier Trade Secret	Х	Х	Х	Х	
Supplier Trade Secret	Х	Х	Х	Х	Х
Supplier Trade Secret	X	Х	X		
Supplier Trade Secret	X	Х	X	Х	Х
Supplier Trade Secret	X		X	Х	Х
Supplier Trade Secret	Х	Х	X		
Supplier Trade Secret	X	Х	X		Х
Supplier Trade Secret	X	Х	X		
Supplier Trade Secret	X	Х		Х	
Supplier Trade Secret	X	Х	Х	Х	

International Regulations

Mexico

National occupational exposure limits

Chemical name	Carcinogen Status	Exposure Limits		
Supplier Trade Secret		Mexico: TWA= 1 mg/m ³		
		Mexico: TWA= 0.2 mg/m ³		
		Mexico: STEL= 2 mg/m ³		
Supplier Trade Secret		Mexico: TWA= 10 mg/m ³		
Supplier Trade Secret		Mexico: TWA 1 mg/m ³		
Supplier Trade Secret		Mexico: TWA 0.2 mg/m ³		
Supplier Trade Secret		Mexico: TWA 0.2 mg/m ³		
		Mexico: TWA 1 mg/m ³		
		Mexico: STEL 3 mg/m ³		
Supplier Trade Secret		Mexico: TWA 3.5 mg/m ³		
• •		Mexico: STEL 7 mg/m ³		
Supplier Trade Secret		Mexico: TWA 0.1 mg/m ³		

Mexico - Occupational Exposure Limits - Carcinogens

Canada WHMIS Hazard Class

Non-controlled



Page 15 / 16

16. OTHER INFORMATION

NFPA Health Hazards 1 Flammability 0 Instability 0 Physical and

HMIS Health Hazards 0 Flammability 0 Physical Hazard 0 Personal Protection

Χ

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Revision Date 13-Feb-2017

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

