QuicTile by Maltile Grout

SAFETY DATA SHEET

Daltile QuicTile Grout D283 Pewter Brown Revision Number 1

Revision Date: 12-Mar-2020 Supersedes Date: 12-Mar-2020

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Name DALTILE QUICTILE GROUT D283 Pewter Brown

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Joint sealants.

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Dal-Tile Corporation 7834 C F Hawn Fwy Dallas, TX 75217 USA

Phone: 1-800-933-TILE (8453)

E-mail: homedepotcustomerservice@daltile.com

1.4. Emergency telephone number

Telephone: 1-800-227-0332 (Outside U.S.) 1-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

2.2. Label Elements

EMERGENCY OVERVIEW

Not a dangerous substance or mixture according to OSHA 29 CFR 1910. 1200.

Appearance Paste Physical State Liquid Odor No information available

Precautionary Statements - Prevention

Not applicable

Precautionary Statements - Response

Not applicable

Precautionary Statements - Storage

Not applicable

Precautionary Statements - Disposal

Not applicable

Hazards not otherwise classified (HNOC)

Not applicable

Unknown acute toxicity

21% of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

No information available.

Daltile QuicTile Grout D283 Pewter Brown

Revision Number 1 Supersedes Date: 12-Mar-2020

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical name	CAS No.	Weight-%
Quartz	14808-60-7	40-70
Glass, oxide, chemicals	65997-17-3	5-10
Titanium dioxide	13463-67-7	0.1-1

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye contact In case of eye contact, remove contact lens and rinse immediately with plenty of

water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a

Revision Date: 12-Mar-2020

physician.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. If skin

irritation persists, call a physician.

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Ingestion Rinse mouth. Drink plenty of water. Never give anything by mouth to an

unconscious person. Do NOT induce vomiting. If swallowed, seek medical advice

immediately and show this container or label.

Self-protection of the first aider Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing agent suitable for type of surrounding fire.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Daltile QuicTile Grout D283 Pewter Brown

Revision Number 1 Supersedes Date: 12-Mar-2020

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion Carbon oxides.

Products

Explosion Data

Sensitivity to mechanical impact None.
Sensitivity to static discharge None.

5.3. Advice for firefighters

Protective equipment and precautions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required. Stop leak if you can do it

without risk. Do not get in eyes, on skin, or on clothing. Wash thoroughly after

Revision Date: 12-Mar-2020

handling.

6.2. Environmental precautions

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas. Do not

flush into surface water or sanitary sewer system. See Section 12 for additional

Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upUse personal protective equipment as required. Dam up. Soak up with inert

absorbent material. Take up mechanically, placing in appropriate containers for

disposal. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Handle in accordance with good

industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes. Wash hands thoroughly after

handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep from freezing. Keep in properly labeled

containers. Keep containers tightly closed in a dry, cool and well-ventilated

place.

Incompatible materials None known based on information supplied.

7.3. Specific end use(s)

Daltile QuicTile Grout D283 Pewter Brown Revision Number 1

Supersedes Date: 12-Mar-2020

Revision Date: 12-Mar-2020

Other information No information available.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Guidelines The components of this product are inextricably bound in a polymer matrix and

are not expected to be available as airborne hazards (dust, mist, or spray) under

normal condition of use.

Chemical name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Quartz 14808-60-7	TWA: 0.025 mg/m³ respirable particulate matter	IDLH: 50 mg/m³ respirable dust TWA: 0.05 mg/m³ respirable dust	TWA: 50 µg/m³ TWA: 50 µg/m³ excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays : (250)/(%SiO2 + 5) mppcf TWA respirable fraction : (10)/(%SiO2 + 2) mg/m³ TWA respirable fraction	TWA: 0.1 mg/m³
Glass, oxide, chemicals 65997-17-3	TWA: 1 fiber/cm3 respirable fibers: length >5 µm, aspect ratio >=3:1, as determined by the membrane filter method at 400-450X magnification [4-mm objective], using phase-contrast illumination TWA: 5 mg/m3 inhalable particulate matter	-	-	-
Titanium dioxide 13463-67-7	TWA: 10 mg/m³	IDLH: 5000 mg/m³	TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ STEL: 20 mg/m³

Chemical name	Argentina	Brazil	Chile	Venezuela
Quartz 14808-60-7	TWA: 0.05 mg/m³	-	TWA: 0.08 mg/m³	TWA: 0.025 mg/m ³

Daltile QuicTile Grout D283 Pewter Brown

Revision Number 1 Supersedes Date: 12-Mar-2020

Glass, oxide, chemicals 65997-17-3	TWA: 1 fiber/cm3 TWA: 5 mg/m³	-	-	-
Titanium dioxide 13463-67-7	TWA: 10 mg/m³	-	-	TWA: 10 mg/m³

8.2. Exposure controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Personal protective equipment [PPE]

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable chemical resistant gloves. The selection of suitable gloves does

not only depend on the material, but also on further marks of quality and

Revision Date: 12-Mar-2020

various manufacturers.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA

approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local

regulations.

General hygiene considerations Use personal protective equipment as required. Handle in accordance with good

industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with eyes, skin and clothing. Wash contaminated

clothing before reuse. Wash hands thoroughly after handling.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearancePasteColorBrown

Odor No information available
Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No information available

Melting point / freezing point No information available

Boiling point / boiling range No information available

Flash point $> 93.3 \,^{\circ}\text{C} / > 200 \,^{\circ}\text{F}$

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:No information availableLower flammability limit:No information available

Daltile QuicTile Grout D283 Pewter Brown

Revision Number 1 Supersedes Date: 12-Mar-2020

Revision Date: 12-Mar-2020

No information available

No information available

No information available

No information available

Vapor pressureNo information availableVapor densityNo information availableRelative densityNo information available

Water solubility
Solubility in Other Solvents

Partition coefficient
Autoignition temperature

Decomposition temperature

Kinematic viscosity No information available

Dynamic viscosityNo information availableExplosive propertiesNo information available

Oxidizing properties No information available

9.2. Other information

Softening Point

Molecular weight

Solvent content (%)

Solid content (%)

No information available
No information available
No information available

Density 1.74 g/cm³ VOC Content (%) 35.0 g/L

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Keep from freezing.

10.5. Incompatible materials

None known based on information supplied.

10.6. Hazardous decomposition products

None known based on information supplied.

SECTION 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Product Information No data available

InhalationBased on available data, the classification criteria are not met.Eye contactBased on available data, the classification criteria are not met.Skin contactBased on available data, the classification criteria are not met.

Daltile QuicTile Grout D283 Pewter Brown

Revision Number 1 Supersedes Date: 12-Mar-2020

Ingestion

Based on available data, the classification criteria are not met.

Revision Date: 12-Mar-2020

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz 14808-60-7	>2000 mg/kg (Rattus)	-	-
Glass, oxide, chemicals 65997-17-3	>2000 mg/Kg Rat	-	LC50 > 0.691 mg/l (Rattus) 4-Hr
Titanium dioxide 13463-67-7	>10000 mg/kg (Rattus)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Symptoms No information available. Skin corrosion/irritation No information available. No information available. Serious eye damage/eye irritation Irritation No information available. Corrosivity No information available. Sensitization No information available. Germ cell mutagenicity No information available. No information available. Reproductive toxicity Developmental toxicity No information available. **Teratogenicity** No information available. STOT - single exposure No information available. No information available. STOT - repeated exposure No information available. **Chronic Toxicity** Target organ effects No information available. Aspiration hazard No information available. Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses. As Titanium dioxide (13463-67-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	A2	Group 1	Known	×
Glass, oxide, chemicals 65997-17-3	-	Group 3	-	-
Titanium dioxide 13463-67-7	-	Group 2B	-	×

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Daltile QuicTile Grout D283 Pewter Brown

Revision Number 1 Supersedes Date: 12-Mar-2020

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

No information available.

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

Other adverse effects

No information available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal of Wastes It is the responsibility of the waste generator to determine the toxicity and

physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations

Revision Date: 12-Mar-2020

Contaminated packaging Dispose of in accordance with federal, state and local regulations

SECTION 14: TRANSPORT INFORMATION

Note: Keep from freezing

DOTNot regulatedIATANot regulatedIMDGNot regulated

SECTION 15: REGULATORY INFORMATION

Global Inventories

TSCA	Listed
DSL	Not Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

Daltile QuicTile Grout D283 Pewter Brown

Revision Number 1 Supersedes Date: 12-Mar-2020

Revision Date: 12-Mar-2020

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

Non-controlled

United States of America

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard No
Chronic Health Hazard No
Fire Hazard No
Sudden release of pressure hazard No
Reactive Hazard No

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 12-Mar-2020 Revision note Not applicable.

Training Advice No information available

Further information No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Daltile QuicTile Grout D283 Pewter Brown Revision Number 1 Revision Date: 12-Mar-2020 Supersedes Date: 12-Mar-2020

End of Safety Data Sheet