

A photograph of an outdoor deck with a wooden plank finish. In the background, there is a white stone wall, a grey metal armchair with white cushions, a patterned pillow, and an orange throw blanket. A vase of red flowers sits on a table. In the foreground, there is a planter box with pink and orange flowers. The deck is surrounded by greenery.

fiberon[®]

**PRODUCT GUIDE
2019**

Decking | Railing | Fasteners | Cladding



Symmetry Decking in Warm Sienna.
Symmetry Signature Railing in Tranquil White.
On the front cover:
Good Life Decking in Bungalow.
On the back cover:
Symmetry Decking in Burnt Umber.
Symmetry Signature Railing in Tranquil White.

TABLE OF CONTENTS

Introduction	Pages 4-5
Why Fiberon?	Pages 6-7
Decking	Pages 8-21
Railing	Pages 22-25
Fasteners.....	Pages 26-33
Cladding	Pages 34-37
Resources.....	Pages 38-43



Symmetry Decking in Cinnabar.

THE MAGIC OF OUTDOOR LIVING

Coffee and the morning paper. A glass of wine at sunset. Birthdays, barbecues, and dinner parties that last well into the night.

It all happens on your deck—that magical outdoor space where the world slows down, family and friends catch up, and simple moments become treasured memories.

Whatever your dream for outdoor living, let us help make it a reality.

WHY FIBERON?

EXCEPTIONAL

Composite decking offers clear advantages over wood.

BEAUTIFUL FROM START TO FINISH

If you haven't seen today's composite decking, you're in for a treat. Fiberon capped composites capture the warmth and beauty of natural and exotic hardwoods, complete with subtle streaking, varied grain patterns, and rich color palettes. And since capped composite decking doesn't fade or degrade like wood, the look you love today will still be there tomorrow.

LONGER LIFESPAN, LOWER COST OF OWNERSHIP

The average pressure-treated deck can cost thousands per year to maintain and will need replacing before you know it. Fiberon composite decks average less than \$50 in annual maintenance costs. Plus, Fiberon offers 25-year stain and fade and performance warranties, so you can buy and build with confidence.

SAFE FOR YOUR FAMILY, SAFE FOR THE ENVIRONMENT

Fiberon composite decking contains recycled plastics and lumber mill scraps – enough to prevent 70,000 tons of waste from reaching landfills and incinerators each year. Unlike wood, our composites prevent further deforestation. Plus, they are free of toxic chemicals and manufactured using sustainable processes.



PRODUCTS, EXPERT ADVICE

Choose the company that is with you every step of the way.

HELPFUL, CREDIBLE EXPERTS

Whether it's finding the perfect board color, designing a deck layout, or providing tips on selecting a contractor, Fiberon is here to help. We offer straightforward information and honest advice so you can make the best decisions for your unique space.

TOOLS YOU WANT, THE WAY YOU WANT THEM

Intuitive and easy to use, our Outdoor Living Visualizer, Deck Design Tool, and Cost Calculator work on multiple devices, so you can dream, design, and plan anywhere, anytime.

LOCAL ROOTS, GLOBAL REACH

Fiberon products are made in the United States, both in our home state of North Carolina and in Idaho. From these two locations, we distribute throughout North America and to more than two dozen countries in Europe, Asia, Australia, and Central and South America.



Symmetry Decking in Warm Sienna.
Symmetry Signature Railing in Tranquil White.

DECKING

RECLAIM YOUR WEEKENDS

Free time was meant for rest and relaxation, not sanders and deck stain. Fortunately, Fiberon decking is incredibly easy to maintain. No more Saturdays spent sanding or re-staining your deck or paying someone else to do it. Our patented PermaTech® cap layer protects against spills, stains, and UV rays, while the solid composite construction means no splintering, cracking, or rotting. Wood decking simply can't compare.

BEST

SYMMETRY




BEAUTIFULLY BALANCED

The natural wood beauty is undeniable; the advanced composite technology, unbeatable. Saturated colors with multi-chromatic streaking deliver authentic appeal you simply can't find elsewhere. The exclusive PermaTech cap layer protects against fading and staining, while the durable composite core ensures exceptional resistance to rotting, cracking, insects, and decay. This is nature and science in perfect harmony. This is Symmetry®.

- Low-gloss formula and micro-texturing create a unique matte finish
- Multi-chromatic streaking echoes elegant hardwoods
- Subtle grain patterns feature no discernible repeats
- Durable composite core resists splintering, rotting, cracking, insects, and decay
- Four-sided PermaTech cap layer resists staining and fading
- Finished surface on top and bottom is ideal for second-story decks

CHOOSE YOUR COLOR

The earthy color palette was inspired by natural elements and pigments.



GET THE DETAILS



Square Edge = .935 in. x 5.4 in.
Length: 20 ft.



Grooved Edge = .935 in. x 5.4 in.
Lengths: 12 ft., 16 ft., and 20 ft.



Fascia: .75 in. x 11.25 in. x 12 ft.



Riser board: .75 in. x 7.25 in. x 12 ft.

Matching fascia and riser colors: Warm Sienna, Burnt Umber, Cinnabar, and Graphite





Symmetry Decking in Cinnabar.

FYI

Symmetry Decking features more random natural graining than other composite decking. There are no visible repeats or easy-to-discern patterns, which gives the boards a more natural, authentic wood look.

BEST

HORIZON



DRAMATICALLY DIFFERENT

Bold and dramatic, Horizon® Decking delivers rich colors, elegant streaking, and distinct grain patterns. Four-sided capping ensures superior stain and fade resistance plus a polished appearance on top and bottom. The durable composite core resists splintering, cracking, rotting, insects, and decay. And all at a price that is comparable to others' non-reversible decking.

- Dramatic colors and streaking emulate exotic hardwoods
- Four-sided PermaTech cap layer resists staining and fading
- Durable composite core resists splintering, rotting, cracking, insects, and decay
- Reversible boards save time and money, reduce waste
- Priced comparably to others' non-reversible boards

CHOOSE YOUR COLOR

This collection is known for its distinctive, multi-chromatic color palette.




GET THE DETAILS




Square Edge = .935 in. x 5.4 in.
Length: 20 ft.



Grooved Edge = .935 in. x 5.4 in.
Lengths: 12 ft., 16 ft., and 20 ft.



Fascia: .75 in. x 11.25 in. x 12 ft.



Riser board: .75 in. x 7.25 in. x 12 ft.

Matching fascia and riser colors: Ipe, Tudor Brown, Rosewood, and Castle Gray





FYI

If you have an open space beneath your deck, a reversible board like Horizon ensures a clean, finished look on the bottom as well as the top.

Horizon Decking in Ipe.

BEST

PARAMOUNT



READY FOR ANYTHING

Able to withstand moisture, dents, and even flames, Paramount® PVC Decking truly is ready for anything. Perfect for docks and other waterside applications, Paramount Decking is easy to handle, easy to maintain, and approved for use in all Wildland Urban Interface (WUI) zones. And so tough it carries a Limited Lifetime Warranty.

- Ideal for waterside applications (no organic content)
- Lightweight, easy-to-handle boards
- Resists moisture, dents, and flames
- Offers exceptional slip resistance when dry or wet
- Approved for use in all Wildland Urban Interface (WUI) zones
- Meets additional fire performance requirements of San Diego County

CHOOSE YOUR COLOR

Three multi-chromatic colors and one solid color provide plenty of design options.



GET THE DETAILS



Square Edge = 1 in. x 5.5 in.
Length: 20 ft.



Grooved Edge = 1 in. x 5.5 in.
Lengths: 12 ft., 16 ft., and 20 ft.



Fascia: .50 in. x 11.75 in. x 12 ft.

Complementary solid fascia colors: Brown, Sand, and Flagstone/Mineral





Paramount PVC Decking in Sandstone.

FYI

Lightweight Paramount is wood-free, so there's no organic content to promote mold growth. It's an ideal choice for docks and other waterside applications.

BETTER

PROTECT ADVANTAGE


ALL-AROUND PERFORMER

Style, durability, and easy maintenance — ProProtect Advantage® Decking has it all. Available in three gorgeous colors with multi-chromatic streaking, these boards feature our exclusive PermaTech cap layer on three sides for exceptional resistance to staining and fading. Solid composite core resists splintering, cracking, rotting, insects, and decay. A 25-year warranty provides added peace of mind.

- Features PermaTech cap layer on three sides for stain and fade resistance
- Offers a look comparable to premium hardwoods
- Quality composite construction enhances durability, ensures longevity
- Great choice for lower-level decks
- ProProtect Advantage FR is approved for use in all Wildland Urban Interface (WUI) zones (available by special order)

CHOOSE YOUR COLOR

Rich hues and multi-chromatic streaking reflect the beauty of premium hardwoods.




GET THE DETAILS




Square Edge = .93 in. x 5.3 in.
Length: 20 ft.



Grooved Edge = .93 in. x 5.3 in.
Lengths: 12 ft., 16 ft., and 20 ft.



Fascia: .75 in. x 11.25 in. x 12 ft.



Riser board: .75 in. x 7.25 in. x 12 ft.

Matching fascia colors: Chestnut, Western Cedar *, and Gray Birch

*Available by special order.





ProTect Advantage Decking in Chestnut.

FYI

Wildland Urban Interface (WUI) zone is the name given to land that sits between natural woodlands and developed areas.

GOOD

GOOD LIFE


MORE FOR YOUR MONEY

Good Life Decking has always offered an unbeatable combination of performance, durability, and value. And now, Good Life Decking offers the rich, nuanced look of tropical hardwoods with three new multi-chromatic colors, Beach House, Bungalow, and Tuscan Villa. It's never been easier to elevate the style and sophistication of your outdoor space while keeping your budget down to earth.

- Authentic wood look features distinct grain patterns
- Multi-chromatic colors resemble exotic hardwoods
- Solid colors look like traditional stained decking
- Composite construction prevents splintering, cracking, and decay
- Three-sided cap layer resists staining and fading
- Durable, long-lasting, and priced closer to wood

CHOOSE YOUR COLOR

Multi-chromatic colors increase visual appeal; solid colors resemble traditional stained decking.



GET THE DETAILS



Square Edge = .93 in. x 5.25 in.
Length: 20 ft.



Grooved Edge = .93 in. x 5.25 in.
Lengths: 12 ft., 16 ft., and 20 ft.



Fascia: .75 in. x 11.25 in. x 12 ft.

Matching fascia colors: Tuscan Villa, Bungalow, Beach House, Cabin, and Cottage






Good Life Decking in Beach House.

FYI

Good Life Decking offers a like-wood appearance and popular color options at a price point that's closer to pressure-treated lumber. Why settle?

GOLDEN BROWNS

This category covers everything from golden tans to light brown. Warm and natural, these shades complement any architecture. No wonder it's the most popular color family for decking.



Symmetry
WARM SIENNA



Horizon
IPE



Paramount
BROWNSTONE



Paramount
SANDSTONE

COLOR

MAKE A STATEMENT


Do you gravitate toward classic styles, love bold, unexpected looks, or prefer a more relaxed, coastal vibe? Just as you select furnishings to create a mood, your deck board color will also influence the look and feel of your outdoor space.

CLASSIC BROWNS

From rich mid-tones to deepest brown, these colors add depth and drama to your space. The darker choices are especially well-suited to Craftsman-style or Mediterranean homes.

GRAYS

With undercurrents of blue or sandy beige, gray evokes thoughts of rocky shorelines and weathered wood. The perfect choice for coastal homes, gray boards add quiet sophistication to urban spaces as well.




Symmetry
GRAPHITE








Horizon
CASTLE GRAY

Actual colors may vary from photographs.



REDDISH BROWNS

Timeless, classic, and yet still a bit unique: that's red. For warmth, energy, and landscaping that pops, consider rich Cinnabar, elegant Rosewood, or always appealing Western Cedar.





Symmetry Signature Railing in Tranquil White with custom inset (not available through Fiberon).

RAILING

PUT DOWN YOUR PAINT BRUSH

What's more painful than a splinter from your old wood railing? Spending your weekend repainting that railing. With Fiberon composite railing, there's no sanding, scraping, or repainting. And definitely no splinters.

Drop the paint brush. Free time is calling.


SYMMETRY SIGNATURE

STRONG IS STYLISH


From its understated satin finish to its clever sub-rail reinforcement, Symmetry Signature Railing is the ideal balance of looks and strength. The sculpted top rail imparts a touch of sophistication. Three color choices and two baluster options create multiple design options. Best of all, the smart composite construction and protective bonded cap layer eliminate work and worries. Sit back and enjoy the view.

- Refined satin finish adds elegance
- Composite construction ensures lasting durability
- Reinforced top rail provides a strong, sturdy feel
- Hidden hardware gives a clean look
- Compatible with ADA handrail system, available via special order


CHOOSE YOUR COLOR



Tranquil White



Serene Black



Simply Brown

Top Rail = 2.95 in. x 2.95 in. Bottom Rail = 2.5 in. x 2 in.

GET THE DETAILS

Rails and Infill

Sold in line/stair sections as follows:

- 6 ft. sections and 8 ft. sections for 36 in. rail height
- 6 ft. sections and 8 ft. sections for 42 in. rail height

These sections include top and bottom rails, balusters, crush blocks and holders, and mounting hardware.

Choose from beveled composite balusters or round aluminum balusters.


Post Caps, Sleeves, and Skirts

Post sleeve kit includes:

- Post sleeve: 5 in. x 5 in. x 39 in. or 45 in. lengths
- Post cap: 5 in. x 5 in.
- Post skirt: 5 in. x 5 in.

Also sold separately:

- Post sleeve: 5 in. x 5 in. x 39 in., 45 in., or 108 in. lengths
- Post cap: 5 in. x 5 in.
- Post skirt: 5 in. x 5 in.







Symmetry Decking in Burnt Umber.



DECK FASTENERS

THE RIGHT HARDWARE FOR THE JOB

Little details can make a big difference. Like fasteners. You can choose hidden fasteners for a smooth, flawless surface or a face-fastening system with color-matched plugs for a neat, polished finish. Either way, you'll have a secure space and a look you're sure to love.

PHANTOM

HIDDEN FASTENERS

PHANTOM UNIVERSAL HIDDEN FASTENER

The new Fiberon Phantom® Universal Hidden Deck Fastener is easy to install, helps minimize lateral board movement, and works with most leading grooved composite decking brands.

- Black HDPE fastener with pre-inserted screw practically disappears between deck boards
- Carbon steel-coated screw helps prevent rust and corrosion
- Patented “teeth” help prevent lateral board movement
- Pre-inserted screw enables easy one-touch installation
- Self-gapping design ensures consistent 3/16 in. spacing between every board

PHANTOM GT AND PHANTOM EC

Tried and true, Fiberon Phantom GT, Phantom EC, and Phantom 20EC fasteners ensure lasting hold in a traditional metal fastener design.

- Made from stainless steel with corrosion-resistant coating
- More “teeth” and sharper curves grip deck boards for a stronger hold to the joist
- Keyhole design properly orients and seats the screw for optimal installation
- Butt Joint Fasteners eliminate the need to double joist
- End Clip Fasteners eliminate surface fasteners on the beginning and end boards of the deck
- Phantom GT Fasteners work with interior deck boards
- Phantom EC (End Clip) Fasteners work with perimeter boards
- Phantom 20EC (End Clip) Fasteners are designed specifically for use with Paramount PVC perimeter boards

HOW THEY WORK



Hidden clips ensure a smooth surface and more seamless transition from indoor to outdoor spaces.



For the Phantom universal fastener, the clip is installed into the groove. Then, a screw is driven straight down into the joist (90° angle).



For all other Phantom fasteners, the clip is installed into the groove and a screw is driven into the joist at an angle.

CORTEX

HIDDEN FACE FASTENERS

CORTEX HIDDEN FACE FASTENING SYSTEM

- Installed on the board's surface
- Use with square edge or grooved edge boards
- A color-matched plug made from Fiberon decking minimizes the appearance of hardware
- Pre-drilling is required at 40° or below. We strongly recommend pre-drilling in all instances
- May be used on stairs
- Not for use on fascia or risers, or with Good Life Decking



Symmetry Decking in Warm Sienna and Burnt Umber.

HOW THEY WORK



Color-matched plugs camouflage screw heads across the deck surface, stairs, and perimeter boards.



A special driving tip automatically puts the Cortex® screw at a precise depth.



Then, the color-matched plug is tapped in with a hammer.

HOW TO PURCHASE

Phantom Universal Hidden Fasteners

- Use with interior boards
- Available in boxes of 90 (50 sq. ft. of coverage) for 16-in. on-center installations
- Also available in buckets of 900 (500 sq. ft. of coverage) for 16-in. on-center installations



Phantom GT Line Hidden Fasteners

- Use with interior boards
- Available in boxes of 90 (50 sq. ft. of coverage) for 16-in. on-center installations
- Also available in buckets of 900 (500 sq. ft. of coverage) for 16-in. on-center installations



Phantom EC (End Clip) Hidden Fasteners

- Use with perimeter boards
- Available in bags (25 lineal ft. of coverage) that include 25 clips, 40 screws, and a driver bit for 12 in. on-center installations



Phantom 20EC (End Clip) Hidden Fasteners

- Use with Paramount PVC Decking perimeter boards
- Available in bags (25 lineal ft. of coverage) that include 25 clips, 40 screws, and a driver bit for 12 in. on-center installations



Fiberon Ballistic Nailscrew Driver

- Use with Phantom Ballistic Nailscrew fasteners
- Kit includes driver, swivel hose fitting, belt hook, safety glasses, Allen wrench, and oil

Fiberon Phantom Ballistic Nailscrew Fasteners

- Use with Phantom Ballistic Nailscrew Driver to secure boards quickly
- Available in 900-count buckets (500 sq. ft. of coverage) for 16 in. on-center installations
- Bucket includes 800 stainless steel line fasteners, 100 stainless steel butt joint fasteners, 950 Ballistic Nailscrews, and two driver bits
- Compatible for use on ACQ-treated wood



Cortex Hidden Face Fasteners

- Use to secure interior and perimeter boards as well as stairs
- Available in boxes (100 l/f of coverage for 12 in. on-center installations or 140 l/f of coverage for 16 in. on-center installations)
- Available in buckets (300 l/f of coverage) that contain 1,050 2-1/2 in. screws, 1,200 color-matched plugs, and six setting tools
- Boxes contain 224 2-1/2 in. screws, 300 color-matched plugs, and two setting tools



FASTENER COMPATIBILITY CHART

HIDDEN FASTENING

DECKING	SYMMETRY	HORIZON	PARAMOUNT PVC	PROTECT ADVANTAGE	GOOD LIFE
Interior Boards	Phantom GT Phantom Universal	Phantom GT Phantom Universal	Tiger Claw TC-G hidden fasteners	Phantom GT Phantom Universal	Phantom GT Phantom Universal
Perimeter Boards	Phantom EC Fasteners	Phantom EC Fasteners	Phantom 20EC Fasteners	Phantom EC Fasteners	Phantom EC Fasteners


FACE FASTENING*

DECKING	SYMMETRY	HORIZON	PARAMOUNT PVC	PROTECT ADVANTAGE	GOOD LIFE**
Interior Boards	Cortex or composite deck screws	Cortex or composite deck screws	Cortex or composite deck screws	Cortex or composite deck screws	composite deck screws
Perimeter Boards	Cortex or composite deck screws	Cortex or composite deck screws	Cortex or composite deck screws	Cortex or composite deck screws	composite deck screws
Fascia	composite deck screws	composite deck screws	composite deck screws	composite deck screws	composite deck screws
Risers	composite deck screws	composite deck screws	N/A	composite deck screws	N/A

*Use a minimum #8 x 2.5 in. composite deck screw.

**Do not use Cortex screws with Good Life Decking. The scalloped bottom on Good Life boards does not provide sufficient material for the screw to "grab," meaning a less secure installation and a far greater risk of cracking due to pressure/vibrations over time.

For more details on deck board fasteners, consult Fiberon Decking Installation Instructions at www.fiberondecking.com/resources/installation-instructions



COMPOSITE CLADDING

FOR HIGH-PERFORMANCE RAIN SCREEN SYSTEMS

Beautiful, durable Fiberon composite cladding provides authentic wood looks without the wood maintenance. It's the ideal choice for rain screen applications.



CLADDING

FOR HIGH-PERFORMANCE RAIN SCREEN SYSTEMS


Unlike typical cladding options, Fiberon composite cladding will not fade, crack, peel, or develop mold and mildew stains. Maintenance is minimal, which lessens long-term costs of ownership, and water absorption is negligible. Plus, Fiberon cladding is available in a range of naturally beautiful wood tones that will complement any commercial or residential project.

- Thick, solid profiles feature embossed grain patterns
- Two distinct finishes offer subtle or dramatic multi-chromatic streaking
- Boards work in vertical or horizontal applications
- Safe and easy to cut (no carcinogens released during cutting)
- Easy to install (no special tools or trade-specific labor needed)
- Contains 94% recycled content
- Suitable for soffits, screen facades, and similar applications

EXTENSIVE COLOR PALETTE


Fiberon Symmetry

Matte finish with subtle streaking



Fiberon Horizon

Traditional finish with bold, multi-chromatic streaking



GET THE DETAILS








Square Edge = .935 in. x 5.4 in.
Length: 12 ft, 16 ft., and 20 ft.



WARNING:

Drilling, sawing, or machining wood-composite products containing wood fiber can expose you to wood dust, a substance known to the State of California to cause cancer. Avoid inhaling dust generated from wood-composite products or use a dust mask or other safeguards for personal protection. For more information, go to www.P65Warnings.ca.gov.

CLADDING COMPARISON CHART

CLADDING OPTIONS	FIBERON COMPOSITE CLADDING	FIBER CEMENT SIDING	WOOD LAP SIDING	STUCCO	BRICK AND STONE MASONRY
					
APPEARANCE	<ul style="list-style-type: none"> • Authentic wood grain and color variation. • No fading. • No cracking or decay. 	<ul style="list-style-type: none"> • Painted. • No multi-chromatic streaking. • Can fade and crack. 	<ul style="list-style-type: none"> • Color fades, chips, and can stain. • Can develop mold and mildew stains. 	<ul style="list-style-type: none"> • Prone to cracking. • Limited trim options. 	<ul style="list-style-type: none"> • Authentic look.
EASE OF INSTALLATION	<ul style="list-style-type: none"> • Boards are prefinished; no extra steps required. Reduces labor time/expense. • Install with composite material screws. • Longer board lengths reduce splices and labor. • No carcinogens released during cutting. • Can be installed with workers on ladders instead of scaffolding. 	<ul style="list-style-type: none"> • Releases silica during cutting. • OSHA requires exposure controls and protective equipment. • Can break under its own weight. Careful handling required. 	<ul style="list-style-type: none"> • Requires multiple trades to install and finish. 	<ul style="list-style-type: none"> • Labor intensive. • Requires 2- to 3-step application plus paint. • All layers must be uniform to perform well. • Requires two layers/ applications of building paper or wrap plus lath reinforcing. • Heavy; scaffolding required when installing on second story or higher. 	<ul style="list-style-type: none"> • Labor intensive. • Requires wider foundation wall to support its own weight and accommodate code-required 1-inch air space. • Heavy; scaffolding required when installing on second story or higher. • Requires steel support lintels over windows, doors, and gable ends. • Requires brick ties, thru-wall flashings, and weep holes for water drainage.
REQUIRES SPECIAL TOOLS OR TRADE-SPECIFIC LABOR	No	Yes	No	Yes	Yes
DURABILITY	<ul style="list-style-type: none"> • Won't crack, splinter, peel, rot, decay, or suffer insect infestation. 	<ul style="list-style-type: none"> • Brittle. Can fracture if nailed close to edge. • Finish and face can spall (flake or break off) in cold environments. 	<ul style="list-style-type: none"> • Splits and splinters. • Prone to fading. 	<ul style="list-style-type: none"> • Prone to cracking. 	<ul style="list-style-type: none"> • Can spall when exposed to moisture.
WATER ABSORPTION	Negligible	Depends on quality and age of finish.	Depends on quality and age of finish.	Always	Always
AFFECTED BY FREEZE/THAW CYCLES	No	Yes	Yes	Sometimes	Sometimes
WARRANTY	10-year Commercial 25-year Residential	Varies by manufacturer. Weathering/fading usually not covered.	None	None	None
CONTAINS RECYCLED CONTENT	Yes-94%	No	No	No	No



Symmetry Decking in Burnt Umber.
Symmetry Signature Railing in Tranquil White.

A photograph of a wooden deck with a white railing. On the deck, there is a wooden bench with a blue cushion and two white patterned pillows. There are several potted plants, including a large green plant in a copper pot and a smaller plant in a white pot. The deck is made of dark brown wood. In the foreground, a dark wooden chair is visible, and a table with a blue lace placemat and a white plate is partially seen.

RESOURCES

HOW TO GO FROM DREAMING TO DONE

With a little free time, a computer, and our online tools, you'll have everything you need to create the perfect outdoor space.

ONLINE TOOLS

YOUR ULTIMATE OUTDOOR SPACE BEGINS HERE

DREAM IT.

Find ideas and inspiration in our [Product Gallery](#) and [Contractor Gallery](#).

The [Product Gallery](#) features completed projects as well as deck board images highlighting the gorgeous colors and grain details. Skilled contractors showcase their work in our [Contractor Gallery](#). It's a great place to explore various deck designs and elevations.




PLAN IT.


Unleash your inner deck designer and have some fun.

Not sure which board color works best with your siding? Wondering whether to match your railing or go for dramatic contrast? Use our [Outdoor Living Visualizer](#) to find the answers. Mix and match decking and railing, and discover how great your home would look with Fiberon composite cladding. The sky's the limit.

Found your ideal color combination? Try our [Deck Design Tool](#). Whether it's a multi-level deck with an outdoor kitchen or a simple rectangle with a cozy conversation nook, you can create your ultimate space and get a 3-D rendering and complete materials list.

Every project has a budget, and our new [Cost Calculator](#) can help you determine yours. Simply enter the deck dimensions, select your preferred materials, and receive a cost estimate to help you plan a workable budget.






DO IT.











It's time to build. We can help.

Our Find a **Builder** tool lists local, qualified Fiberon deck builders who can answer questions, provide project advice, and quote the job.

Or, use the **Where to Buy** feature to find local Fiberon dealers as well as lumberyards and home centers that carry our products.



TECHNICAL SPECIFICATIONS

DECKING	SYMMETRY	HORIZON	PARAMOUNT PVC	PROTECT ADVANTAGE	GOOD LIFE
Board Profile Dimensions	Flat bottom .935 in. x 5.4 in.	Flat bottom .935 in. x 5.4 in.	Flat bottom 1 in. x 5.5 in.	Flat bottom .93 in. x 5.3 in.	Scalloped bottom .93 in. x 5.25 in.
Square Edge Profile					
Grooved Edge Profile					
Reversible	Yes	Yes	No	No	No
Material	Wood-plastic composite core with co-extruded PermaTech cap on 4 sides	Wood-plastic composite core with co-extruded PermaTech cap on 4 sides	Cellular Foam Polymer with co-extruded cap on 3 sides	Wood-plastic composite core with co-extruded PermaTech cap on 3 sides	Wood-plastic composite core with co-extruded cap on 3 sides
Multi-chromatic	Burnt Umber, Cinnabar, Graphite, and Warm Sienna	Ipe, Castle Gray, Rosewood, and Tudor Brown	Brownstone, Flagstone, and Sandstone	Chestnut, Gray Birch and Western Cedar*	Beach House, Bungalow, and Tuscan Villa
Solid Colors	N/A	N/A	Mineral	N/A	Cabin and Cottage
Limited Performance Warranty	25-Year	25-Year	Lifetime	25-Year	25-Year
Stain and Fade Warranty	25-Year	25-Year	N/A	25-Year	25-Year
Square Edge Lengths	20 ft.	20 ft.	20 ft.	20 ft.	20 ft.
Grooved Edge Lengths	12, 16, and 20 ft.	12, 16, and 20 ft.	12, 16, and 20 ft.	12, 16, and 20 ft.	12, 16, and 20 ft.
Span Limitations					
Perpendicular to joist:	16 in.	16 in.	16 in.	16 in.	16 in.
Up to 45° angle to joist:	12 in.	12 in.	12 in.	12 in.	12 in.
Stair tread spacing:	9 in.	9 in.	24 in. **	8 in.	7 in.
Fascia Available	.75 in. x 11.25 in. x 12 ft. Matching colors	.75 in. x 11.25 in. x 12 ft. Matching colors	.50 in. x 11.75 in. x 12 ft. Complementary colors	.75 in. x 11.25 in. x 12 ft. Matching colors*	.75 in. x 11.25 in. x 12 ft. Matching colors
Risers Available	.75 in. x 7.25 in. x 12 ft. All colors	.75 in. x 7.25 in. x 12 ft. All colors	No	.75 in. x 7.25 in. x 12 ft. All colors	No

*Western Cedar by special order.


** When installing Paramount Decking, secure stair treads over and in contact with a treated pine 2x6, installed flat, not on edge, as under support, and secured with Simpson A23 approved connectors and 10d x 1-1/2 in. hot galvanized nails.



WARNING:

Drilling, sawing, or machining wood-composite products containing wood fiber can expose you to wood dust, a substance known to the State of California to cause cancer. Avoid inhaling dust generated from wood-composite products or use a dust mask or other safeguards for personal protection. For more information, go to www.P65Warnings.ca.gov.

RAILING	SYMMETRY SIGNATURE
Profile Dimensions	Top Rail: 2.95 in. x 2.95 in. Bottom Rail: 2.5 in. x 2 in.
Material	Premium quality composite with permanent PVC surface
Colors	Tranquil White, Serene Black, and Simply Brown
Limited Performance Warranty	25-Year
Line / Stair Sections	6 ft. and 8 ft.
Rail Heights	36 in. or 42 in. rail heights
Post Sleeve Kit Components also sold separately. See pages 24 for details.	Post sleeve: 5 in. x 5 in. x 39 in. or 45 in. Post cap: 5 in. x 5 in. Post skirt: 5 in. x 5 in.
Available Baluster Styles, Profiles, and Dimensions	Beveled Composite: 1.25 x 1.25 x 29.5 in. or 1.25 x 1.25 x 35.5 in. Round Aluminum (Black): .75 in. diameter x 29.5 in. and 35.5 in. for line or 30 in. and 36 in. for stairs





fiberon[®]

fiberondecking.com | 1.800.573.8841

Fiberon, Paramount, Horizon, Permatech, ProTect Advantage, Phantom, and Symmetry are trademarks of Fiber Composites, LLC, registered in the U.S. and other countries.

Let's connect.



houzz

Pinterest



YouTube

Made in the USA
MKT LIT FIB GUIDE19 REV 12/18