Proven **One-Step**Disinfectant

**Kills Germs** Ordinary Dish Soap Can't

Contains **NO** bleach or harsh acids





Fragrance-Free

PO Box 7444 • Warner Robins, GA • USA • 31095 478.922.5340 · odoban.com

Quality Assurance Hotline: 800.841.3904 (9:00am—4:00pm Monday through Friday EST)

This product is **a concentrated Hospital Use disinfectant** that is effective against a broad spectrum of bacteria, is virucidal\*, fungicidal and eliminates odor causing bacteria when used as directed.

# Germ Control

# KEEP OUT OF REACH OF CHILDREN DANGER PELIGRO

See side panel for additional precautionary statements.

**Net Contents:** 

1/2 Gallon (1.89 L)

EPA Reg. No. 10324-105-66243 EPA Est. No. 66243-GA-001

### Active Ingredients:

Alkyl (C<sub>14</sub> 60%, C<sub>16</sub> 30%, C<sub>12</sub> 5%, C<sub>18</sub> 5%) dimethyl benzyl ammonium chloride . . . . . 4.5% Alkyl (C<sub>12</sub> 68%, C<sub>14</sub> 32%) dimethyl ethylbenzyl ammonium chloride . . 4.5% Total: ..... 100.0% FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately

for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

Germ Control is for use on hard, non-porous surfaces in: hospitals, nursing homes, medical and dental offices, clinics, households, schools, day care centers and nurseries, sick rooms, public restrooms, travel rest areas, hotels, churches, athletic facilities and locker rooms, gyms, spas, shower and bath areas, cars and RV's.

This product has passed the Virucidal\* Efficacy of a Disinfectant for Use on Inanimate Environmental Surfaces utilizing Duck Hepatitis B virus and Bovine viral diarrhea virus (BVDV) Surrogate for human Hepatitis C virus.

# **DISINFECTION PERFORMANCE IN**

INSTITUTIONS, HOSPITALS, AND NON-MEDICAL FACILITIES: This product is effective against: Acinetobacter baumannii, Bordetella bronchiseptica, Campylobacter jejuni, Corynebacterium ammoniagenes, Enterobacter aerogenes, Enterococcus faecalis, Escherichia coli O111:H8, Escherichia coli O157:H7, Vancomycin Resistant Enterococcus faecalis (VRE), Escherichia coli, Klebsiella pneumoniae, Klebsiella pneumoniae - New Delhi metallo-beta-lactamase, Listeria monocytogenes, Pseudomonas aeruginosa, Salmonella enterica, Salmonella schottmuelleri, Salmonella typhi, Shigella dysenteriae, Staphylococcus aureus, Community associated Methicillin resistant Staphylococcus aureus (CA MRSA), Staphylococcus aureus Methicillin resistant, Vancomycin Intermediate resistant Staphylococcus aureus (VISA), Streptococcus salivarius

VIRUCIDAL\* PERFORMANCE: This product is effective against: Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Herpes Simplex virus Type1, Human Coronavirus, HIV-1 (AIDS Virus), Influenza A H1N1 virus, Norovirus Norwalk-like virus Feline Calicivirus

## **FUNGICIDAL PERFORMANCE: This**

product is effective against: *Trichophyton* mentagrophytes athlete's foot fungus a cause

**MILDEWCIDAL PERFORMANCE: This** product is effective against: Aspergillus niger

### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling.

Before using this product, food products and packaging materials must be removed from the room or carefully protected. Do not use this product to clean or disinfect utensifs, glassware, dishes or interior surfaces of appliances.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or, (2) contacts intact mucous membranes but which does not ordinar penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product can be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

### **DISINFECTION/VIRUCIDAL\***/ FUNGICIDAL/MOLD AND MILDEW PERFORMANCE IN INSTITUTIONS AND NON-MEDICAL FACILITIES: Mix 1 ounce of

this product with 1 gallon of water. For heavily soiled areas, a preliminary cleaning is required. Apply use solution to hard non-porous surfaces with a brush, cloth, mop, sponge, auto scrubber, mechanical spray device, trigger spray device or by immersion so as to thoroughly wet surfaces. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray. Rub with brush, cloth, mop, or sponge. Treated surfaces must remain wet for 10 minutes. Allow to air dry. Rinse all treated surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse.

Change cloth, sponge or towels frequently to avoid redeposition of soil. Change the solution at least daily or when use solution becomes visibly soiled.

### **CLEANER AND DEODORIZER DIRECTIONS:** Apply use solution of 1-2 ounces of this product per 1 gallon of water to surfaces. Rinse

\*KILLS HIV, HCV AND HBV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of hard non-porous surfaces/objects with blood or body fluids and in which the surfaces/ objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) associated with AIDS, Hepatitis B virus (HBV) and Hepatitis C virus (HCV).

### SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HCV AND HBV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Clean up must always be done wearing protective latex gloves, gowns, masks and eye protection. **Cleaning Procedure:** Blood and other body fluids containing HIV-1, HBV and HCV must be thoroughly cleaned from hard non-porous surfaces and objects before application of this product. **Disposal of Infectious Materials:** Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **Contact Time:** For HIV only, leave hard nonporous surfaces wet for 2 minutes For all other viruses and bacteria, leave hard

nonporous surfaces wet for 10 minutes. The 2-minute contact time will not control other common types of viruses and bacteria listed on

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. **STORAGE:** Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. **PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State  $\overset{\cdot}{\text{Pesticide}}$ or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

### PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eve damage and skin burns. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse. **ENVIRONMENTAL HAZARDS:** This product is toxic to fish. PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame. Do not mix with oxidizers, anionic soaps and detergents.