

SANICUBIC 1

Above the floor simplex system



Pump Type:
GRINDER

Discharge up to:
↑ 36 Ft. ↑ and/or ← 328 Ft. →

Power/Electrical Information:
115V - 60 Hz / 1 HP / 10 A

Dimensions:
H 14 1/4" (36cm) x W 21 1/4" (54cm)
x D 16 3/4" (42.6cm)

Discharge pipe diameter:
1 1/2" rigid pipe

Discharge flow rate at 36':
26 gal per min (98 liters per min)

Discharge flow rate at 3':
50 gal per min (189 liters per min)

Max. Temperature:
158°F (70°C)

GRINDER TECHNOLOGY



Scan with your smart phone to watch a clip of the SaniCubic 1 system.

New grinding technology eliminates clogging issues found on sewage ejector stations as **it can handle feminine hygiene products.**

- The SaniCubic 1 is a **pre-assembled simplex grinder** system designed for residential and commercial applications.
- Handles the **waste from multiple bathrooms** and fixtures throughout a home or building.
- Waterproof enclosure** rated to IP68 standards. Equipped with an **external control panel and alarm system.**
- Easy installation above the floor** eliminates any possible mess and cuts down on additional expenses.
- It can be **retrofitted into an existing sewage ejector** basin of at least 24" diameter for a quick and easy pump exchange.



Part# 089


Possible Connections:




- 1 1/2" Discharge
- 1 1/2" Vent
- Connect to any toilet, sink, shower, bathtub, washing machine, etc.



- CONTROL PANEL**
External wired control panel with LED power control and overload indicator
- MOTOR**
A powerful 1 HP grinder pump
- INLET - UP TO 4 INLETS**
3 inlets – 1 1/2" or 4" / 1 inlet – 1 1/2" (coupling provided)




- DISCHARGE**
1 1/2" with check valve built inside
- VENT**
1 1/2"
- ALARM**
Equipped with a visual and audible external alarm box (15 ft. long wire)



BENEFITS OF THE SANICUBIC 1

- SaniCubic 1 can handle up to **50 gallons** per minute from several fixtures
- Powerful motor for absolute reliability and efficiency
- Wired audible and visual LED alarm included with the system
- Easy installation above the floor
- Accepts accidental flushing of sanitary items, such as feminine hygiene products.
- IP68 rated enclosure for possible submergence

Performance Curve



Make the impossible possible with Saniflo!