SAFETY DATA SHEET



Date of issue/Date of revision 1 July 2015 Version 4

Section 1. Identification		
Product name	: GL PREM EXT LTX SG BS 3 GL6813	
Product code	: 00409277	
Other means of identification	: Not available.	
Product type	: Liquid.	
Relevant identified uses of	the substance or mixture and uses advised against	
Product use	: Industrial applications, Used by spraying.	
Use of the substance/ mixture	: Coating.	
Uses advised against	: Not applicable.	
Supplier	: PPG Industries, Inc. One PPG Place Pittsburgh, PA 15272	
Emergency telephone number	: (412) 434-4515 (U.S.) (514) 645-1320 (Canada) 01-800-00-21-400 (Mexico)	
Technical Phone Number	: 1-800-441-9695 (8:00 am to 5:00 pm EST)	

Section 2. Hazards identification

OSHA/HCS status	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	: Not classified.
	Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 30.9%
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.

Product name GL PREM EXT LTX SG BS 3 GL6813

Section 2. Hazards identification

	Photosensitive agents : In case of accidental eye contact, avoid concurrent exposure to the sun or other sources of UV light which may increase the sensitivity of the eyes. In case of accidental skin contact, avoid concurrent exposure to the sun or other sources of UV light which may increase the sensitivity of skin.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	: Emits toxic fumes when heated.
Hazards not otherwise classified	: None known.

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture	
Product name	: GL PREM EXT LTX SG BS 3 GL6	813

Ingredient name	%	CAS number
了iodo-2-propynyl butylcarbamate	≥0.1 - <0.3	55406-53-6

SUB codes represent substances without registered CAS Numbers.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN immediately; have Safety Data Sheet information available. Never give anything by mouth to an unconscious or convulsing person.

Description of necessary first aid measures

Eye contact	 Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice. In case of accidental eye contact, avoid concurrent exposure to the sun or other sources of UV light which may increase the sensitivity of the eyes.
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	 Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners. In case of accidental skin contact, avoid concurrent exposure to the sun or other sources of UV light which may increase the sensitivity of skin.
Ingestion	: If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.

Most important symptoms/effects, acute and delayed

Date of issue 1 July 2015

Product name GL PREM EXT LTX SG BS 3 GL6813

Section 4. First aid measures

Potential acute health effe	<u>cts</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
<u>Over-exposure signs/sym</u>	<u>otoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst. This material is toxic to aquatic life. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ont	ainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling	9	
Protective measures	: Put on appropriate personal protective equipment (see Section 8).	
Special precautions	If this material is part of a multiple component system, read the Safety Data Sheet(s) the other component or components before blending as the resulting mixture may ha the hazards of all of its parts.	
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating drinking and smoking. Remove contaminated clothing and protective equipment bef entering eating areas. See also Section 8 for additional information on hygiene measures.	
Conditions for safe storage, including any incompatibilities	: Do not store below the following temperature: 5°C (41°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, co and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers t have been opened must be carefully resealed and kept upright to prevent leakage. In not store in unlabeled containers. Use appropriate containment to avoid environment contamination.	d hat Do
	United States Page: 4/1	1

Section 8. Exposure controls/personal protection

Control parameters

tic в. .

Ingredient name		Exposure limits		
Ĩodo-2-propynyl butylcarbamate		None.		
	Key to abbreviati	ns		
A = Acceptable Maximum Peak ACGIH = American Conference of Governmental Industrial Hygienists. C = Ceiling Limit F = Fume IPEL = Internal Permissible Exposure Limit OSHA = Occupational Safety and Health Administration. R = Respirable Z = OSHA 29CFR 1910.1200 Subpart Z - Toxic and Hazardous Substances		S= Potential skin absorptionSR= Respiratory sensitizationSS= Skin sensitizationSTEL= Short term Exposure limit vaTD= Total dustTLV= Threshold Limit ValueTWA= Time Weighted Average	 Respiratory sensitization Skin sensitization Short term Exposure limit values Total dust Threshold Limit Value 	
		ts with exposure limits, personal, workpla	200	
procedures	atmosphere or biological monito the ventilation or other control m protective equipment. Reference	ring may be required to determine the eff easures and/or the necessity to use resp e should be made to appropriate monitor documents for methods for the determina	fectiveness o viratory ing standard	
opropriate engineering	: Good general ventilation should contaminants.	be sufficient to control worker exposure t	to airborne	
nvironmental exposure ontrols	they comply with the requiremer	rk process equipment should be checked ts of environmental protection legislation engineering modifications to the process sions to acceptable levels.	. In some	
dividual protection measu	<u>ires</u>			
Hygiene measures Eye/face protection Skin protection	eating, smoking and using the la Appropriate techniques should b	thoroughly after handling chemical produ- vatory and at the end of the working peri- e used to remove potentially contaminate ore reusing. Ensure that eyewash statio ation location.	od. ed clothing.	
Hand protection		loves complying with an approved stand chemical products if a risk assessment ir		
Gloves	: polyethylene			
Body protection	performed and the risks involved handling this product.	or the body should be selected based on and should be approved by a specialist	before	
Other skin protection		ditional skin protection measures should ed and the risks involved and should be		

Product name GL PREM EXT LTX SG BS 3 GL6813

Section 8. Exposure controls/personal protection

Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

Section 9. Physical and chemical properties

<u>Appearance</u>		
Physical state	: Liquid.	
Color	: Not available.	
Odor	: Characteristic.	
Odor threshold	: Not available.	
рН	: Not available.	
Melting point	: Not available.	
Boiling point	: 100°C (212°F)	
Flash point	: Closed cup: Not applicable. [Product does not sustain combustion.]	
Auto-ignition temperature	: Not available.	
Decomposition temperature	: Not available.	
Flammability (solid, gas)	: Not available.	
Lower and upper explosive (flammable) limits	: Upper: 0%	
Evaporation rate	: Not available.	
Vapor pressure	: Not available.	
Vapor density	Not available.	
Relative density	: 1.04	
Density(lbs / gal)	: 8.68	
Solubility	: Soluble in the following materials: cold water.	
Partition coefficient: n-	: Not available.	
octanol/water		
Viscosity	: Kinematic (40°C (104°F)): >0.21 cm²/s (>21 cSt)	
Volatility	: 67% (v/v), 64.68% (w/w)	
% Solid. (w/w)	: 35.32	

Section 10. Stability and reactivity

	United States Page: 6/11
Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Chemical stability	: The product is stable.
Reactivity	: No specific test data related to reactivity available for this product or its ingredients.

Date of issue 1 July 2015

Product name GL PREM EXT LTX SG BS 3 GL6813

Section 10. Stability and reactivity

Refer to protective measures listed in sections 7 and 8.

Incompatible materials	-	Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.
Hazardous decomposition products	:	Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
3-iodo-2-propynyl	LD50 Dermal	Rabbit	>2 g/kg	-
butylcarbamate	LD50 Oral	Rat	1470 mg/kg	-
Conclusion/Summary	: There are no data availab	le on the mixture itse	elf.	
Irritation/Corrosion				
Conclusion/Summary				
Skin	: There are no data availab	le on the mixture itse	elf.	
Eyes	: There are no data availab	le on the mixture itse	elf.	
Respiratory	: There are no data availab	le on the mixture itse	elf.	
<u>Sensitization</u>				
Conclusion/Summary				
Skin	: There are no data availab	le on the mixture itse	elf.	
Respiratory	: There are no data availab	le on the mixture itse	elf.	
<u>Mutagenicity</u>				
Conclusion/Summary	: There are no data availab	le on the mixture itse	elf.	
<u>Carcinogenicity</u>				
Conclusion/Summary	: There are no data availab	le on the mixture itse	elf.	
Reproductive toxicity				
Conclusion/Summary	: There are no data available	e on the mixture itse	lf.	
<u>Feratogenicity</u>				
Conclusion/Summary	: There are no data available	e on the mixture itse	lf.	
Specific target organ toxicit	<u>y (single exposure)</u>			
Not available.				

Specific target organ toxicity (repeated exposure)

Name	Category
3-iodo-2-propynyl butylcarbamate	Category 1

Aspiration hazard

Not available.

United States	Page: 7/11

Section 11. Toxicological information

Information on the likely routes of exposure

Potential acute health effec				
Eye contact	No known significant effects or critical hazards.			
Inhalation	No known significant effects or critical hazards.			
Skin contact	No known significant effects or critical hazards.			
Ingestion	No known significant effects or critical hazards.			
Over-exposure signs/symp	<u>ns</u>			
Eye contact	No specific data.			
Inhalation	No specific data.			
Skin contact	No specific data.			
Ingestion	No specific data.			
Delayed and immediate effect	and also chronic effects from short and long term exposure			
Conclusion/Summary	There are no data available on the mixture itself. Acrylate components of the mixture have irritating properties. Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms, such as redness, blistering, dermatitis etc. May cause allergic skin reactions with repeated exposure. The inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract. Ingestion may cause nausea, weakness and central nervous system effects. If splashed in the eyes, the liquid may cause irritation and reversible damage. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.			
Short term exposure				
Potential immediate effects	There are no data available on the mixture itself.			
Potential delayed effects	There are no data available on the mixture itself.			
Long term exposure				
Potential immediate effects	There are no data available on the mixture itself.			
Potential delayed effects	There are no data available on the mixture itself.			
Potential chronic health effe	<u>S</u>			
General	No known significant effects or critical hazards.			
Carcinogenicity	No known significant effects or critical hazards.			
Mutagenicity	: No known significant effects or critical hazards.			
Teratogenicity	: No known significant effects or critical hazards.			
Developmental effects	: No known significant effects or critical hazards.			
Fertility effects	: No known significant effects or critical hazards.			
Numerical measures of toxic	L			
Acute toxicity estimates				
Route	ATE value			
Oral	169235.7 mg/kg			
<u>.</u>				

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

<u>Mobility in soil</u>

Soil/water partition coefficient (Koc)

: Not available.

Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and
	sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

14. Transport information DOT IMDG ΙΑΤΑ **UN number** Not regulated. Not regulated. Not regulated. **UN proper shipping** _ name Transport hazard class _ (es) Packing group **Environmental hazards** No. No. No. Not applicable. Not applicable. Not applicable. Marine pollutant substances

United States Page: 9/11

Date of issue 1 July 2015

Version 4

Product name GL PREM EXT LTX SG BS 3 GL6813

14. Transport information

Additional information

- **DOT** : None identified.
- **IMDG** : None identified.
- IATA : None identified.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory information

United States

United States inventory (TSCA 8b) : All components are listed or exempted.

United States - TSCA 5(e) - Substances consent order: partially fluorinated alcohol, reaction products	Listed
United States - TSCA 5(a)2 - Proposed significant new use rules: partially fluorinated alcohol, reaction products	Listed

SARA 302/304

SARA 304 RQ : Not applicable.

Composition/information on ingredients

No products were found.

SARA 311/312

Classification : Not applicable.

Composition/information on ingredients

Name	hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
3-iodo-2-propynyl butylcarbamate	Yes.	No.	No.	Yes.	Yes.

Additional environmental information is contained on the Environmental Data Sheet for this product, which can be obtained from your PPG representative.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health : 1 Flammability : 0 Physical hazards : 0

(*) - Chronic effects

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)

Product name GL PREM EXT LTX SG BS 3 GL6813

Section 16. Other information

Health : 1 Flamma	bility : 0 Instability : 0
Date of previous issue	: 5/20/2015
Organization that prepared the MSDS	: EHS
Key to abbreviations	 ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations

Indicates information that has changed from previously issued version.

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.