Safety Data Sheet



Section 1: Identification

Product identifier	
Product Name	 Ironite 1-0-1 Mineral Supplement
Synonyms	 0-21496-01357-2; 0-21496-01358-9; 0-21496-01359-6; 100519429; 100519460; 100519461; Ironite 1-0-1 GEN 2 120-15 LB; Ironite 1-0-1 GEN 2 6/3 LB; Ironite 1-0-1 GEN 2 63/30 LB; Mineral supplement
Product Description	 Solid uniform brown black, dark grey, white free-flowing granules.
Relevant identified uses	of the substance or mixture and uses advised against
Recommended use	 Fertilizer; mineral supplement for lawns, flowers, shrubs, vegetables and trees.
Restrictions on use	 Keep out of reach of children and pets. Avoid contact with skin, eyes, or clothing.
Details of the supplier of	f the safety data sheet
Manufacturer	Central Garden & Pet Company, Garden Division
	1000 Parkwood Circle, Suite 700 Atlanta, GA 30339 United States www.penningtonfertilizer.com
Emergency telephone n	umber
Manufacturer	• 1-800-265-0761
Manufacturer (Transportation	n) • 1-800-424-9300 - CHEMTREC

Manufacturer (Transportation) 1-703-527-3887 - CHEMTREC - Outside US Collect Calls Accepted

Section 2: Hazard Identification

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012

 Skin Irritation 2 - H315 Carcinogenicity 1A - H350 Specific Target Organ Toxicity Repeated Exposure 1 - H372 Eye Mild Irritation 2B - H320

Label elements OSHA HCS 2012



Hazard statements . Causes damage to organs through prolonged or repeated exposure. - H372

Precautionary statements	Causes skin irritation - H315 May cause cancer H350 Causes eye irritation - H320
Prevention •	Do not eat, drink or smoke when using this product P270 Do not handle until all safety precautions have been read and understood P202 Obtain special instructions before use P201 Wash thoroughly after handling P264 Wear protective gloves/protective clothing/eye protection/face protection P280 Avoid breathing dust, fume, gas, mist, vapors and/or spray P261
Response •	IF exposed or concerned: Get medical advice/attention P308+P313 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P305+P351+P338 If skin irritation occurs: Get medical advice/attention P332+P313 Specific treatment (see supplemental first aid instructions on this label) P321 Take off contaminated clothing and wash before reuse P362 IF ON SKIN: Wash with plenty of soap and water P302+P352
Storage/Disposal •	Dispose of content and/or container in accordance with local, regional, national, and/or international regulations P501 Store locked up P405
Other hazards	
OSHA HCS 2012 •	Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Section 3 - Composition/Information on Ingredients

Substances

• Material does not meet the criteria of a substance according to United Nations Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Mixtures

Composition		
Chemical Name	Identifiers	%
Gypsum	CAS:13397-24-5	59.7%
Iron oxide	CAS:1309-37-1	31.1%
Lignosulfonic acid, sodium salt	CAS:8061-51-6	3%
Urea	CAS:57-13-6	2.2%
Potassium chloride	CAS:7447-40-7	2.2%
Quartz	CAS:14808-60-7	1%
Crosslinked Polymer	NDA	0.5%
Microorganisms	NDA	0.3%

Section 4: First-Aid Measures

Description of first aid measures

Inhalation

• IF INHALED: If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. Get medical attention if symptoms occur.

Skin	• If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. IF ON SKIN: Wash with plenty of soap and water.
Eye	• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	• Do not induce vomiting unless told to by a poison control center or doctor. Have person drink plenty of water if able to swallow. Get medical attention if symptoms occur. Rinse mouth. Never give anything by mouth to an unconscious person.
Most important symptom	ns and effects, both acute and delayed
	 Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed

- Notes to Physician
- Treat symptomatically and supportively.

Section 5: Fire-Fighting Measures		
Extinguishing media		
Suitable Extinguishing Media	 Use water, fog, carbon dioxide, or dry chemical. 	
Unsuitable Extinguishing Media	 High pressure spray. 	
Firefighting Procedures	 Do not use direct stream of water. A direct stream of water may spread fire. 	
Special hazards arising f	from the substance or mixture	
Unusual Fire and Explosion Hazards	 Reactive with halogens, oxidizing agents, reducing agents, acids, alkalis and moisture. 	
Hazardous Combustion Products	No data available	
Advice for firefighters		

• Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

 Personal Precautions
 Avoid dust formation and breathing dust. Avoid contact with skin, eyes, and clothing. Ensure adequate ventilation to remove vapors, fumes, dust etc. Wear appropriate personal protective equipment, avoid direct contact.
 No emergency procedures are expected to be necessary if material is used under ordinary conditions as recommended.

Environmental precautions

• Prevent product from entering drains.

Methods and material for containment and cleaning up

Containment/Clean-up	 Sweep or scoop up spills, dispose of any unusable material in approved landfill.
Measures	Avoid generating dust.

Section 7 - Handling and Storage

Precautions for safe handling

Handling

• Avoid breathing dust. Avoid contact with skin, eyes, and clothing. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Use only with adequate ventilation or closed system ventilation. Wear appropriate personal protective equipment, avoid direct contact. Wear appropriate

respirator when ventilation is inadequate. Wash throughly after handling.

Conditions for safe storage, including any incompatibilities

Storage

• Avoid contact with aluminum or carbon steel to minimize corrosion. Store locked up. Keep from freezing. Keep container closed when not in use. Store in a cool, dry, well-ventilated place.

Section 8 - Exposure Controls/Personal Protection

Control parameters

Exposure Limits/Guidelines				
	Result	ACGIH	NIOSH	OSHA
Quartz (14808-60-7)	IVVAS	0.025 mg/m3 TWA (respirable fraction)	0.05 mg/m3 TWA (respirable dust)	Not established
Iron oxide (1309-37-1)	TWAs	5 mg/m3 TWA (respirable fraction)	5 mg/m3 TWA (dust and fume, as Fe)	10 mg/m3 TWA (fume); 15 mg/m3 TWA (total dust, listed under Rouge); 5 mg/m3 TWA (respirable fraction, listed under Rouge)
Gypsum (13397-24-5)		10 mg/m3 TWA (inhalable fraction, listed under Calcium sulfate)	10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)

Exposure Control Notations

ACGIH

- •Quartz (14808-60-7): Carcinogens: (A2 Suspected Human Carcinogen)
- •Iron oxide (1309-37-1): Carcinogens: (A4 Not Classifiable as a Human Carcinogen)

Exposure Limits Supplemental

OSHA

•Quartz (14808-60-7): Mineral Dusts: ((30)/(%SiO2 + 2) mg/m3 TWA, total dust; (250)/(%SiO2 + 5) mppcf TWA, respirable fraction; (10)/(%SiO2 + 2) mg/m3 TWA, respirable fraction)

ACGIH

- •Gypsum (13397-24-5): TLV Basis Critical Effects: (nasal symptoms (listed under Calcium sulfate))
- •Quartz (14808-60-7): TLV Basis Critical Effects: (lung cancer; pulmonary fibrosis)
- •Iron oxide (1309-37-1): TLV Basis Critical Effects: (pneumoconiosis)

Exposure controls

Engineering Measures/Controls • Non-Household Setting: Use in a well ventilated area. Use safety glasses. If airborne mist hazard exists use gloves and other protective clothing to prevent skin contact. If airborne dust is present, use appropriate respiratory protection. Local exhaust ventilation.

Personal Protective Equipment

Pictograms



Respiratory	 Follow the OSHA respirator regulations found in 29 CFR 1910.134. Use a NIOSH/MSHA approved respirator if exposure limits are exceeded or symptoms are experienced. If airborne dust is present or in case of inadequate ventilation, use appropriate respiratory protection. 		
Eye/Face	 Wear protective gloves/protective clothing/eye protection/face protection. 		
Hands	 Wear appropriate gloves. 		
Skin/Body	 If prolonged exposure is anticipated, it is recommended for handlers to wear appropriate clothing to prevent skin contact. 		
Environmental Exposure	No data available		

Controls

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description			
Physical Form	Solid	Appearance/Description	Solid uniform brown, black, dark grey and white free-flowing granules.
Color	Uniform brown, black, dark grey and white.	Odor	Slight mineral and ammoniacal.
Taste	No data available	Odor Threshold	No data available
General Properties	-	•	
Boiling Point	No data available	Melting Point	No data available
Decomposition Temperature	No data available	pН	Not relevant
Specific Gravity/Relative Density	No data available	Bulk Density	45 to 80 lb(s)/ft ³
Water Solubility	Not soluble	Viscosity	Not relevant
Volatility	•		•
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available		
Flammability	-	-	
Flash Point	Not relevant	UEL	No data available
LEL	No data available	Autoignition	No data available
Flammability (solid, gas)	No data available		
Environmental	·	-	
Octanol/Water Partition coefficient	No data available		

Section 10: Stability and Reactivity

Reactivity

• Stable under normal storage conditions.

Chemical stability

• Stable under normal temperatures and pressures.

Possibility of hazardous reactions

• Hazardous polymerization will not occur.

Conditions to avoid

• Incompatible with aluminum (at high temperatures), diazomethane, strong acids, hot nitric acid, and organic solvents. Reactive with halogens, oxidizing agents, reducing agents, acids, alkalis and moisture.

Incompatible materials

• Heat, strong acids, strong bases and oxidizing agents, aluminum (at high temperatures), diazomethane, hot nitric acid and organic solvents.

Hazardous decomposition products

 Contact with strong acid may produce hydrogen chlorine gas. Contact with hot nitric acid may produce toxic nitrosyl chloride. Thermal decomposition may produce: chlorine gas, oxides of calcium, sulfur. Slow hydrolysis may produce acids corrosive to metals.

Section 11 - Toxicological Information

Information on toxicological effects

GHS Properties Classification		
Acute toxicity OSHA HCS 2012 • Acute Toxicity - Dermal - Classification criteria not Acute toxicity Toxicity - Inhalation - Classification criteria not met; Acute Toxicity - Classification criteria not met		
Aspiration Hazard	OSHA HCS 2012 • Classification criteria not met	
Carcinogenicity	OSHA HCS 2012 • Carcinogenicity 1A	
Germ Cell Mutagenicity	OSHA HCS 2012 • Not classified - data lacking	
Skin corrosion/Irritation	OSHA HCS 2012 • Skin Irritation 2	
Skin sensitization	OSHA HCS 2012 • Classification criteria not met	
STOT-RE	OSHA HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 1	
STOT-SE	OSHA HCS 2012 • Classification criteria not met	
Toxicity for Reproduction	OSHA HCS 2012 • Classification criteria not met	
Respiratory sensitization	OSHA HCS 2012 • Classification criteria not met	
Serious eye damage/Irritation	OSHA HCS 2012 • Eye Mild Irritation 2B	

Potential Health Effects

Inhalation

Acute (Immediate)	 May cause respiratory tract irritation. Coughing, sneezing, or shortness of breath may occur following exposures in excess of exposure limits. Conjunctivitis, chronic rhinitis, laryngitis, pharyngitis, impaired sense of smell and taste, bleeding from the nose, and reactions of tracheal and bronchial membranes are possible with acute exposure.
Chronic (Delayed)	 Excessive inhalation of crystalline silica (quartz) may cause lung injury. Exposure to respirable crystalline silica is not expected during normal use of this product.
Skin	
Acute (Immediate)	 Causes skin irritation.
Chronic (Delayed)	No data available
Eye	
Acute (Immediate)	Causes eye irritation.
Chronic (Delayed)	No data available
Ingestion	
Acute (Immediate)	 Under normal conditions of use, no health effects are expected however may be harmful if swallowed. May cause gastrointestinal tract irritation with accompanying salivation, pain, nausea, vomiting and diarrhea. Intestinal obstruction may occur if the material hardens. If large amounts are ingested, may cause vomiting, diarrhea, cramps, tingling in hands and feet, weak pulse, and circulatory disturbances.
Chronic (Delayed)	No data available
Carcinogenic Effects	 Crystalline silica (quartz) inhaled from occupational sources is classified as carcinogenic to humans.

Carcinogenic Effects			
CAS IARC NTP		NTP	
Quartz	14808-60-7	Group 1-Carcinogenic	Known Human Carcinogen

Section 12 - Ecological Information

Toxicity

•	No data available	
Persistence and degradability		
•	No data available	
Bioaccumulative potential		
•	No data available	
Mobility in Soil		
•	Water contaminating.	
Other adverse effects		

• No studies have been found.

Section 13 - Disposal Considerations

Waste treatment methods

- Product waste
- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
- Packaging waste
- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	Environmental hazards
DOT	None	Not Regulated	N/A	N/A	N/A
IMO/IMDG	None	Not Regulated	N/A	N/A	N/A
IATA/ICAO	None	Not Regulated	N/A	N/A	N/A

Special precautions for user • None specified.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Other information

IMO/IMDG . No data available

IATA/ICAO . No data available

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture SARA Hazard Classifications • Chronic

Inventory		
Component	CAS	TSCA
Gypsum	13397-24-5	No

Iron oxide	1309-37-1	Yes
Lignosulfonic acid, sodium salt	8061-51-6	Yes
Potassium chloride	7447-40-7	Yes
Quartz	14808-60-7	Yes
Urea	57-13-6	Yes

United States - California

☐ Environment		
U.S California - Proposition 65 - Carcinogens List		
• Gypsum	13397-24-5	Not Listed
Lignosulfonic acid, sodium salt	8061-51-6	Not Listed
Potassium chloride	7447-40-7	Not Listed
Iron oxide	1309-37-1	Not Listed
• Urea	57-13-6	Not Listed
		carcinogen, initial date 10/1/88
• Quartz	14808-60-7	(airborne particles of respirable size)

Section 16 - Other Information	
Last Revision Date	• 31/July/2014
Preparation Date	• 31/July/2014
Disclaimer/Statement of Liability	 The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IF MADE.