


ATTENTION! If any components of this unit are broken, do not operate properly, or for product returns, please contact Weston Products LLC Phone: 1-800-814-4895 (Outside the U.S. 440-638-3131) Mail: 20365 Progress Drive, Strongsville, Ohio 44149 E-Mail: CustomerService@WestonProducts.com Web Site: WestonProducts.com

All Trademarks and Registered Trademarks are property of the respective companies.







IMPORTANT **SAFEGUARDS**

When using electrical appliances, basic safety precautions should always be followed including the following:

READ ALL INSTRUCTIONS BEFORE USING THE APPLIANCE. 1

To protect against risk of electrical shock, do not submerge or use this appliance near water or 2. other liquid.

3. Unplug this appliance from the electrical outlet when not in use or before putting on or taking off parts and before cleaning.

Close adult supervision is necessary when any appliance is used near children. This appliance is NOT to be used by children.

5. NEVER use any accessories or parts from other manufacturers. Doing so will VOID YOUR WARRANTY and may cause fire, electrical shock or injury.

6. DO NOT operate any appliance with a damaged cord, plug or after the appliance malfunctions, or is dropped or damaged in any manner. Return appliance to the nearest authorized service facility for repair or adjustment.

Keep these instructions for use for future reference.

8. Check if the voltage indicated on the appliance corresponds to the local voltage before you connect the appliance.

Thoroughly clean the parts that will come into contact with food before you use the appliance for the first time.

10. DO NOT use outdoors.

11. DO NOT let cord hang over edge of table or counter.

12. DO NOT let cord come in contact with a hot surface. DO NOT use on an oven or stove.

13. DO NOT use fingers to scrape food away from the output chute while the appliance is operating. Never feed food into the appliance by hand. NEVER reach into the appliance. ALWAYS use the provided Stomper.

14. DO NOT operate the Grinder without the Tray in place.

15. Avoid contacting moving parts. Wait until moving parts have stopped running before you remove the parts of the appliance.

16. NEVER let the appliance run unattended.

17. Switch the appliance off before detaching or attaching any accessory.

18. DO NOT attempt to grind bones, nuts or other hard items.

19. DO NOT operate the appliance for more than 15 minutes at one time. After 15 minutes of continuous use, allow a few minutes for the appliance to rest before next use.

20. This appliance has a polarized plug (one blade of the plug is wider than the other). To reduce the risk of electric shock, this plug will fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. DO NOT modify the plug in any way.

21. CAUTION: In order to avoid a hazardous situation, this appliance must never be connected to a timer switch.



WESTON WARRANTY INFORMATION SAVE THIS WARRANTY INFORMATION FOR YOUR RECORDS!

Weston Products LLC warrants to the ORIGINAL RETAIL PURCHASER of this product that if operated in accordance with the printed instruction accompanying it, then for a period of 1 year from the date of purchase, the product shall be free from defects in material and workmanship.

The Warranty Card, along with a copy of the original receipt, must be received by Weston Products LLC within 30 days from purchase date for the warranty to apply. Failure to send the completely filled out Warranty Card, along with a copy of the original receipt, will void the warranty.

The product must be delivered to or shipped freight prepaid to Weston Products LLC for warranty services, in either its original packaging or similar packaging affording an equal degree of protection. Damage due to shipping is not the responsibility of the company. Weston Products LLC charges a \$35.00 per hour bench charge. NOTE: No repairs will be started without the authorization of the customer. The return shipping cost to the customer will be added to the repair invoice.

Weston Products LLC will repair (or at its discretion, replace) the product free of charge, if in the judgment of the company, it has been proven to be defective as to seller's labor and material, within the warranty period. New or rebuilt replacements for factory defective parts will be supplied for one (1) year from the date of

purchase. Replacement parts are warranted for the remainder of the original warranty period.

For non-warranty repairs, contact Weston Products LLC's Customer Service at 1-800-814-4895 M-F 8am-5pm EST (outside of the United States 440-638-3131) to obtain a Return Merchandise Authorization Number (RMA Number). Weston Products LLC will refuse all returns that do not contain this number. DO NOT RETURN THE UNIT WITHOUT PROPER AUTHORIZATION FROM WESTON PRODUCTS LLC.

LIMITATIONS: The warranty is void if the product is used for any purpose other than that for which it is designed. The product must not have been previously altered, repaired, or serviced by anyone else other than Weston Products LLC. If applicable, the serial number must not have been altered or removed. The product must not have been subjected to accident in transit or while in the customer's possession, misused, abused, or operated contrary to the instructions contained in the instruction manual. This includes failure caused by neglect of reasonable and necessary maintenance, improper line voltage and acts of nature. This warranty is not transferable and applies only to U.S. and Canadian sales.

Except to the extent prohibited by applicable law, no other warranties whether expressed or implied, including warranty merchantability and fitness for a particular purpose, shall apply to this product. Under no circumstances shall Weston Products LLC be liable for consequential damages sustained in connection with said product and Weston Products LLC neither assumes nor authorizes any representative or other person to assume for it any obligation or liability other than such as is expressly set forth herein. Any applicable implied warranties are also limited to the one (1) year period of the limited warranty.

This warranty covers only the product and its specific parts, not the food or other products processed in it.

CUT ALONG THE DOTTED LINE AND SEND THE WARRANTY CARD ALONG WITH A COPY OF YOUR ORIGINAL PURCHASE RECEIPT TO: Weston Products LLC - WARRANTY DEPARTMENT

20365 Progress Drive, Strongsville, OH 44149

STON WARRA

SEND THIS CARD ALONG WITH A COPY OF YOUR ORIGINAL PURCHASE RECEIPT TO: WESTON PRODUCTS LLC-WARRANTY DEPT., 20365 PROGRESS DRIVE, STRONGSVILLE, OH 44149

. .

~

Customer Name:				
Address:				
City/State/Zip:				
Telephone Number: ()				
E-Mail Address:				
Original Date of Purchase://				
Product Model #:				
Serial # (<i>if applicable</i>):				

ADDITIONAL ACCESSORIES AVAILABLE

Shredder / Slicer Attachment Kit	33-0822
Cookie Attachment Kit	33-0823
Pasta Making Attachment Kit	33-0819
Tomato and Fruit Juicer Attachment Kit	33-0821
19 mm Collagen Casing	19-0101-W
Mahogany Fibrous Casing 1.5" x 12"	19-0201-W
Hog Ring Pliers	47-1401
Italian Sausage Seasoning Kit	02-0905-W
Ground Meat Packaging Kit	07-1101
Vacuum Sealer PRO-2300	65-0101
Vacuum Sealer Bags 8" x 12" 100/pk	30-0101-W

These products and many more products can be ordered by visiting **Weston Products.com** or by calling Weston Products LLC Toll Free at 1-800-814-4895 *Monday thru Friday 8:00am-5:00pm EST. Outside the U.S. call 440-638-3131* E-Mail: CustomerService@WestonProducts.com

IMPORTANT SAFETY RULES



READ AND FULLY UNDERSTAND ALL INSTRUCTIONS AND WARNINGS PRIOR TO USING THIS UNIT. YOUR SAFETY IS MOST IMPORTANT! FAILURE TO COMPLY WITH PROCEDURES AND SAFEGUARDS MAY RESULT IN SERIOUS INJURY OR PROPERTY DAMAGE. REMEMBER: YOUR PERSONAL SAFETY IS YOUR RESPONSIBILITY!

 DO NOT use the Grinder without the Tray secured into place.
ALWAYS DISCONNECT Grinder from power source before servicing, changing

3. Plug the **Grinder** into a standard 120 Volt, 60 Hz wall outlet.

accessories or cleaning the unit.

4. DO NOT USE the Grinder if the Power Cord, Plug or any other parts are damaged. If the Power Cord or the Grinder is damaged, call Customer Service. DO NOT ATTEMPT TO REPLACE THE CORD. Be sure to not allow the Power Cord to drape into your work area. Check that all parts are operating properly, and perform the intended functions. Check for alignment of moving parts or any other conditions that may affect the operation.

 NEVER use any accessories or parts from other manufacturers. Doing so will VOID YOUR WARRANTY and may cause fire, electrical shock or injury.

6. TO PROTECT AGAINST RISK OF ELECTRICAL SHOCK: **DO NOT** SUBMERGE THE **MAIN GRINDER BODY** INTO WATER OR LIQUID. BE SURE THE **GRINDER** IS DISCONNECTED FROM THE POWER SOURCE BEFORE CLEANING. Wash all parts by hand and thoroughly dry. Thoroughly clean all parts that will come in contact with food before using the appliance. **NEVER** rinse appliance **Grinder Motor** under tap, only use a moist cloth to clean the **Grinder Motor Unit**.

7. Reduce risk of unintentional starting. Make sure the **Power Switch** is in the "OFF" position before attaching to the power source.

8. KEEP FINGERS CLEAR of the Auger and Cutting Blades AT ALL TIMES. NEVER REACH INTO THE GRINDER, doing so may cause serious injury. ALWAYS USE THE PROVIDED STOMPER, NEVER FEED FOOD BY HAND.

9. **NEVER** use fingers to scrape food away from the **Grinding Plate** while the **Grinder** is in operation. **SEVERE INJURY MAY RESULT.**

10. NEVER LEAVE THE GRINDER UNATTENDED. Be safe, DISCONNECT the Grinder from power source before leaving the work area. Close supervision is necessary when any appliance is used near children. This appliance is NOT to be used by children.

11. Wait until all moving parts have stopped before you remove any part of the **Grinder**, or before switching the **Grinder** in reverse.

 TIE BACK loose hair and clothing, and roll up long sleeves before operating the Grinder. REMOVE ties, rings, watches, bracelets, or other jewelry before operating the Grinder.

13. Be sure the ${\bf Grinder}$ is on a stable work surface. Be sure all the ${\bf Grinder}$ ${\bf Feet}$ are stable.

14. **DO NOT** attempt to grind bones, nuts or other hard items.

15. **DO NOT** run **Grinder** without meat in the **Head**. Severe damage to the **Head** and **Auger** may occur.

16. WEAR EYE PROTECTION. Wear safety glasses. Everyday eye glasses are not safety glasses. Safety glasses conform to ANSI Z87.1 requirements. Note: approved safety glasses have Z87 printed or stamped on them.

17. DO NOT use outdoors.


18. **DO NOT** use the **Grinder** while under the influence of drugs, medications or alcohol.

19. **DO NOT** let the **Power Cord** hang over edge of work surface.

20. DO NOT attempt to operate the Grinder if the Grinder itself is cold. The Grinder temperature should be at least 45° F (7°C) before beginning.

21. The **Gear Housing** and the **Motor Cover** may become HOT during operation. This is normal. DO NOT touch these parts during operation or until they cool after use.

SAVE THESE INSTRUCTIONS! Refer to them often and use them to instruct others.



CAUTION! It is important to follow the "Food Safety" guidelines outlined in this manual. For the most up to date instruction visit the USDA website.

BAVARIAN PATTIES WITH SAUERKRAUT

1 ½ lb. (0.7 kg) beef 1 tsp. salt ¹/₄ cup chopped onion 1 egg 1/3 cup dry bread crumbs 1/2 tsp. allspice 16 oz. (0.5 kg) sauerkraut

¹/₂ cup applesauce

- Grind the beef through the grinder plate of your choice using the grinding instructions
- · Combine the ground beef, egg, applesauce, salt, bread crumbs, allspice and onion
- Shape the mixture into patties about 3/4" (1.9 cm) thick
- Brown in a large skillet over medium heat, turning once, then drain
- Spoon sauerkraut over the patties
- Cover and simmer for 15 minutes

BAYOU BURGERS

1 lb. (0.5 kg) beef ¹/₄ cup sliced green onion $\frac{1}{2}$ tsp. hot pepper sauce

1/2 tsp. garlic powder ³/₄ tsp. crushed dried basil

1/2 tsp. dried thyme 1 tsp. season salt

3 tbsp. paprika

- Grind the beef through the grinder plate of your choice using the grinding instructions
- Preheat grill
- Combine all the ingredients
- Shape the mixture into 4 patties about 3/4" (1.9 cm) thick
- Grill 4" (10.2 cm) from heat, turning once 10-15 minutes, or until done

SPICY TURKEY BURGERS

2 lb. (0.9 kg) turkey

- 1 tsp. minced ginger root
- 1 medium red onion, diced
- 1 tsp. salt
- 2 fresh areen chile pepper, diced $\frac{1}{2}$ cup finely chopped cilantro

2 tbsp. minced garlic

- 1 tbsp. ground dry mustard 1 tbsp. ground cumin
- 1/4 cup low sodium soy sauce 1 tbsp. freshly ground black pepper
- 1 dash Worcestershire sauce
- Grind the turkey through the grinder plate of your choice using the grinding instructions
- Preheat arill
- Combine all the ingredients
- Shape the mixture into 4 patties about 3/4" (1.9 cm) thick
- Grill 4" (10.2 cm) from heat, turning once 10-15 minutes, or until done

EASY MEATLOAF

1 lb. (0.5 kg) beef 8 oz. package French onion dip 1 lb. (0.5 kg) ground pork sausage 2 eggs

- 10 oz. package saltine crackers, crushed
- Grind the beef through the grinder plate of your choice using the grinding instructions
- Preheat oven to 375°F (190°C)
- Combine all the ingredients
- Mix well and shape into a loaf
- Bake in a 5" x 9"(13 x 23 cm) loaf pan for 1 hour

RECIPES

VENISON SAUSAGE

6 lb. (2.7 kg) venison 1/2 tsp. cavenne pepper 2 tsp. pepper

6 lb. (2.7 kg) lean pork 1/2 tsp. sage 2 tsp. salt 1/2 cup honey Sausage Casings (optional)

- Grind the venison and pork through the coarse grinder plate using the grinding ٠ instructions
- Add all the incredients to the meat and mix well ٠
- Regrind the mixed meat through the fine grinding plate using the grinding instructions ٠
- Stuff the sausage into casings or shape into patties

VENISON BREAKFAST SAUSAGE PATTIES

6 lb. (2.7 kg) venison ½ tsp. sage

1/2 lb (0.3 kg) bacon 1 tsp. pepper 1 tsp. salt

- · Grind the venison and bacon through the fine grinder plate using the grinding instructions
- Add all the ingredients to the meat and mix well
- ٠ Refrigerate the mixture for a few hours before use
- Shape the mixture into thin patties
- Pour a little oil into a skillet or onto a griddle and heat to medium high ٠
- Grill the patties for a few minutes on each side

CHORIZO (MEXICAN) SAUSAGE

2 lb. (0.9 kg) lean pork trimming 1 tbsp. ground oregano ¹/₄ cup around red chili (mild or hot) 8 cloves garlic, pressed

2 medium onions, minced 1/2 cup cider vinegar 8 oz. (0.2 kg) beef/pork fat Sausage casings 1 tsp. ground cinnamon

- Grind the meat and fat through coarse grinder plate using the grinding instructions
- ٠ Add the onions, garlic, vinegar and seasonings (use chili to taste)
- Mix the ground meat and the seasonings, then place in a covered bowl and refrigerate for at least one hour
- Stuff the sausage into casings to make 4" (10.2 cm) links

FRESH ITALIAN SAUSAGE - MILD/HOT

5 tsp. salt

3 tsp. crushed hot peppers

1 tsp. sugar

1 tsp cracked fennel seed (*omit if making mild sausage*) 2 tsp. coarse ground black pepper 1 tsp. coriander 1 pint cold water

2 tsp. caraway seeds

- Grind the pork butts through the grinder plate of your choice using the grinding ٠ instructions
- Add all the ingredients to the meat and mix well

10 lb. (4.5 kg) boneless pork butts Sausage casings

Stuff the sausage into casings to make 4" (10.2 cm) links

COMPONENT LIST

DIAGRAM NUMBER	PART DESCRIPTION	PART NUMBER
1	Stomper	33-0877
2	Aluminum Tray	33-0824-A
3	Grinder Head	33-0809
4	Head Release Button	33-0808
5	3mm Stainless Steel Fine Grinding Plate	33-0803
6	4.5mm Stainless Steel Medium Grinding Plate	33-0804
7	Auger	33-0802-N
8	Stainless Steel Grinder Knife	33-0845
9	8mm Stainless Steel Coarse Grinding Plate	33-0810
10	Front Ring Nut	33-0842
11	Stuffing Spacer	33-0876
12	Stuffing Funnel	33-0820
Not Shown	Gear Set	33-0817
Not Shown	Power Cord	33-0818
13	Auger Driver (2)	33-0894-N

If any components of this unit are broken or the unit does not operate properly, call Weston Products LLC Toll Free at 1-800-814-4895

Monday thru Friday 8:00am-5:00pm EST. Outside the U.S. call 440-638-3131 E-Mail: CustomerService@WestonProducts.com

OUTLET INSTRUCTIONS

This appliance is equipped with a polarized plug (one blade is wider than the other) to reduce the risk of electric shock. The plug must fully fit into an electrical outlet. If the plug does not fit, reverse it and try again. If it still does not fit, contact a gualified electrician to inspect and/or update the electrical outlets in your home. Do not modify the plug in any way to fit an incompatible outlet.



CLEANING

WARNING! Before cleaning, assembling or disassembling the Grinder, make sure the PLUG IS REMOVED FROM THE OUTLET/POWER SOURCE! ALWAYS unplug the Grinder when not in use.


1. Unscrew the **Ring Nut** and remove all parts from the **Grinder Head**.

2. To remove the **Grinder Head**, press the **Head Release Button** and turn the **Grinder Head** clockwise. *Figure A*

3. Wash all parts that come in contact with food in hot soapy water. Rinse with clear water. Dry immediately. The **Grinder** parts are not dishwasher safe. Do NOT use bleach.

4. Fully lubricate the **Grinder Head**, **Grinding Plates** and the **Knife** with food grade silicone spray before and after each use.

5. Clean the **Main Body** with a soft damp towel. Dry immediately. DO NOT immerse the **Main Body** of the **Grinder** in water or other liquids.



TYPES OF SAUSAGE

Most sausages fall into one of four categories: Fresh, Smoked, Cooked or Dried. All sausages, except dried, require refrigerated storage. There is also a sub-category of uncooked smoked sausages.

Among the fresh and uncooked smoked sausages, you will find such flavors as kielbasa or Polish sausage, Italian sausage, breakfast sausage and many others. Both fresh and uncooked smoked sausages require cooking before eating and also require refrigerated storage.

Smoked and cooked sausages include salami, bologna, the ever-popular hot dogs and many others. Proper smoking requires a smokehouse or smoker. These can be simple home-built structures made from metal drums or even old refrigerators or they can be elaborate manufactured units. Most smoked sausages are warmed before serving. Many people think that a smoked sausage will last much longer without spoilage, but this is not true. Smoked sausages should be treated the same as fresh sausage in terms of storage.

Dried sausages require the longest processing time, as they are air dried over a long period of time. Some types of dry sausages are pepperoni, prosciutto and a variety of ham products, just to name a few. The conditions under which the meat is dried are very exacting; temperature, time and humidity must all be carefully monitored for a safe and delicious product.

STORAGE

It is important to remember that sausage will lose its flavor the longer that it is stored. It is recommended that you only make as much sausage as you will need for 4-6 weeks. Even frozen sausage will begin to lose flavor noticeably after 6 weeks. Frozen sausage should be thawed slowly in the refrigerator before cooking or serving. Quick thawing of the product will degrade the taste as well.

WARNING!

NEVER operate Grinder without the Tray secured in place. To avoid serious or fatal injury, NEVER reach into any Grinder inlet. ALWAYS use the Stomper to push food into the Grinder Head. Read & fully understand all instructions & warnings prior to use.

WARNING!

NOTE: Special considerations must be made when using venison or other wild game. since it can become heavily contaminated during field dressing. Venison is often held at temperatures that could potentially allow bacteria to grow, such as when it is being transported. Refer to the USDA Meat and Poultry Department for further questions or information on meat and food safety.

SAUSAGE INFORMATION

MEAT SELECTION FOR SAUSAGE MAKING

Sausage making has evolved over many years and generations, and as a result there are countless types of sausage you can make using the basic ingredients of meat, fat and a few carefully blended spices. Following are a few simple guidelines that will help you make the best tasting sausage possible.

Any type of meat can be used for making sausage: pork, beef, bison, moose and caribou, even antelope make great sausage. It is important when preparing venison or other red game meats to trim all the fat from the meat, as red game tallow will turn rancid in as few as five days. Replace the fat with either pork or beef fat, depending on the type of product you are making, at a ratio of 1 pound (0.5 kg) of fat for every 4 pounds (1.8 kg) of game meat.

The fat content of your sausage will affect the taste, texture, cooking characteristics and shelf life of your product. Most commercially made sausage has a fat content of about 20%. Using less than 12% fat will result in a very dry tasting sausage, while using more than 20% may result in a sticky flavorless sausage that will be difficult to cook.

CURING

It is important to properly cure meats to preserve meat and poultry, and to destroy undesirable microorganisms on the meat surfaces that cause spoilage and food born illnesses. There are many steps that help in this process, including smoking, cooking, drving, chilling and the addition of cure ingredients. The oldest means of accomplishing this is by introducing salt into the meat. The resistance of bacteria to salt varies widely among different types of bacteria. The growth of some bacteria is inhibited by salt concentrations as low as 3%, e.g., Salmonella, whereas other types are able to survive in much higher salt concentrations, e.g., Staphylococcus, Fortunately, the growth of many undesirable organisms normally found in cured meat and poultry products is inhibited at low concentrations of salt.

Modern curing is based on Nitrates and is very scientific. The best way to ensure proper curing is to purchase one of the many commercially available curing agents from either a grocery store or your local butcher. A very common cure is Prague Powder, which is available in two types (#1 and #2).

CASING

There are many different types of casings available, the right choice depends on personal preference as well as the type of sausage you wish to make. For most sausages, your choices are natural or collagen. Don't let the names fool you; collagen casings are not a synthetic product. They are made from beef skin and other tissues. Collagen casings are uniform in size and texture and require almost no preparation. "Natural" casings are the intestines of lamb, sheep, hogs or beef. They are less uniform in size and require substantial preparation. For those reasons, more than 75% of commercially made sausage in the U.S. is made with collagen casing. There are also fibrous non-edible casings that are used for some varieties of smoked sausages and bolognas.

GRINDER ASSEMBLY WARNING! Before cleaning, assembling or disassembling the Grinder, make sure the PLUG IS REMOVED FROM THE OUTLET/POWER SOURCE! ALWAYS unplug the Grinder when not in use. 1. Remove the Ring Nut, Grinding Plate, Knife and Auger from the Grinder Head before installing the Grinder Head to the Main Body.

2. Align the notches on the Grinder Head with the tabs on the Main Body.

3. Press the Grinder Head against the Motor and rotate it counterclockwise until it locks into place. Figure B

> 4. Insert the Auger into the Grinder Head, Auger Driver end first. Figure C

> 5. Place the **Grinder Knife** onto the square portion of the Auger Pin. The cutting edges (flat side) of the Knife should be facing out. Figure D

> 6. Place the Grinding Plate of vour choice onto the Auger Pin. Make sure the notch of the **Grinder** Plate fits into the positioning pin of the **Grinder Head**. Figure C

> 7. Turn the Ring Nut clockwise onto the threaded end of the Grinder Head until it touches the Grinder Plate and is snug. DO NOT overtighten the Ring Nut.

> 8. Place the **Tray** on the upright part of the Grinder Head. NEVER use the **Grinder** without the **Tray** installed!

Cutting edges of the Knife facing out.

Auger

Pin

Figure B

Figure C

Figure D

GRINDING INSTRUCTIONS

WARNING! Before cleaning, assembling or disassembling the Grinder, make sure the PLUG IS REMOVED FROM THE OUTLET/POWER SOURCE! ALWAYS unplug the Grinder when not in use.

1. Follow the *"Grinder Assembly Instructions"* to fully assemble the **Grinder** including the **Tray.**

NOTE: It is best to grind the meat using the coarse, **8 mm Grinding Plate** first. If a finer grind of meat is desired, run the coarse ground meat through the **Grinder** a second time using the fine, **4.5 mm** or **3 mm Grinding Plate**.

2. Trim the meat of all cords, tendons, bones, shot, etc.

3. For best results, be sure that all meat has been chilled to between 32-34°F (0-1°C) before grinding. DO NOT ALLOW MEAT TO SIT OUT AT ROOM TEMPERATURE LONGER THAN ABSOLUTELY NEEDED. Closely follow the *"Food Safety"* instructions as outlined by the USDA.


4. Cut meat into sizes small enough to fit into the **Feed Chute**. Approximately 1" (2.5 cm) cubes.


5. Place cubed meat to be ground into the **Tray**. Do not overfill the **Tray**, place just enough meat to leave the **Feed Chute** area open.

6. Place a dish or bowl to collect the ground meat at the end of the **Grinder Head**. *Figure E*

7. Make sure the **Grinder** is in the "OFF" position. Attach the **Grinder** to the power supply.

8. Press "ON" the **Grinder Button**. Carefully start feeding cubes of meat into the **Feed Chute**. ONLY USE THE STOMPER TO PUSH MEAT INTO THE HEAD, DO NOT USE YOUR FINGERS OR ANY OTHER OBJECT.





WARNING!

NEVER operate Grinder without the Tray secured in place. To avoid serious or fatal injury, NEVER reach into any Grinder inlet. ALWAYS use the Stomper to push food into the Grinder Head. Read & fully understand all instructions & warnings prior to use.

FOOD SAFETY

There are basic rules to follow when handling food. They are **COOK, SEPARATE, CLEAN,** and **CHILL.**

СООК

It's crucial to cook food to a safe internal temperature to destroy bacteria that is present. The safety of hamburgers and other foods made with ground meat has been receiving a lot of attention lately, and with good reason. When meat is ground, the bacteria present on the surface is mixed throughout the ground mixture. If this ground meat is not cooked to at least 160° F to 165° F (71° C to 74° C), bacteria will not be destroyed and there's a good chance you will get sick.

Solid pieces of meat like steaks and chops don't have dangerous bacteria like E. coli on the inside, so they can be served more rare. Still, any beef cut should be cooked to an internal temperature of at least 145°F (63°C) (medium rare). The safe temperature for poultry is 180°F (82°C) and solid cuts of pork should be cooked to 160°F (71°C). Eggs should be thoroughly cooked too. If you are making a meringue or other recipe that uses uncooked eggs, buy specially pasteurized eggs or use prepared meringue powder.

SEPARATE

Foods that will be eaten uncooked and foods that will be cooked before eating MUST ALWAYS be separated. Cross-contamination occurs when raw meats or eggs come in contact with foods that will be eaten uncooked. This is a major source of food poisoning. Always double-wrap raw meats and place them on the lowest shelf in the refrigerator so there is no way juices can drip onto fresh produce. Then use the raw meats within 1-2 days of purchase, or freeze for longer storage. Defrost frozen meats in the refrigerator, not on the counter.

When grilling or cooking raw meats or fish, make sure to place the cooked meat on a clean platter. Don't use the same platter you used to carry the food out to the grill. Wash the utensils used in grilling after the food is turned for the last time on the grill, as well as spatulas and spoons used for stir-frying or turning meat as it cooks.

Make sure to wash your hands after handling raw meats or raw eggs. Washing hands with soap and water, or using a pre-moistened antibacterial towelette is absolutely necessary after you have touched raw meat or raw eggs. Not washing hands and surfaces while cooking is a major cause of cross-contamination.

CLEAN

Wash your hands and work surfaces frequently when you are cooking. Washing with soap and warm water for at least 15 seconds, then dry with a paper towel.

CHILL

Chilling food is very important. The danger zone where bacteria multiply is between 40°F and 140°F (4°C and 6°C). Your refrigerator should be set to 40°F (4°C) or below; your freezer should be 0°F (-17°C) or below. Simple rule: serve hot foods hot, cold foods cold. Use chafing dishes or hot plates to keep food hot while serving. Use ice water baths to keep cold foods cold. Never let any food sit at room temperature for more than 2 hours - 1 hour if the ambient temperature is 90°F (32°C) or above. When packing for a picnic, make sure the foods are already chilled when they go into the insulated hamper. The hamper won't chill food - it just keeps food cold when properly packed with ice. Hot cooked foods should be placed in shallow containers and immediately refrigerated so they cool rapidly. Make sure to cover foods after they are cool.

THERMAL OVERLOAD PROTECTION

The **Heavy Duty Electric Meat Grinder** will automatically shut down if it overheats. If this occurs:

- 1. Turn the Grinder "OFF" and unplug the Power Cord.
- 2. Remove the Grinder Head from the Main Body.

3. Wait until the **Grinder** cools or about 1 hour. Keep meat refrigerated while the **Grinder** cools. Disassemble and remove meat from the **Head** if necessary.


4. Reassemble the Grinder and resume normal operation.

5. To prevent overheating, do not operate the **Grinder** for more than 15 minutes at a time. Allow the **Grinder** to cool periodically.

HELPFUL HINTS

WARNING! Before cleaning, assembling or disassembling the Grinder, make sure the PLUG IS REMOVED FROM THE OUTLET/POWER SOURCE! ALWAYS unplug the Grinder when not in use.

• When storing the **Grinder**, fold and place the **Power Cord** in the compartment on bottom. Insert the plug end of the Power Cord last.



• The provided Stomper also serves as a neat and compact way to store the **Stuffing Funnel** and the **Stuffing Spacer**.

• Any time that you change the **Grinding Plates**, the **Head** should be removed COMPLETELY to prevent pushing meat back into the **Motor Drive Shaft Housing**.

• To prevent overheating, do not operate the **Grinder** for more than 15 minutes at a time. Allow the **Grinder** to cool periodically.

- DO NOT over-tighten the Front Ring Nut. It should be firmly tight.
- Make sure the Grinding Knife blades lay flat on the Grinder Plate.


• DO NOT operate the **Grinder** without meat in the **Head**. Running the **Grinder** while dry could damage the **Head** and **Auger**.

• Always lubricate the **Head**, **Grinding Plate** and **Grinding Knife** with a food-grade silicone spray after cleaning.

· DO NOT grind bones, nuts or other hard objects.

STUFFER ASSEMBLY

WARNING! Before cleaning, assembling or disassembling the Grinder, make sure the PLUG IS REMOVED FROM THE OUTLET/POWER SOURCE! ALWAYS unplug the Grinder when not in use.



Auger Driver

() AM

Figure G

1. Remove the **Ring Nut**, **Grinding Plate**, **Knife** and **Auger** from the **Grinder Head** before installing the **Grinder Head** to the **Main Body**.

2. Align the notches in the **Grinder Head** with the tabs on the **Main Body**.

3. Press the **Grinder Head** against the **Motor** and rotate it counterclockwise until it locks into place.

4. Insert the Auger into the Grinder Head, Auger Driver end first. *Figure G*

5. Place the **Stuffing Spacer** into the **Grinder Head**. Make sure the notch of the **Stuffing Spacer** fits into the positioning pin of the **Grinder Head**.

6. Insert the **Stuffing Funnel** through the **Ring Nut** and then onto the **Grinder Head**.

7. Turn the **Ring Nut** clockwise onto the threaded end of the **Grinder Head** until it touches the **Stuffing Funnel**. **DO NOT over***tighten the Ring Nut*.

8. Place the **Tray** on the upright part of the **Grinder Head**. *NEVER* use the **Grinder** without the **Tray** installed!

WARNING!

STUFFING INSTRUCTIONS

WARNING! Before cleaning, assembling or disassembling the Grinder, make sure the PLUG IS REMOVED FROM THE OUTLET/POWER SOURCE! ALWAYS unplug the Grinder when not in use.

1. After grinding the meat following the "Grinding Instructions", mix the ground meat with the sausage seasonings.

2. Follow the "*Stuffer Assembly Instructions*" to fully assemble the **Grinder** as a **Stuffer** including the **Tray**.

NOTE: While one person can stuff sausage with this **Grinder**, it is recommended that two people perform this operation.

3. Place seasoned ground meat into the **Tray**. Do not overfill the **Tray**, place just enough meat to leave the **Feed Chute** area open.


4. Slide a sausage casing over the **Stuffing Funnel**. See the *"Sausage Information / Casing"* section of this manual for more information.

5. Slide 4"-6" (10-15 cm) of casing from the end of the **Stuffing Funnel** and tie a knot in the end of the casing. If you are using large diameter fibrous casing, hold the closed end of the casing tightly against the end of the **Stuffing Funnel**. *Figure H*

6. Make sure the **Grinder** is in the "OFF" position. Attach the **Grinder** to the power supply.

7. Press "ON" the **Grinder Button**. Carefully start feeding ground meat into the **Feed Chute**. ONLY USE THE STOMPER TO PUSH MEAT INTO THE HEAD, DO NOT USE YOUR FINGERS OR ANY OTHER OBJECT.

...INSTRUCTIONS CONTINUED ON NEXT PAGE



NOTE: To prevent overheating, do not operate the **Grinder** for more than 15 minutes at a time. Allow the **Grinder** to cool periodically.

WARNING!

NEVER operate Grinder without the Tray secured in place. To avoid serious or fatal injury, NEVER reach into any Grinder inlet. ALWAYS use the Stomper to push food into the Grinder Head. Read & fully understand all instructions & warnings prior to use. 8. Hold the casing in place with one hand while feeding the sausage mixture through the **Grinder**. As the meat fills the casing, gently lay it on a clean, dry surface. **NOTE**: When using natural casings, use a wet surface.

9. Do not fill the last 3"-4" (8-10 cm) of casing. After the entire length of casing has been stuffed, twist the open end to close, then tie off the ends of the casing tightly to close. Twist into links.

10. Whenever stuffing sausage, fill the casing slowly to avoid air pockets. If air pockets do appear in the sausage use a pin to prick the bubbles. The small holes will seal naturally.

USING THE REVERSE FUNCTION

Figure 1

ON/

OFF

Reverse

REV

The reverse function only should be used for brief periods of time to help clear a jam.

1. Allow the **Grinder Motor** to come to a <u>COMPLETE STOP</u> before engaging in reverse "REV".

2. Push the **Rev Button**. *Figure I*

NOTE: NEVER operate the **Grinder** in reverse for more than 5 seconds.

3. If the **Grinder** remains jammed after using the reverse function, turn the **Grinder** "OFF", disconnect the **Grinder** from the power source. Disassemble the **Grinder Head** and clean it according to the "*Cleaning Instructions*." Re-assemble the Grinder and follow the "*Grinding Instructions/ Stuffing Instructions*."

WARNING!