SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Li-ion Battery

Other means of identification

Synonyms

None

Recommended use of the chemical and restrictions on use

Recommended Use LITHIUM ION BATTERIES

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name	Shenzhen Trendwoo Tech. Co., Ltd.
Supplier Address	Unit G, 12th Floor, Block B, Building 6, Baoneng Tech Park, 1 Qingxiang Road, Longhua Street, Longhua District, Shenzhen, Guangdong, China 518109
Supplier Phone Number	Phone:+860755-2738 5252 Fax: +860755-2738 5252 Contact Phone+860755-2738 5252
Supplier Email Supplier Name	info@trendwoo.com

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) This product is an article which is a sealed battery and as such does not require an MSDS per the OSHA hazard communication standard unless ruptured. The hazards indicated are for a ruptured battery.

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

GHS Label elements, including precautionary statements

			ncy Overview		
Signal word		Warning			
Hazard Stater Cause skin irri Causes seriou	itation	n			
	s sold. Intend	ed use of the product	al substance. Safety informat should not result in exposure of rupture: the above hazards	to the che	
Appearance	Silver	Physical State	Solid Containing liquid	Odor	Odorless
Precautionary					
Vash face, han	ids and any e	xposed skin thoroughl	y after handling		
Vear protective	e gloves/prote	ctive clothing/eye prot	ection/face protection		
Vear eye/face	protection				
Precautionary		Response			

Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Skin

IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC) Not applicable

Unknown Toxicity

Other information Very toxic to aquatic life with long lasting effects

Interactions with Other Chemicals No information available

Chemical Name	CAS No.	Weight %
Lithium Cobalt Oxide (CoLiO2)	12190-79-3	30
Graphite	7782-42-5	21
1,1-Difluoroethylene polymer	24937-79-9	2
Styrene-Butadiene polymer	9003-55-8	3
Phosphate(1-), hexafluoro-, lithium	21324-40-3	20
Copper	7440-50-8	11
Aluminum foil	7429-90-5	8
Polypropylene	9003-07-0	5

3. COMPOSITION/INFORMATION ON INGREDIENTS

4. FIRST AID MEASURES

<u>First aid measures</u> <u>General Advice</u>	First aid is upon rupture of sealed battery. Show this safety data sheet to the doctor in attendance	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area	
Skin Contact	Wash off immediately with soap and plenty of water for at least 15 minutes. In the case of skin irritation or allergic reactions see a physician. May cause an allergic skin reaction.	
Inhalation	Remove to fresh air. If symptoms persist, call a physician. Get medical attention immediately if symptoms occur.	
Ingestion	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician.	
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wear personal protective clothing (see section 8)	
Most important symptoms and effects, both acute and delayed		
Most Important Symptoms and Effects	Coughing and/ or wheezing. Itching.	
Indication of any immediate medical attention and special treatment needed		

Notes to Physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient

Specific Hazards Arising from the Chemical

No information available.

Hazardous Combustion Products

Carbon Oxides

Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand,MSHA/NIOSH (approved or equivalent) and full protective gear.

No.

No.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Other Information	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation.Use personal protective equipment as required. Evacuate personnel to safe areas. Refer to protective measures listed in Sections 7 and 8
Environmental Precautions Environmental Precautions	Refer to protective measures listed in Sections 7 and 8.
Methods for cleaning up	Pick up and transfer to properly labeled containers
Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

In case of rupture. Use personal protection equipment. Avoid contact with skin, eyes or clothing.

Conditions for safe storage, including any incompatibilities

Storage	Keep containers tightly closed in a dry, cool and well-ventilated place.
Incompatible Products	Strong acids. Strong oxidizing agents. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<u>Control parameters</u> Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Lithium Cobalt Oxide 12190-79-3	TWA: 0.02 mg/m ³		
Graphite 7782-42-5	TWA: 2 mg/m ³ respirable fraction all forms except graphite fibers	TWA: 15 mg/m ³ total dust synthetic TWA: 5 mg/m ³ respirable fraction synthetic (vacated) TWA: 2.5 mg/m ³ respirable dust natural (vacated) TWA: 10 mg/m ³ total	IDLH: 1250 mg/m ³ TWA: 2.5 mg/m ³ respirable dust

			1
		dust synthetic	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
		synthetic	
		TWA: 15 mppcf natural	
Copper	TWA: 0.2 mg/m ³ fume	TWA: 0.1 mg/m³fume	IDLH: 100 mg/m ³ dust, fume and
7440-50-8	TWA: 1	TWA: 1 mg/m ³ dust and	mist
	mg/ mg/m ³ Cu dust and	mist	TWA: 1 mg/m ³ dust and mist
	mist	(vacated) TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³ fume
		Cu	
		dust, fume, mist	
Aluminum foil	TWA: 1 mg/m ³ respirable	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
7429-90-5	fraction	TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust
		fraction	
		(vacated) TWA: 15 mg/m ³	
		total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
		(vacated)	
		TWA: 5 mg/m ³ AI	
		Aluminum	
Phosphate(1-),	TWA: 2.5 mg/m ³ F	TWA: 2.5 mg/m ³ F	
hexafluoro-, lithium	-	TWA: 2.5 mg/m ³ dust	
21324-40-3		(vacated) TWA: 2.5 mg/m ³	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health

Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters
Appropriate engineering contro	ls
Engineering Measures	Showers
	Eyewash stations
	Ventilation systems
Individual protection measures,	such as personal protective equipment
Eye/Face Protection	If splashes are likely to occur:. Wear safety glasses with side shields (or goggles). None required for consumer use.

Skin and Body Protection	Wear protective gloves and protective clothing. Long sleeved clothing. Impervious gloves
Respiratory Protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Wash hands before breaks and immediately after handling the product.
	······································

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical Sta	te Solid Containing	Solid Containing liquid	
Appearance		Odor Odor Threshold	Odorless
Color	No information available	Odor Threshold	No information available

Property

<u>Values</u>

Remarks/ Method

None known

None known None known

No data available
No data available
No data available
0.00001
No data available
No data available
No data available
0.00001
No data available
No data available

None known None known

Other Information

Softening Point VOC Content (%) Particle Size Particle Size Distribution

No data available No data available No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

Strong acids. Strong oxidizing agents. Strong bases.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information In case of rupture
Inhalation	Specific test data for the substance or mixture is not available. Corrosive by inhalation.(based on components).
Eye Contact	Specific test data for the substance or mixture is not available.

	Expected to be and irritant based on components. Irritating to eyes. May cause redness, itching, and pain. May cause temporary eye irritation.
Skin Contact	Specific test data for the substance or mixture is not available. Expected to be an irritant based on components. Irritating to skin. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Graphite	> 10000 mg/kg (Rat)	-	-
7782-42-5			

Information on toxicological Symptoms	effects Erythema (skin redness). May cause redness and tearing of the eyes. Coughing and/ or wheezing.ltching.
Delayed and immediate effect	cts as well as chronic effects from short and long-term exposure
Sensitization	May cause sensitization of susceptible persons. May cause sensitization by skin contact.
Mutagenic Effects	No information available
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical Name	ACGIH	IARC	NTP	OSHA
Lithium Cobalt Oxide (CoLiO2) 12190-79-3	A3	Group 2B		Х

ACGIH (American Conference of Govern A1 - Known Human Carcinogen A3 - Animal Carcinogen IARC (International Agency for Researc Group 1 - Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Huma NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health X- Present	h on Cancer)
Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic Toxicity	Contains a known or suspected carcinogen. May cause adverse liver effects.
Target Organ Effects	Respiratory system. Eyes. Skin. Central Vascular System (CVS). Kidney. Liver. Lungs.
Aspiration Hazard	No information available.

<u>Numerical measures of toxicity Product Information</u> The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral) ATEmix (dermal)

ATEmix (inhalation-dust/mist)

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Copper 7440-50-8	96h EC50: 0.031 - 0.054 mg/L (Pseudokirchneriella subcapitata) 72h EC50: 0.0426 - 0.0535 mg/L (Pseudokirchneriella subcapitata)	96h LC50: 0.0068 - 0.0156 mg/L (Pimephales promelas) 96h LC50: = 0.112 mg/L (Poecilia reticulata) 96h LC50: = 0.3 mg/L (Cyprinus carpio) 96h LC50: = 0.8 mg/L (Cyprinus carpio) 96h LC50: = 1.25 mg/L (Lepomis macrochirus) 96h LC50: = 0.052 mg/L (Oncorhynchus mykiss) 96h LC50: = 0.2 mg/L (Pimephales promelas) 96h LC50: < 0.3 mg/L (Pimephales promelas)		48h ÉC50: = 0.03 mg/L

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods Disposal methods Contaminated Packaging

Should not be released into the environment. Dispose of in accordance with federal, state and local regulations.

California Hazardous Waste Codes 141

Chemical Name	California Hazardous Waste
Lithium Cobalt Oxide (CoLiO2) 12190-79-3	Тохіс
Aluminum foil 7429-90-5	Ignitable powder
Copper 7440-50-8	Тохіс

14. TRANSPORT INFORMATION

Note:

The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule) Lithium batteries shipped as"Lithium batteries", "Lithium batteries packed with equipment", or"Lithium batteries contained in equipment" may not be classified as"Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"

DOT Proper Shipping Name Hazard Class TDG MEX ICAO IATA Proper Shipping Name Hazard Class IMDG/IMO Proper Shipping Name Hazard Class EmS No. RID ADR	NOT REGULATED NON REGULATED N/A Not regulated Not regulated Not regulated Not regulated N/A Not regulated NON-REGULATED PER SP 188 N/A F-A, S-I Not regulated Not regulated
ADR AND	Not regulated Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL	All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Lithium Cobalt Oxide (CoLiO2)	12190-79-3	30	0.1
Aluminum foil	7429-90-5	8	1.0
Copper	7440-50-8	11	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable	CWA - Toxic	CWA - Priority	CWA - Hazardous
	Quantities	Pollutants	Pollutants	Substances
Copper 7440-50-8		Х	Х	

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Copper	5000 lb		RQ 5000 lb final RQ

7440-50-8		RQ 2270 kg final RQ
Aluminum foil		
7429-90-5		

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Lithium Cobalt Oxide (CoLiO2) 12190-79-3	Х		Х	X	X
Graphite 7782-42-5	Х	Х	Х		
Copper 7440-50-8	Х	Х	Х	X	Х
Aluminum foil 7429-90-5		Х		X	

International Regulations Mexico National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Graphite		Mexico: TWA= 2 mg/m ³
7782-42-5(21%)		
Copper		Mexico: TWA= 1 mg/m ³
7440-50-8(11%)		Mexico: TWA= 0.2 mg/m ³
		Mexico: STEL= 2 mg/m ³
Aluminum foil		Mexico: TWA= 10 mg/m ³
7429-90-5(8%)		_

Mexico - Occupational Exposure Limits - Carcinogens

Canada WHMIS Hazard Class

Non-controlled

16. OTHER INFORMATION

NFPA	Health Hazards 1	Flammability 0	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazards 0	Flammability 0	Physical Hazard 0	Personal Protection
Prepare	d By	Shenzhen Trendwoo	Tech. Co., Ltd.	
Issuing Revisio Revisio	n Date	16-July-2015 No information ava	ilable	

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet