

CARE AND MAINTENANCE

- Always purchase the correct size and grade of battery most suitable for intended use.
- Clean the battery contacts and also those of your clock prior to battery installation.
- Ensure the battery is installed with correct polarity (+ and -).
- Remove battery from your clock when it is not used for an extended period of time.
- Promptly remove an expired battery.

SPECIFICATIONS

Battery Requirements: 1 AA (IEC LR6) required in movement
(Alkaline recommended)

Battery life: 12 months

WARRANTY AND SUPPORT

La Crosse Technology, Ltd. provides a 1-year limited time warranty (from date of purchase) on this product relating to manufacturing defects in materials & workmanship.

Before returning a product, please contact our friendly customer support with questions or visit our online help.

Phone: 1-608-782-1610

Or fill out our online support request form here:

bit.ly/contact_techsupport

⚠ WARNING: This product can expose you to chemicals including styrene, which is known in the State of California to cause cancer.
For more information go to: www.P65Warnings.ca.gov

LA CROSSE®
TECHNOLOGY

20 INCH ATOMIC WALL CLOCK



Model: 404-1220v2

DC: 010719

For information about WWVB, Atomic Time Signal visit: bit.ly/AtomicTime

POWER UP

1. Insert 1 AA battery into the Battery Compartment.
2. Firmly press the correct Time Zone Button.
3. For best reception, place your clock on a wall that faces Ft. Collins, Colorado. During the night, your clock will set itself.


IMPORTANT:

- Hands will move to 12:00, 4:00 or 8:00 and stay there while the clock searches for the Atomic Time Signal. If not received, your clock will continue to search for the WWVB Atomic Time Signal every 2 hours until picked up.
- Allow up to 5 nights for the clock to receive the Atomic Time Signal.

Note: Once the Atomic Time Signal is received, if the hour is incorrect, hold your correct Time Zone Button until the hands begin to spin. The clock will move to the correct time.

MANUALLY SET TIME

- In certain areas, your clock may not be able to receive the Atomic Time Signal due to signal strength or interference.
- In this case, your clock can be set manually and operate as a quartz clock until the WWVB signal can be received.



- ① Manual Set Tab
- ② Battery Compartment
- ③ Time Zone Buttons
- ④ Daylight Saving Time Button (Default is DST ON)

Set Time:

1. Remove the battery for 15 minutes.
2. Insert battery and firmly press Time Zone Button.
3. When the hands stop spinning at 12:00, 4:00 or 8:00 hold the Manual Set Tab until the correct time is achieved.

Note: The Atomic Time Signal will override your manual settings if the signal is received.

LET'S BE SOCIAL!

Follow us on our social media outlets for the latest promotions, product support, and awesome giveaways.

