



**Carolina Chair
& Table Co.**

- Designs for Today's Lifestyles -



#1617 Ladder Chair

- Crafted of solid Imported wood
- Transforms into a convenient step ladder
 - Assembly required

Dual function Library Chair transforms from a seat into a sturdy stepladder in one simple movement! A practical furniture piece in colonial times, this chair was commonplace in the library where shelves ran from the floor to ceiling. For modern uses, the Library Chair is great in the kitchen or other areas with shelves beyond reach. When finished, simply fold the ladder section under and convert to a comfortable straight-back chair.














ASSEMBLY INSTRUCTIONS


This product has been designed for easy assembly and constructed for durability. Please take the time to read and follow the assembly instructions carefully. Please wipe clean with a damp cloth. If a part or hardware is missing or you have any difficulties in assembling this product, Please contact us Toll-Free at 1-800-228-3876.




ASSEMBLY INSTRUCTION

PARTS LIST				HARDWARE LIST			
LABEL	PICTURE	DESCRIPTION	QTY	LABEL	PICTURE	DESCRIPTION	QTY
A		Backrest	1PC	1		Allen Key	1PC
B		Seat	1PC	2		JCBC 60mm	4PCS
C		Front Leg	2PCS	3		JCBC 40mm	10PCS
D		Shelf A	1PC	4		Screw	4PCS
E		Support	2PCS	5		Cap	14PCS
F		Shelf B	1PC				

STEP 2



STEP 1




Working with parts (A) and the back leg assembly from step 1, place the backrest (A) on the side with the front facing forward. Using JCBC 60mm (2) and tighten with allen key (1). Make sure the triangles are positioned with the long sides forward and the 90-degree angle at the top.

Working with parts (E) and (F), Insert the shelf B (F) into the groove with the angled edge in the front and the straight edge in the back. Using JCBC 40mm (3) and tighten with allen key (1), Repeat on the other side




ASSEMBLY INSTRUCTION

STEP 3



Install seat (B) onto back leg assembly on the step 2 and to the backrest (A) using screw (4) and tighten with screw driver.

STEP 4




Working with parts (C) and (D), Insert the shelf A(D) into the groove with the angled edge in the front and the straight edge in the back. Using JCBC 40mm (3) and tighten with allen key (1). Repeat on the other side.

STEP 5




Install front legs assembly from step 4 onto seat (B) using JCBC 40mm (3) and tighten with allen key (1).

STEP 6



Insert the caps (5).

STEP 7



Carefully open the chair to the ladder mode.

STEP 8

