

SAFETY DATA SHEET

1. Product and Company Identification

Product identifier Pro Neutra-Sul Other means of identification Not available Water treatment Recommended use Recommended restrictions None known. Pro Products LLC Manufacturer information

7201 Engle Road

Fort Wayne, IN 46804-5875 US

Phone: 260-483-2519

Emergency Phone: 1-800-424-9300 (CHEMTREC)

Supplier See above.

2. Hazards Identification

Physical hazards Not classified.

Category 2 Health hazards Skin corrosion/irritation Serious eye damage/eye irritation Category 2

Not classified. **Environmental hazards** WHMIS 2015 defined hazards

Not classified

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling. Wear eye protection/face protection. Wear protective gloves.

IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Response

Take off contaminated clothing and wash it before reuse. Specific treatment (see information on this label). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Store away from incompatible materials. Storage

Dispose of waste and residues in accordance with local authority requirements. Disposal

WHMIS 2015: Health Hazard(s)

not otherwise classified

(HHNOC)

None known

None known

WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Not applicable.

3. Composition/Information on Ingredients

Mixture

Chemical name Common name and synonyms **CAS** number 3-7* Hydrogen peroxide 7722-84-1

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

US GHS: The exact percentage (concentration) of composition has been withheld as a trade **Composition comments**

secret in accordance with paragraph (i) of §1910.1200.

*CANADA GHS: The exact percentage (concentration) of composition has been withheld as a

trade secret.

#18526 Page: 1 of 8 Issue date 13-August-2018

4. First Aid Measures Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention. Skin contact IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Specific treatment (see information on this label). Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to Ingestion reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medical attention. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Most important symptoms/effects, acute and delayed Indication of immediate Provide general supportive measures and treat symptomatically. Symptoms may be delayed. medical attention and special treatment needed **General information** If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Wear rubber gloves and safety glasses with side shields. Keep out of reach of children. 5. Fire Fighting Measures Suitable extinguishing media Water spray. Do not use water jet as an extinguisher, as this will spread the fire. Unsuitable extinguishing media Specific hazards arising from Firefighters should wear a self-contained breathing apparatus. Decomposition releases oxygen which may intensify fire. the chemical Special protective equipment Firefighters should wear full protective clothing including self-contained breathing apparatus. and precautions for firefighters Fire-fighting Move containers from fire area if you can do so without risk. equipment/instructions Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. General fire hazards No unusual fire or explosion hazards noted. Hazardous combustion May include and are not limited to: Oxygen. products 6. Accidental Release Measures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of Personal precautions, low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe protective equipment and mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate emergency procedures protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Methods and materials for Stop leak if you can do so without risk. Should not be released into the environment. Prevent entry containment and cleaning up into waterways, sewer, basements or confined areas. Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. **Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. Prevent entry into waterways, sewers, basements or

confined areas. Do not discharge into lakes, streams, ponds or public waters.

7. Handling and Storage

Precautions for safe handling

Do not breathe mist or vapor. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities

Store in a closed container away from incompatible materials. Keep out of reach of children.

#18526 Page: 2 of 8 Issue date 13-August-2018

upational exposure limits					
Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)					
Components	Туре	Value			
Hydrogen peroxide (CAS 7722-84-1)	TWA	1.4 mg/m3			
,		1 ppm			
Canada. British Columbia OELs. (Safety Regulation 296/97, as ame		for Chemical Substances, Occupational Health			
Components	Туре	Value			
Hydrogen peroxide (CAS 7722-84-1)	TWA	1 ppm			
Canada. Manitoba OELs (Reg. 21	7/2006, The Workplace Safety	And Health Act)			
Components	Туре	Value			
Hydrogen peroxide (CAS 7722-84-1)	TWA	1 ppm			
Canada. Ontario OELs. (Control o	of Exposure to Biological or Ch	emical Agents)			
Components	Туре	Value			
Hydrogen peroxide (CAS 7722-84-1)	TWA	1 ppm			
Canada, Quebec OELs, (Ministry	of Labor - Regulation Respecti	ng the Quality of the Work Environment)			
Components	Туре	Value			
Hydrogen peroxide (CAS 7722-84-1)	TWA	1.4 mg/m3			
		1 ppm			
US. OSHA Table Z-1 Limits for Ai	r Contaminants (29 CFR 1910.1	• •			
	r Contaminants (29 CFR 1910.1 Type	• •			
US. OSHA Table Z-1 Limits for Air Components Hydrogen peroxide (CAS 7722-84-1)	•	000)			
Components Hydrogen peroxide (CAS	Туре	000) Value			
Components Hydrogen peroxide (CAS 7722-84-1)	Type PEL	000) Value 1.4 mg/m3			
Components Hydrogen peroxide (CAS	Type PEL	000) Value 1.4 mg/m3			
Components Hydrogen peroxide (CAS 7722-84-1) US. ACGIH Threshold Limit Value	Type PEL	Value 1.4 mg/m3 1 ppm			
Components Hydrogen peroxide (CAS 7722-84-1) US. ACGIH Threshold Limit Value Components Hydrogen peroxide (CAS	Type PEL PS Type TWA	Value 1.4 mg/m3 1 ppm Value			
Components Hydrogen peroxide (CAS 7722-84-1) US. ACGIH Threshold Limit Value Components Hydrogen peroxide (CAS 7722-84-1)	Type PEL PS Type TWA	Value 1.4 mg/m3 1 ppm Value			
Components Hydrogen peroxide (CAS 7722-84-1) US. ACGIH Threshold Limit Value Components Hydrogen peroxide (CAS 7722-84-1) US. NIOSH: Pocket Guide to Chel	Type PEL SS Type TWA mical Hazards	Value 1.4 mg/m3 1 ppm Value 1 ppm			

Components	Туре	Value	
Hydrogen peroxide (CAS 7722-84-1)	TWA	1.4 mg/m3	
,		1 ppm	

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines See above

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Rubber gloves. Confirm with a reputable supplier first.

Other Wear appropriate chemical resistant clothing. As required by employer code.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. When using do not eat or drink.

#18526 Page: 3 of 8 Issue date 13-August-2018 9. Physical and Chemical Properties

Appearance Clear Physical state Liquid. **Form** Liquid Color Colorless Odor Slightly sharp Odor threshold Not available. 1.5 - 2.5 pН Melting point/freezing point Not available. Not available. Initial boiling point and boiling

range

Pour point Not available.

Specific gravity 1.0112 - 1.0312

Partition coefficient Not available.

(n-octanol/water)

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

Not available.

(%)

Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Vapor pressure Not available. Vapor density Not available. Relative density Not available. Not available. Solubility(ies) **Auto-ignition temperature** Not available. **Decomposition temperature** Not available.

Other information

Viscosity

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and Reactivity

Reactivity Reacts violently with strong alkaline substances. This product may react with reducing agents.

Reacts vigorously with incompatible materials liberating oxygen and heat. This product may react

with strong oxidizing agents.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Reacts violently with strong alkaline substances. This product may react with reducing agents. Do

Bases. Reducing agents. Organic materials. Combustible materials. Oxidizers.

not mix with other chemicals.

Incompatible materials
Hazardous decomposition

May include and are not limited to: Oxygen.

products

11. Toxicological Information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion May cause stomach distress, nausea or vomiting.

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Eye contact Causes eye irritation.

#18526 Page: 4 of 8 Issue date 13-August-2018

Symptoms related to the physical, chemical and toxicological characteristics Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Severe eye

irritation. Symptoms may include stomach distress, nausea or vomiting.

Information on toxicological effects

Acute toxicity

Species Test Results Components

Hydrogen peroxide (CAS 7722-84-1)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours, ECHA

> Rat 3000 - 5480 mg/kg, ECHA

Inhalation

LC50 Rat > 170 mg/m3, 4 Hours, ECHA

Oral

LD50 Rat 1270 mg/kg, ECHA

1193 mg/kg, ECHA

1026 mg/kg, ECHA, male

872 mg/kg, ECHA 801 mg/kg, ECHA

Confirmed animal carcinogen with unknown relevance to humans.

693.7 mg/kg, ECHA, female

Skin corrosion/irritation Irritating to eyes and skin.

Exposure minutes Not available. Erythema value Not available. Oedema value Not available.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Not available. Corneal opacity value Iris lesion value Not available. Conjunctival reddening Not available.

value

Conjunctival oedema value Not available. Recover days Not available.

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

Hydrogen peroxide (CAS 7722-84-1) Irritant

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity See below.

ACGIH Carcinogens

Hydrogen peroxide (CAS 7722-84-1) A3 Confirmed animal carcinogen with unknown relevance to

humans.

Canada - Manitoba OELs: carcinogenicity

HYDROGEN PEROXIDE (CAS 7722-84-1)

IARC Monographs. Overall Evaluation of Carcinogenicity

Hydrogen peroxide (CAS 7722-84-1) Volume 36, Supplement 7, Volume 71 - 3 Not classifiable as to

carcinogenicity to humans.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Non-hazardous by WHMIS/OSHA criteria. **Teratogenicity**

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

#18526 Page: 5 of 8 Issue date 13-August-2018 **Aspiration hazard** Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological Information

See below **Ecotoxicity**

Ecotoxicological data

Species Test Results Components

Hydrogen peroxide (CAS 7722-84-1)

IC50 2.5 mg/L, 72 Hours Algae Algae Crustacea EC50 Daphnia 7.7 mg/L, 48 Hours

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential No data available. Mobility in soil No data available. Not available. Mobility in general

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions Review federal, state/provincial, and local government requirements prior to disposal. Collect and

reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical

or used container.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport Information

Transport of Dangerous Goods (TDG) Proof of Classification

Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the

product will appear below.

General Hydrogen peroxide is not regulated as corrosive or an oxidizer for shipping at the percentage

available within this product.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Not applicable

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

US EPCRA Section 304 Extremely Haz. Subs. & CERCLA Haz. Subs.: Section 304 EHS reportable quantity

Hydrogen peroxide (CAS 7722-84-1) 1000 LBS

#18526 Page: 6 of 8 Issue date 13-August-2018

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations

US - California Hazardous Substances (Director's): Listed substance

Hydrogen peroxide (CAS 7722-84-1) Listed.

US - Illinois Chemical Safety Act: Listed substance

Hydrogen peroxide (CAS 7722-84-1)

US - Minnesota Haz Subs: Listed substance

Hydrogen peroxide (CAS 7722-84-1) Listed.

US - New Jersey RTK - Substances: Listed substance

Hydrogen peroxide (CAS 7722-84-1)

US - Texas Effects Screening Levels: Listed substance

Hydrogen peroxide (CAS 7722-84-1) Listed.

US. Massachusetts RTK - Substance List

Hydrogen peroxide (CAS 7722-84-1)

US. New Jersey Worker and Community Right-to-Know Act

Hydrogen peroxide (CAS 7722-84-1)

US. Pennsylvania Worker and Community Right-to-Know Law

Hydrogen peroxide (CAS 7722-84-1)

US. Rhode Island RTK

Hydrogen peroxide (CAS 7722-84-1)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.


Inventory status

Country(s) or region	Inventory name On	inventory (yes/no)*		
Canada	Domestic Substances List (DSL)	Yes		
Canada	Non-Domestic Substances List (NDSL)	No		
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes		
*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)				

16. Other Information







Disclaimer The data contained in this material safety data sheet was obtained from sources that were

technically accurate, reliable, and state of the art when this document was prepared. If data was unavailable to complete certain sections, the absence of that data is identified in this document. Because the supplier cannot know the exact circumstances during actual use of this product, other hazards, exposure scenarios, disposal considerations, and regulations may apply and it is the responsibility of the user to read and understand the product label and this document before use. Do not use the product for purposes other than those stated in Section 1.

Issue date 13-August-2018

Version # 02

Effective date 13-August-2018

Prepared by Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.

Redbook revision #3, 2/13/17

#18526 Page: 8 of 8 Issue date 13-August-2018