

ECTS

REPELS MOSQUITOES THAT MAY TRANSMIT THE ZIKA, WEST NILE, DENGUE & CHIKUNGUNYA VIRUSES

н

Repels Mosquitoes, Ticks, Gnats, Biting Flies, Chiggers & Fleas

Repel® 100 Insect Repellent Repels mosquitoes for up to 10 hours

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

WARNING. Causes substantial but temporary eye injury. Do not get in eyes. Harmful if swallowed. Use of this product may cause skin reactions in rare cases. Wash hands before eating, drinking, chewing gum, using tobacco or using toilet.

First Aid • If swallowed: Call a Poison Control Center or doctor immediately for treatment dorive. Heve person sip a gloss of water if dole to swallow. Do not induce yourning unless bit do as by a Poison Control Center or doctor. Do not grie anything by mouth to an unconscious person. • If in eyes: Hold eye open and rinse slowly and genly with water for 15:20 minutes. Remove contact lenses, if present, after the first simulars, then continue rinsing eye. • Hy ou suppect or accions to this product. Discontinue use. Take off contaminated dathing, Rinse skin immediately with plenty of water for 15:20 minutes. Call a Poison Control Center or doctor for themment dorive. • Have the product loale with you whan calling a Poison Control Center or doctor gaing for treatment. For additional information in case of emergency call tall free 1-888-880-1181. • Note to Physician: Probable muccsal damage may

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.	PURCHASE	35
Questions or Comments? Call 1-888-880-1181 or visit our website at www.repel.com	Ξ Ω	UPC 94108
Manufactured for WPC Brands. Inc.	5	<u>e</u> 2
PO Box 4406		0 8
Bridgeton, MO 63044-0406	PROOF OF	FP0 0 11423
EPA Reg. No. 305-30	L L	
EPA Est. Nos. 9688-MO-1(1), 58996-MO-1 (AE),	ĕ	5
11623-GA-1 🛈	<u> </u>	-
Circled letter is first letter of lot number.	-	
17-16412 © 2017		

DIRECTIONS FOR USE • It is a violation of Federal Law to use this product in a manner inconsistent with its labelina. Read and follow all directions and precautions on this product label. Apply over all exposed skin to repel mosauitoes, ticks and biting flies. Use just enough regellent to cover exposed skin and/or clothing. Do not use under clothing. Do not spray in enclosed areas. Do not spray directly on face. If used on the face, spray on hands first, then apply sparingly to face and ears. Do not apply near eyes and mouth. Avoid overapplication. Do not apply over cuts, wounds or irritated skin. Do not allow children to handle this product. When using on children, apply to your own hands and then put it on the child. Do not apply to children's hands. • For use on outer surfaces of clothing: Spray shirts, pants and hats. For ticks, chiggers and fleas, apply to tops of socks and around openings of outer clothing. After returning indoors, wash treated skin with soap and water. Wash treated clothing before wearing it again. • Do not apply to synthetic fabrics such as acetate, rayon or spandex. Will not damage cotton, wool and nylon. May damage furniture finishes, leather, plastics and painted and varnished surfaces, including watch crystals, guns, bows and automobiles. Allow repellent to dry before handling bow or gun stock.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store this product in a cool, dry place that is inaccessible to children.

CONTAINER DISPOSAL: Do Not Puncture or Incinerate!

If empty: Nonrefillable container. Do not reuse or refill this container. Offerfor recycling, if available. • If partly filled: (all your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

WARNING. Causes substantial but temporary eye injury. Do not get in eyes. Harmful if swallowed. Use of this product may cause skin reactions in rare cases. Wash hands before eating, drinking, chewing gum, using tobacco or using toilet.

First Aid • If swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to svallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

If you suspect a reaction to this product: Discontinue use. Take off contaminated doiting. Rines akin immediately with plenty of water for 1520 minutes. Call or Joins Cantol Claritor or dards for transment doiven. Have the product lobel with you when calling a Poison Control Center or doctor, or going for treatment. For additional information in case of emergency call Inte 1-1888-880-1181.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or Comments? Call 1-888-880-1181 or visit our website at www.repel.com

Manufactured for WPC Brands, Inc. P0 Bac 4406, Bridgeton, MO 63044-0406 EPA Rey, No. 305-30 EPA Est. Nos. 9688-MO-1 (D), 58996-MO-1 (E),11623-6A-1 (D) Griedel letter 5 first letter of 1 for number. 17-16412 (© 2017