



# SAMSGAZEBOS™ Garden Seat

## Assembly Instructions

Thank you for purchasing SamsGazebos products.

This garden seat has been designed for easy assembly by one person.

### Before Assembly


1. Make sure you have all the parts. Compare the contents of the package to the parts list. If any parts are missing or you have any questions, please contact Customer Service at (800) 376-7267 with the order number on your packing slip.
2. Layout the parts in separate staging area.
3. Select a location for your garden bench. Choose any area of your hard surfaced patio or cement pad. Trim down overhanging trees and avoid underground pipes or cables before assembling the garden seat.
4. Prepare the tools and read the manuals.
5. Adjust sprinklers if necessary.
6. Assembling this kit may take 30 minutes with a cordless screw driver. Please work on a clean level floor for the best result.

### Tools Required


- ◇ Level
- ◇ Cordless Screw Driver or Screw Driver (+)
- ◇ Work Glove (optional)
- ◇ Bloom (optional)




# SAMSGAZEBOS™ Garden Seat Parts List



1 Top Arbor with Lattice Backdrop




2 Bottom Arbors




2 Vertical Bench Legs




1 Top Bench




1 Bottom Bench



2 Horizontal Bench Legs




1 Back Frame



1 Horizontal Bench Support




30 Wood Screws




1 Crown Trellis







1. Assemble two bottom arbors and horizontal bench legs. Match numbers for the best result.



2. Flip the horizontal bench leg and fasten it to the bottom arbor with a screw.



3. Fasten them with another screw.



4. Do the same with the other bottom arbor and horizontal bench leg.




5. Place the back frame on the back of the bottom arbors. Match numbers for the best result.



6. Fasten them with screws from the back.



7. Fasten them with a screw at the bottom.



8. Fasten them with another at the bottom.




9. Find two vertical bench legs with matching numbers. Fasten the both bench legs with screws.



10. Install the bottom bench between the bottom arbors. Match numbers for the best result.




11. Place the top bench between the bottom arbors. Match numbers for the best result.



12. Fasten the horizontal bench support under the bench. Match numbers for the best result and fasten them with screws.



13. Place the top arbor on the bottom arbors.




14. Fasten them with screws.



15. Do the same on the other side.



16. Fasten the back frame and bench with screws.



17. Fasten the crown trellis and top arbor with screws.



# SAMSGAZEBOS™ Garden Seat

## Installation Guide & Use and Care



Thank you for purchasing **SamsGazebos™** products.

There are a few steps you need to take in order to use your garden bench for many years of enjoyment.

1. Finish it to your liking. A solid stain is highly recommended for easy maintenance.
2. Set it on a level surface, preferably against a wall.
3. Avoid placing it on dirt. Make a cement pad (4 ft. x 2 ft. ) or lay bricks.
4. Stake the both sides of the bench legs or bolt them down to your patio or deck.
5. Fasten the top arbor to the wall if it is a windy area.
6. Adjust your sprinklers if necessary.

Please contact our customer service for any questions.

Call : (800) 376-7267

E-mail: [info@smsgazebos.com](mailto:info@smsgazebos.com)