



# Transfer XXXL Air Massage HB Walk In Bathtub

(Wheelchair Accessible)



OLA3655A-HB-L Left Drain



OLA3655A-HB-R Right Drain

Actual Size: 36" W x 55" L x 42" H  
Shipping Size: 38" W x 57" L x 50" H  
Shipping Weight: 300 lbs.  
Net Weight: 220 lbs.  
Water Capacity: 95 gal. US (unoccupied)  
55-75 gal. US (occupied)  
Approx. Drain Time: +/- 80 sec (unoccupied)\*  
Approx. Fill Time: 7-8 Gallons per minute\*

\*at ideal home plumbing conditions

#### Options:

- Left or Right Hinged Door

#### Included Features:

1. Acrylic Tub Shell:
  - High quality acrylic
  - Excellent color uniformity
  - High Gloss White Finish
  - Fiberglass Reinforced
2. Low threshold step in 6"
3. Stainless Steel Frame with Adjustable Leveling Legs
4. Seat: 31" W x 18" L x 17" H
5. Two (2) front and one (1) end removable access panel
6. Wall and deck mounted stainless steel safety grab bar in plated chrome finish
7. Push Controls
8. L-shaped door for wheelchair access
9. Air Massage System 4.5AMP 486W
  - Seventeen (17) therapeutic air massage jets with backflow valve
  - Variable speed pump with autopurge
8. Five-Piece Fast Fill Huntington Brass faucet set
  - 14-18 GPM (average) @ 60 PSI
  - Pull out, hand held, chrome plated hand shower with 5 ft. retractable stainless steel braided hose

#### Plumbing

- Two (2) x 5' long stainless steel braided water supply lines with 3/4" IPS connectors
- Two (2) x 2" floor drains
- Two (2) PVC 2" drain elbows


#### Electrical

Electrical requirement is one dedicated 120V electrical line with a 20AMP GFCI standard three prong outlet


#### Warranty

- Lifetime limited warranty on acrylic walk in tub shell, frame, and door
- 5 year parts warranty (please visit [www.ellasbubbles.com](http://www.ellasbubbles.com) for more detailed information)
- Thermostatic Control Valve (TCV) 1 year limited warranty

# Transfer XXXL Air Massage HB Walk In Bathtub (Wheelchair Accessible)







Disclaimer:  
In an effort to continually improve our product, specifications and configurations are subject to change without notice. Before ordering or installing, consider future access to essential equipment.