

New!

ACCUSHOT
Continuous Power Sprayer™

Just Aim & Spray



Extendable Wand
For Accuracy

Fast-Acting
Formula

**MONEY BACK
GUARANTEE†**

Spectracide®

WEED & GRASS KILLER₂

Herbicida para pasto y maleza.

Kills The Root!

Visible Results As Fast As **3** Hours



Rainfast In 15 Minutes

Use On Patios, Walkways & Flower Beds

Net 1.33 gal
(170 fl oz / 5.0 L)

Active Ingredients:	
Diquat Dibromide	0.12%
Fluazifop-p-butyl	0.06%
Dicamba, dimethylamine salt	0.04%
Other Ingredients	99.78%
Total	100.00%

†For terms of guarantee, see back panel. 17-15417

KEEP OUT OF REACH OF CHILDREN

CAUTION See back booklet for additional precautionary statements.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCIÓN Consulte el folleto en la parte posterior para conocer las declaraciones preventivas adicionales.



READY TO USE

RESEALABLE LABEL • PEEL HERE

ETIQUETA RESEALABLE • ABRA AQUÍ

STOP. READ ENTIRE LABEL BEFORE USE.
ALTO. LEA TODA LA ETIQUETA ANTES DE USAR.

Spectracide

WEED & GRASS KILLER²

Herbicida para maleza y pasto²

ACCUSHOT

Continuous Power Sprayer™



Extendable Wand
For Accuracy

Comfort • Power • Precision

Aim & Spray

**WORKS THE FIRST
TIME, EVERY TIME**



Kills the Root!



**Kills Over 155 Types
of Weeds as Listed**



Rainfast in 15 Minutes



**Eliminates Weeds,
Guaranteed!**



**Replant Flowers, Trees &
Shrubs the Same Weekend!**

**OPERATING
INSTRUCTIONS
FOR ACCUSHOT™
SPRAYER**



1. Remove sprayer from side holster. Unwrap the tubing.
2. Remove seal from top of cap. Unplug cap.
3. Securely snap the plug into hole on cap.
4. Remove plastic tab near top of sprayer to activate batteries.
5. Twist nozzle to adjust spray from CLOSE (X) to SPRAY (☒) or STREAM (☒).
6. When priming the sprayer, hold sprayer level to the ground. Sprayer may not prime if it is held at an angle. Once primed, it will spray in any direction.

**MONEY BACK
GUARANTEE**

***Guaranteed Results or Your Money Back**

If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

QUESTIONS & COMMENTS: Call 1-800-917-5438 or visit our website at www.spectracide.com

HOW TO USE THE ACCUSHOT SPRAYER

Aim toward target area to be treated, and away from people and pets. • To improve accuracy, use slider to extend wand.

• Press the trigger to spray. • Release the trigger to stop spray. After use: 1. Twist nozzle completely to CLOSE position. 2. Secure sprayer tip down in holster. 3. Failure to adjust nozzle completely to CLOSE position and properly secure sprayer in holster may result in leakage and damage to property or injury to people or animals.

Keep reusable AccuShot Sprayer for use with Spectracide® Weed & Grass Killer.

To replace batteries: 1. Use screwdriver to open battery compartment. 2. Remove used batteries and insert two new AA batteries in correct positions as marked per diagram inside of battery compartment. **Never** insert the positive end where the negative end belongs and vice versa. **Always** use a complete set of new batteries of the same type when replacing batteries. **Never** mix alkaline, carbon-zinc or rechargeable batteries. 3. Securely close battery compartment door. 4. **Always** follow manufacturer's recommendations for use and disposal of batteries.

Additional operating notes: • Do not submerge in water. • Before each use, inspect sprayer carefully — make sure hose is flexible and not kinked, worn or cracked and that all connections are tight. • When storing sprayer for prolonged periods, remove batteries.

NOTICE: To the extent required by applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.
NOTA: Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

Distributed by Spectrum Group, Division of United Industries Corporation, P.O. Box 142642, St. Louis, MO 63114-0642
EPA Reg. No. 9688-293-0845 EPA Est. Nos. 9688-MO-1 (1), 50936-MO-1 (2), 11623-GA-1 (3), 11623-GA-3 (4)
Circled letter is first letter of lot number. 17-15418 © 2014 UIC

PROOF OF PURCHASE

FPO UPC
0 71121 96370 3

KILLS MOST COMMON WEEDS AND GRASSES INCLUDING: / MATA LA MAYORÍA DE LAS MALEZAS Y PASTOS COMUNES, INCLUYENDO:




Annual weeds and grasses: / Malezas y pastos anuales:

- annual bluegrass
- annual ryegrass
- barnyardgrass
- beggarweed
- black medic
- blue medic
- blue mustard
- blue toadflax
- brassbuttons
- broomegrass
- bur clover
- buttercup
- cheeseweed
- chickweed
- clover
- common groundsel
- common lambsquarters
- common plantain
- common ragweed
- crabgrass
- creeping beggarweed
- diffuse fennelgrass
- dog fennel
- evening primrose
- fall panicum
- fense
- field dandelion
- field pennycress
- field sandbur
- filaree
- Florida pusley
- foxtail
- goosegrass
- garden spurge
- hemp foxtail
- hiemp sesbania
- henbit
- horseweed
- marehail
- ironweed
- knotweed
- lambsquarters
- little bitter cress
- London rocket
- maiden cane
- mallow
- mayweed
- mouseear chickweed*
- oxalis*
- Pennsylvania smartweed
- pennywort
- pigweed
- prickly lettuce
- prostrate spurge
- puncture vine
- purslane
- redroot pigweed
- shepherdspurse
- smartweed
- smooth cat's ear
- smooth pigweed
- sowthistle
- spotted spurge
- sprangletop
- spurge
- tansy mustard
- Texas ragwort
- tumbled mustard
- velvetleaf
- wild geranium*
- wild mustard
- witch grass
- yellow nutgrass
- yellow oxalis (and many other annual grasses and weeds)

Perennial weeds, grasses, brush: / Malezas, pastos, matorrales perennes:

- alder
- artichoke thistle
- bahiagrass
- barnyardgrass
- bentgrass
- Bermudagrass
- bluegrass
- broadleaf plantain
- brownsseed paspalum
- buckhorn plantain
- bull thistle
- Canada thistle
- cattail
- ceanothus
- centipedegrass
- cocklebur
- cogongrass
- common mullein
- common ragweed
- coral bead
- creeping Charlie
- curly dock
- dallisgrass
- dandelion
- dewberry
- dog fennel
- false dandelion
- fescue species
- field bindweed
- guineagrass
- hairy crabgrass
- horsetail
- horseardish
- iceplant
- Johnsongrass
- Kentucky bluegrass
- kikuygrass
- knapweed
- knawel
- lantern
- maiden cane
- milkweed
- nimblewill
- nutgrass (nutsedge)
- oldenlandia
- orchardgrass
- oxalis*
- pampasgrass
- pennywort
- perennial ryegrass
- plantain
- purple cudweed*
- quackgrass
- quaking aspen
- ragweed
- red clover
- smooth bromegrass
- sourdock
- st. augustinegrass
- tall fescue
- tansy ragwort
- Timothy
- torpedograss
- trumpet creeper
- vasserygrass
- Virginia creeper
- white clover
- white top
- wild barley
- wild blackberry
- wild carrot
- wild morning glory
- wild oats
- yellow nutgrass
- yellow starthistle
- zoyia
- *annual or perennial

INSTRUCCIONES DE MANEJO PARA EL ROCIADOR ACCUSHOT™

1. Retire el rociador del soporte lateral. Desensuelva el tubo. 2. Retire el sello de la parte superior de la tapa. Desconecte la tapa. 3. Inserte bien el tapón en el orificio en la tapa. 4. Quite la lengüeta de plástico próxima a la parte superior del rociador para activar las pilas. 5. Gire la boquilla para ajustar el rocio de CLOSE (CERRAR)  a SPRAY(ROCIO)  o a STREAM (FLUJO) . 6. Al cebar el rociador, sosténgalo al nivel del suelo. Es posible que no se cebe si está inclinado. Una vez cebado, rocíe en cualquier dirección.

CÓMO USAR EL ROCIADOR ACCUSHOT

Diríjalo hacia el lugar que tiene como objetivo lejos de las personas y las mascotas. • Para una mayor precisión, extienda la varilla con la pieza que se desliza. • Presione el gatillo para rociar. • Suelte el gatillo para dejar de rociar. Después de usar: 1. Gire la boquilla completamente hasta la posición CLOSE (cerrar). 2. Asegure la punta del rociador en el soporte. 3. Si la boquilla no se ajusta totalmente hasta la posición CLOSE (cerrar) y el rociador no se asegura adecuadamente en el soporte, pueden ocurrir derrames y daños materiales o lesiones a personas o animales. Guarde el Rociador reusable AccuShot para usarlo con el Herbicida para maleza y pasto, de Spectracor®.

Para reemplazar las pilas: 1. Abra el compartimento de las pilas usando un destornillador. 2. Retire las pilas usadas y coloque dos pilas AA nuevas en las posiciones correctas tal como está indicado en el diagrama que se encuentra dentro del compartimento de las pilas. Nunca coloque el extremo positivo donde va el extremo negativo ni al revés. Cuando reemplace las pilas, use siempre un juego completo de pilas nuevas del mismo tipo. Nunca mezcle pilas alcalinas, de carbono zinc ni pilas recargables. 3. Cierre bien la tapa del compartimento de las pilas. 4. Siga siempre las recomendaciones del fabricante sobre el uso y eliminación de las pilas.

Notas adicionales sobre el funcionamiento: • No lo sumerja en agua. • Revise cuidadosamente el rociador antes de cada uso, asegúrese de que la manopla sea flexible y no esté prolongada, gastada ni rota y que todas las uniones estén ajustadas. • Cuando guarde el rociador durante períodos prolongados, retire las pilas.

ALTO Lea toda la etiqueta antes de usar.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta. Solo para uso residencial en espacios exteriores.

ALTO No permita que las personas ni las mascotas toquen las plantas tratadas hasta que los rocios se hayan secado.

RESTRICCIONES DE APLICACIÓN

No aplique este producto de modo que entre en contacto con personas ni mascotas, ya sea directamente o por arrastre. Solamente las personas que apliquen este producto pueden permanecer en el lugar durante la aplicación.

RECOMENDACIONES DE SEGURIDAD PARA EL USUARIO

- La ropa o el equipo de protección expuestos a este producto deben lavarse con detergente y agua caliente. Dichas prendas deben guardarse y lavarse por separado de otra ropa.
- Los usuarios deben lavarse las manos antes de comer, beber, masticar chicle, usar tabaco o usar el baño. Los usuarios deben quitarse la ropa inmediatamente si el pesticida pasa a través de la misma. Luego deben lavarse muy bien y ponerse ropa limpia.
- Los usuarios deben quitarse la ropa y el equipo de protección personal inmediatamente después de manipular este producto. Lávese muy bien y póngase ropa limpia tan pronto como sea posible.

CÓMO USAR

El Herbicida para maleza y pasto, de Spectracor® está formulado para el tratamiento localizado de malezas y pastos y viene premezclado y listo para usar. Úselo en los caminos de entrada de automóviles y senderos, o alrededor de cercas, árboles, lechos de flores, arbustos y otras zonas en su jardín.

CÓMO APLICAR

- Cubra completamente las hojas de la vegetación que tiene como objetivo. No rocíe en exceso.
- Las plantas que se rociaron empiezan a ponerse amarillas y marchitarse en un plazo de 24 horas y la eliminación completa, incluyendo las raíces, tiene lugar en una a dos semanas.
- Protaja todas las plantas desesables con un trozo de plástico o cartón.
- Si las plantas desesables se rocian accidentalmente, lívelas inmediatamente.

STOP Read entire label before use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor residential use only.

STOP Do not allow people or pets to touch treated plants until the sprays have dried.

APPLICATION RESTRICTIONS

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Only persons applying this product may be in the area during application.

USER SAFETY RECOMMENDATIONS

- Clothing and protective equipment exposed to this product should be washed in detergent and hot water. Such items should be kept and washed separately from other laundry.
- Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove clothing and protective equipment immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

HOW TO USE

Spectracor® Weed & Grass Killer, is pre-mixed and ready to use and is formulated for "spot" treatment of weeds and grasses. Use it on driveways and walkways, or around fences, trees, flower beds, shrubs and other areas in your yard.

HOW TO APPLY

- Completely cover the leaves of the target vegetation. Do not overspray.
- Sprayed plants begin yellowing and wilting in about 24 hours, with complete kill.

- including the roots, in one to two weeks.
- Protect desirable plants with a piece of plastic or cardboard.
- If desirable plants are accidentally sprayed, wash plants with water immediately.
- Do not mow, cut or otherwise disturb treated vegetation for at least seven days following application.
- Do not use on or around edible feed or food crops.

WHEN TO APPLY

- For best results, apply during warm, sunny weather (above 60°F), when weeds are actively growing and no rain is forecast for 24 hours. Rainfall or watering 15 minutes after application will not wash away effectiveness.
- To avoid drift to desirable plants, apply when the air is calm.
- Not recommended for spot weed treatment in established lawns since lawn grasses will also be killed.

WHEN TO REPLANT

- All ornamental flowers, trees and shrubs may be planted one day after application.

LAWN RENOVATION/REPLACEMENT

- Determine size of area to be treated — measure length and width in feet, then multiply to determine coverage area in square feet (length x width).
- Use this product to kill the old lawn and existing weeds and grasses.
- For best results, apply in spring or fall, when daytime temperatures are at least 60°F.
- Under dry conditions, water lawn every other day for a week before applying this product.
- Do not mow for seven days before or after treatment.
- 1.33 gal treats 390 sq ft.

TIPS FOR REPLANTING

- Wait seven days after last application to rake, till or replant with seed or soil.
- Rake up and remove loosened thatch or debris.
- Mix in starter fertilizer and soil amendments, if needed. Level the soil.
- Apply seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow.
- Keep area moist for two weeks to establish new lawn, then water as needed.

STORAGE AND DISPOSAL

Pesticide Storage: Turn the nozzle to "CLOSE" position. To prevent leakage, attach sprayer to clip. Store this product only in its original container in a secure storage area away from sources of heat or open flame and in an area inaccessible to children and pets. Keep from freezing. **Pesticide Disposal:** Do not discard the AccuShot™ Sprayer. Keep the AccuShot Sprayer for use on Spectracide® Weed & Grass Killer, Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. If empty, place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear long-sleeved shirt, long pants, shoes, and socks.

FIRST AID

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. • **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

Environmental Hazards

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

NOTICE: To the extent required by applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Questions & Comments? Call 1-800-917-5438 or visit our website at www.spectracide.com

con agua.

- No pique, corte, ni altere de ninguna otra manera la vegetación tratada

durante por lo menos siete días después de la aplicación.

- No lo use en alimentos para animales ni en cultivos comestibles ni a su alrededor.

CUÁNDO APLICAR

- Para obtener mejores resultados, aplique el producto cuando el clima esté cálido y soleado (temperaturas superiores a 60°F), cuando las malezas se encuentren en la etapa de desarrollo activo y no se pronostiquen lluvias por 24 horas. La lluvia o el riego después de los 15 minutos de la aplicación no reduce la eficacia.

Aplique cuando no haya viento para evitar el arrastre hacia plantas deseadas.

- No se recomienda para el tratamiento localizado de malezas en céspedes establecidos, ya que también las matará.

CUÁNDO PLANTAR DE NUEVO

- Todas las flores, árboles y arbustos ornamentales se pueden plantar un día después de la aplicación.

RENOVACIÓN O REPOSICIÓN DEL CÉSPED

- Determine el tamaño del área que se va a tratar: mida el largo y el ancho en pies y después multiplique para determinar el área de cobertura en pies cuadrados (largo por ancho).
- Use este producto para eliminar el césped anterior y las malezas y pastos actuales.
- Para obtener mejores resultados, aplique durante la primavera o el otoño, cuando las temperaturas diurnas sean de 60°F por lo menos.
- Si el césped está seco, riéguelo un día sí y otro no durante una semana antes de aplicar este producto.
- No corte el césped durante los siete días anteriores ni posteriores al tratamiento.
- Con 1.33 galones se tratan 390 pies cuadrados.

CONSEJOS PARA REPLANTAR

- Espere que transcurran siete días de la última aplicación para rastillar, cultivar o replantar con semillas o panes de césped.
- Rastille y retire la paja o los residuos sueltos.
- Si es necesario, mezcle el fertilizante inicial y los acondicionadores para la tierra. Nivele la tierra.
- Aplique las semillas de acuerdo a las instrucciones del envase, o coloque los panes de césped. Las semillas de césped deben mantener un buen contacto con la tierra para germinar y crecer.
- Mantenga la zona húmeda durante dos semanas para que el césped nuevo se establezca; después riegue cuando sea necesario.

ALMACENAMIENTO Y ELIMINACIÓN

Almacenamiento del pesticida: Gire la boquilla hasta la posición "CLOSE" (cerrar). Para evitar derrames, conecte el rociador a la abrazadera. Guarde este producto solamente en su envase original en un lugar de almacenamiento seguro, lejos de fuentes de calor o del fuego, y en un área que no sea accesible a los niños y las mascotas. No permita que se congele. **Eliminación del pesticida:** No tire el Rociador AccuShot™, Guarde el Rociador AccuShot para usarlo con el Herbicida para maleza y pasto, de Spectracide®. Envase no rellenable. No vuelva a usar ni a rellenar este envase a menos que las instrucciones de uso permitan que un producto (concentrado) diferente se diluya en el envase. **Si está vacío:** Tirelo en la basura u órfedeluzo para reciclar, si existe esa opción. **Si está parcialmente vacío:** Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el producto sin usar por ningún drenaje interno ni externo.

DECLARACIONES PREVENTIVAS

Riesgos para los seres humanos y los animales domésticos

PRECAUCIÓN. Causa irritación moderada a los ojos. Evite el contacto con los ojos o la ropa. Use camisa de manga larga, pantalones largos, zapatos y calcetines.

PRIMOS AUXILIOS

Si entra en contacto con los ojos: Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. • **Si entra en contacto con la piel o la ropa:** Quítese la ropa contaminada. Lave la piel con abundante agua durante 15 a 20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto.

Riesgos para el medio ambiente

Este pesticida es tóxico para los invertebrados acuáticos. No lo aplique directamente al agua. No contamine el agua cuando desheche el agua que se haya usado para lavar el equipo.

NOTA: Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

¿Preguntas o comentarios? Llame al 1-800-917-5438.

Distributed by Spectrum Group, Division of United Industries Corporation, PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-293-8845 EPA Est. Nos. 9688-MO-1 (U) 58996-MO-1 (AE), 11623-GA-1 (CK), 11623-GA-3 (CL)

Circled letter is first letter of lot number. 17-15418 © 2014 UIC