C by ella's bubbles

Transfer XXXL Hydro Massage HB

Walk In Bathtub

(Wheelchair Accessible)



OLA3655H-HB-L Left Drain

Actual Size: 36" W x 55" L x 42" H Shipping Size: 38" W x 57" L x 50" H Shipping Weight: 300 lbs. Net Weight: 220 lbs. Water Capacity: 95 gal. US (unoccupied) 55-75 gal. US (occupied) Approx. Drain Time: +/- 80 sec (unoccupied)* Approx. Fill Time: 7-8 Gallons per minute*

*at ideal home plumbing conditions

Included Features:

- 1. Acrylic Tub Shell:
 - High quality acrylic
 - Excellent color uniformity
 - High Gloss White Finish
 - Fiberglass Reinforced
- 2. Low threshold step in 6"
- 3. Stainless Steel Frame with Adjustable Leveling Legs
- 4. Seat: 31" W x 18" L x 17" H
- 5. Two (2) front and one (1) end removable access panel
- 6. Wall and deck mounted stainless steel safety grab bar in plated chrome finish
- 7. Push Controls
- 8. L-shaped door for wheelchair access
- 9. Hydro Massage System 5AMP 600W
 Seventeen (17) therapeutic air massage jets with backflow valve
 - Variable speed pump with autopurge
- 10. Five-Piece Fast Fill Huntington Brass faucet set
 - 14-18 GPM (average) @ 60 PSI
 - Pull out, hand held, chrome plated hand shower with 5 ft. retractable stainless steel braided hose

Plumbing

- Two (2) x 5' long stainless steel braided water supply lines with 3/4" IPS connectors
- Two (2) x 2" floor drains

Options:

• Two (2) PVC 2" drain elbows

Electrical

Electrical requirement is one dedicated 120V electrical line with a 20AMP GFCI standard three prong outlet

Warranty

- Lifetime limited warranty on acrylic walk in tub shell, frame, and door
- 5 year parts warranty (please visit www.ellasbubbles.com for more detailed information)
- . Thermostatic Control Valve (TCV) 1 year limited warranty




OLA3655H-HB-R Right Drain

· Left or Right Hinged Door

ello by ella's bubbles


Transfer XXXL Hydro Massage HB Walk In Bathtub

(Wheelchair Accessible)






Transfer XXXL Hydro Massage HB Walk In Bathtub (Wheelchair Accessible)



Disclaimer:

In an effort to continually improve our product, speci cations and con gurations are subject to change without notice. Before ordering or installing, consider future access to essential equipment.



Disclaimer:

In an effort to continually improve our product, speci cations and con gurations are subject to change without notice. Before ordering or installing, consider future access to essential equipment.