



Hinge Kit

Assembly and Installation Instructions

34106811BOM V1 1/13

Owner's Manual



Version

1.0

For use with Build-It-Yourself Framed Gates & Pre-Built Vinyl Panels and Wood Gates.




Supports Gates up to 150lbs. and 6'x6½'.

Style A



For Build-It-Yourself panels, purchase a framed gate



Style B



Panel + Kit

For certain Build-It-Yourself panels, purchase a panel with the gate framing kit (select styles only)

Style C



For Pre-Built panels, purchase a hinge kit and a panel to create a custom gate

Thank you for choosing the Barrette Outdoor Living Hinge Kit. Please read the instructions completely before assembling your hinge kit. Retain manual and your dated sales slip for future reference and warranty claims.

Before You Begin...

Check your local zoning laws.

- Local zoning laws and Home Owners Associations may regulate the location, style and height of your fence or even require a permit signoff beforehand.


Contact your local utilities companies.

- You must have the utility companies clearly mark your property for electrical, gas or water lines to avoid puncturing any unseen underground utilities.

Pay to mark your property line.

- Being proactive will save you time and money from any disputes from neighbors.

Gate posts require an internal support system for weight-bearing purposes and therefore wooden inserts or a post stiffener is required.



Post Spacing will be determined by gate width and hardware.

Material Checklist:

- | | |
|--|--|
| <input type="checkbox"/> Gate | <input type="checkbox"/> Drill & Drill Bits |
| <input type="checkbox"/> Phillips Head Screwdriver | <input type="checkbox"/> #2 Square Drive Bit |
| <input type="checkbox"/> Safety Glasses | <input type="checkbox"/> Circular Saw |
| <input type="checkbox"/> Level | <input type="checkbox"/> Wrench |
| <input type="checkbox"/> Tape Measure | <input type="checkbox"/> Pencil |

ATTENTION: Before you assemble the hinge kit:

PLEASE TAKE A COMPLETE INVENTORY OF ALL PARTS USING THE KIT CONTENTS.


DO NOT ATTEMPT TO ASSEMBLE THE KIT IF PARTS ARE MISSING OR DAMAGED.

Please do not return the product to the store, for assistance or replacement parts call:

1-800-336-2383


Kit Contents:

- | | | |
|-----------------------|--------------------------|----------------------|
| (2) Hinges | (2) Decorative Rail Caps | (8) Locking Nuts |
| (4) Hinge Covers | (3) Medium Rail Caps | (8) Spacers |
| (4) Back Plates | (3) Large Rail Caps | (12) 1½" Post Screws |
| (1) Latch and Striker | (8) Small Bolts | (4) 1" Handle Screws |
| (1) Gate Handle | (8) Large Bolts | (6) 1½" Latch Screws |
| (1) Glue | (8) Acorn Nuts | |






Installation



- 1.) Determine gate size and hardware clearance is approximately 3". The hinge kit will support gates up to 150 pounds and 6'x6½".




- a.) Build-It-Yourself Gates are available in predetermined widths (Style A).
- b.) For select styles, a custom size gate can be assembled from a Build-It-Yourself panel and the purchase of the Gate Framing Kit (Style B).
- c.) Pre-Built panels (Style C) can be altered to make custom gate sizes. Pre-planning prevents cutting down full board increments (in privacy panels) and ensures that the pickets are spaced symmetrical on both sides to accept the gate hardware correctly.




For pickets glued to the outside of the rail, a 3½" hardware clearance is required and installed without decorative hinge covers due to space clearance.




- 2.) Install the hinge on the rails/gate upright. The gate can be adjusted to swing 180 degrees with either a manual or self-closing feature.




- a.) Mark a pilot hole using the hinge and back plate and drill with ¼" bit




Style A



Style B




Style C




- 3.) Install back plate on the opposite side of the hinge and secure with appropriate bolt size and fastener. The included nylon spacer may be required to fill in void space. Repeat steps to install second hinge on bottom rail. See chart below for detailed fastening options.


Upright/Rail Gate Width	Bolt Size	Fastener
1.5"	60mm	Locking Nut With Spacer
1.75"	60mm	Acorn Nut With Spacer
2"	60mm	Acorn Nut
2.5"	60mm	Purchase 8, M6 75mm with Supplied Acorn Nut
4"	110mm	Acorn Nut




- 4.) Hold the gate level to the post and mark drill holes on the gate post. The slotted screw holes on the inside of the post attachment allow for vertical adjustment. It is recommended to drill holes and secure the three inside screws first before drilling holes and installing the three front screws. Secure both hinges to the gate using six 1½" Phillips screws per hinge.



- 5.) Adjust the hinge width or position to the gate post using the four bolts located where the hinge attaches to the rail




- 6.) Adjust the hinge tension/swing speed by loosening both vertical bolts on the installed gate post using a wrench. Loosen the bolt with the square plate underneath to "un-lock". Next, loosen or tighten the opposite bolt for desired tension. Once satisfied, tighten or lock the bolt with the square plate underneath.




- 7.) Once gate is aligned and adjusted correctly, snap on decorative hinge covers.


For pre-built panels (Style C), rail caps can be inserted to cover exposed rail ends on the end of the gate. Adhere with supplied glue.



- 8.) Measure and install latch with six 1½" Phillips screws. The latch striker is installed on the gate first and then install the latch catch onto the gate post.



- 9.) Install the handle in desired location using the four 1" supplied screws.





One Year Warranty

What is covered: Barrette Outdoor Living warrants vinyl and aluminum products to include; vinyl and aluminum fence, vinyl and aluminum railing and plastic lattice against defects or workmanship for as long as you own your home. Barrette Outdoor Living will at its option replace the product in question with new product of the same or equivalent value at no charge. Barrette Outdoor Living warrants these products against peeling, flaking, splintering, corrosion, rusting or abnormal discoloration under normal use and service per ASTM D 2244. This warranty extends to the original purchaser or transferee as specified herein on the products noted above. Separate and distinct warranties for hardware and other products are not covered under this warranty.

What this warranty does not cover: This limited warranty does not cover damage resulting from accident, unreasonable use, neglect, alteration, improper service, improper installation, acts of God or any other causes not arising out of defects in materials or workmanship. Additionally, this warranty does not cover costs of installation, removal, reinstallation or surface mold and mildew created by excessive environmental conditions. Any service or repair provided outside the scope of this limited warranty shall be at Barrette Outdoor Living's rate and terms then in effect.

What do we do to correct the problems? Should your Barrette Outdoor Living product prove defective under warranty, reference the website or call the phone number listed below. Your problem will be assigned a tracking number and an authorized Barrette Outdoor Living representative will contact you to arrange a convenient time to schedule an onsite inspection, or request pictures, if need be. If after inspection product is deemed to be manufacturer defect we will make arrangements to rectify the issue. You must have proof of your purchase in order for the problem to be corrected.

Transferee Coverage: Warranty coverage will be extended to one transferee on the above listed products with the following limitations. Transferee must obtain an original or copy of the initial sales receipt (with proof of date) from the previous owner(s). Additionally, if fence is purchased from a builder or installer, documentation must be supplied that names the product installed on property and date of transfer.

THIS WARRANTY IS IN LIEU OF ALL CONDITIONS OR WARRANTIES, EXPRESS, OR IMPLIED INCLUDING BUT NOT LIMITED TO ANY IMPLIED CONDITIONS OR WARRANTIES OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ON THE PART OF Barrette OR ITS LICENSORS, SOME STATES DO NOT ALLOW THE EXCLUSIONS OF IMPLIED WARRANTIES OR LIMITATIONS OF HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATIONS MAY NOT APPLY TO YOU. IF THE PRODUCT IS DEFECTIVE PER THE ABOVE COVERAGES, YOUR SOLE AND EXCLUSIVE REMEDY SHALL BE REPAIR OR REPLACEMENT AS PROVIDED ABOVE. BARRETTE AND ITS LICENSORS SHALL NOT BE LIABLE FOR ANY DAMAGES, LOSS OF USE, LOSS OF PROFITS OR INTERRUPTION OF BUSINESS WHETHER SUCH ALLEGED DAMAGES ARE BASED IN WARRANTY, TORT, CONTRACT, OR INDEMNITY. SOME STATES DO NOT ALLOW THE EXCLUSION OF LIMITATIONS OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS MAY NOT APPLY TO YOU. This warranty is valid only in the United States and Canada.

Refer to www.BarretteOutdoorLiving.com for specific details about warranty limitations.
1-800-336-2383

To register your product, please visit: www.barretteoutdoorliving.com/product-registration

