

Version 2.0

Revision Date 08/31/2018

Print Date 09/17/2018

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP INSTANT SPILL ABSORB		
Material number	:	ZUABS3		
Manufacturer or supplier's details				
Company	:	Zep Inc.		
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137		
Telephone	:	404-352-1680		

### **Emergency telephone numbers**

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

## Recommended use of the chemical and restrictions on use

Recommended use : Absorbent

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

## **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

Appearance	granules
Colour	white, off-white
Odour	odourless

### **GHS Classification**

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components



Version 2.0	Revision Date 08/31/2018 Prir	
Chemical name	CAS-No.	Concentration [%]
Perlite, expanded	93763-70-3	>= 90 - <= 100

The exact percentages of disclosed substances are withheld as trade secrets.

## **SECTION 4. FIRST AID MEASURES**

General advice	:	Do not leave the victim unattended. Move out of dangerous area. Show this safety data sheet to the doctor in attendance.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. Move to fresh air.
In case of skin contact	:	If on skin, rinse well with water. If skin irritation persists, call a physician.
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist. Immediately flush eye(s) with plenty of water. Keep eye wide open while rinsing.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center.
Most important symptoms and effects, both acute and delayed	:	Effects may be delayed, symptoms may include minor eye or skin irritation. Overexposure may cause mild eye or skin irritation.
Notes to physician	:	Treat symptomatically. Symptoms may be delayed.

## **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	: Water spray jet Alcohol-resistant foam Carbon dioxide (CO2) Dry powder
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: No hazardous combustion products are known



Version 2.0		Revision Date 08/31/2018	Print Date 09/17/2018
Specific extinguishing methods	:	Use extinguishing measures that are circumstances and the surrounding e	
Further information	:	: Collect contaminated fire extinguishing water separately. must not be discharged into drains.	
Special protective equipment for firefighters	:	Wear self-contained breathing apparance of the self-contained breathing	atus for firefighting if

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Avoid dust formation. Use personal protective equipment.
Environmental precautions	<ul> <li>Prevent further leakage or spillage if safe to do so.</li> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> <li>Prevent product from entering drains.</li> </ul>
Methods and materials for containment and cleaning up	<ul> <li>Pick up and arrange disposal without creating dust.</li> <li>Sweep up or vacuum up spillage and collect in suitable container for disposal.</li> </ul>

# SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Keep container closed when not in use.</li> <li>Do not breathe vapours/dust.</li> <li>Avoid creating dust.</li> <li>Avoid contact with eyes.</li> </ul>
Conditions for safe storage	<ul> <li>Electrical installations / working materials must comply with the technological safety standards.</li> <li>Keep in a well-ventilated place.</li> <li>Keep container closed when not in use.</li> <li>Avoid dust generation</li> <li>Observe label precautions.</li> </ul>
Materials to avoid	: Strong acids

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Perlite, expanded	93763-70-3	TWA (Respirable)	5 mg/m3	NIOSH REL



sion 2.0	Revision	Revision Date 08/31/2018		Print Date 09/17/201	
	1	TWA (total)	10 mg/m3	NIOSH RE	
		TWA (Total dust)	15 mg/m3	OSHA P0	
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0	
		PEL (Total dust)	10 mg/m3	CAL PEL	
		PEL (respirable dust fraction)	5 mg/m3	CAL PEL	
Engineering measures	: effective ventilation in all processing areas				
Personal protective equip	ment				
Respiratory protection	ventilatior	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.			
			commended exp		
Hand protection Material Remarks			workplace should	osure guidelines	
Material	: The suital	e gloves bility for a specific roducers of the pro	workplace should	osure guidelines	
Material Remarks	: The suital with the p	e gloves bility for a specific roducers of the pro asses	workplace should	osure guideline	

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: granules
Colour	: white, off-white
Odour	: odourless
Odour Threshold	: No data available
рН	: Not applicable
Melting point/freezing point	: Not applicable
Boiling point	: Not applicable
Flash point	:
	does not flash
Evaporation rate	: No data available
Flammability (solid, gas)	: Will not burn



Version 2.0	Revision Date 08/31/2018	Print Date 09/17/2018
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: Not applicable	
Density	: 2.35 g/cm3	
Solubility(ies)		
Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: Not applicable	
Viscosity		
Viscosity, kinematic	: Not applicable	

# SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Stable under recommended storage conditions.
Conditions to avoid	: Avoid dust generation Extremes of temperature and direct sunlight.
Incompatible materials	: Hydrogen fluoride Strong acids
Hazardous decomposition products	: No hazardous decomposition products are known.

# SECTION 11. TOXICOLOGICAL INFORMATION

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	: Effects may be delayed, symptoms may include minor eye or skin irritation.
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
OSHA	No component of this product present at levels greater than or



ZEP INSTANT SPILL A	ZEP INSTANT SPILL ABSORB	
Version 2.0	Revision Date 08/31/2018	Print Date 09/17/2018
NTP	equal to 0.1% is on OSHA's list of reg No component of this product presen equal to 0.1% is identified as a knowr by NTP.	t at levels greater than or
Acute toxicity		
No data available		
Skin corrosion/irritation		
Product:		
Remarks: May irritate skin.		
Serious eye damage/eye irritatio	n	
Product:		
Remarks: May cause mechan redness, watering, and itching	ical irritation to eye. Inflammation of the J.	e eye is characterized by
Respiratory or skin sensitisatior	ı	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		
Further information		
Product:		
Remarks: No data available	e	
SECTION 12. ECOLOGICAL INFO	DRMATION	
Ecotoxicity		
-		



Version 2.0	Revision Date 08/31/2018	Print Date 09/17/2018
No data available		
Persistence and degradability		
No data available <b>Bioaccumulative potential</b>		
Product:		
Partition coefficient: n- octanol/water <u>Components:</u> Perlite, expanded :	: Remarks: Not applicable	
Partition coefficient: n- octanol/water	: Remarks: Not applicable	
	Remarks: Not applicable	
Mobility in soil		
No data available		
Other adverse effects		
No data available <u>Product:</u>		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sect Substances	
Remarks	This product neither contains, no with a Class I or Class II ODS as Clean Air Act Section 602 (40 C + B).	s defined by the U.S.
Additional ecological information	: No data available	

# SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> </ul>

# SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

# SAFETY DATA SHEET



# ZEP INSTANT SPILL ABSORB

Version 2.0

Revision Date 08/31/2018

Print Date 09/17/2018

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

## SECTION 15. REGULATORY INFORMATION

TSCA list	: No substances are subject to a Significant New Use Rule.
	No substances are subject to TSCA 12(b) export notification requirements.
EPCRA - Emergency Plann	ing and Community Right-to-Know Act
<b>CERCLA Reportable Quantity</b> This material does not contain any components with a CERCLA RQ.	
SARA 304 Extremely Hazardous Substances Reportable Quantity	
This material does not contain any components with a section 304 EHS RQ.	
SARA 311/312 Hazards	: No SARA Hazards
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: This material does not contain any chemical components with

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.



Version 2.0

Revision Date 08/31/2018

Print Date 09/17/2018

reproductive harm.

### The components of this product are reported in the following inventories:


DSLAll components of this product are on the Canadian DSLTSCAOn TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

### **SECTION 16. OTHER INFORMATION**



### **OSHA - GHS Label Information:**

Not a hazardous substance or mixture.

Version:	2.0
Revision Date:	08/31/2018
Print Date:	09/17/2018

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.



Version 2.0

Revision Date 08/31/2018

Print Date 09/17/2018

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical<sup>™</sup>, Selig<sup>™</sup>, Misty®, Next Dimension<sup>™</sup>, Petro®, i-Chem®, TimeMist®, TimeWick<sup>™</sup>, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National<sup>™</sup>, FC Forward Chemicals®,Rexodan®, Mykal<sup>™</sup>, and a number of private labeled brands.