

Report No.: 1003023-230

MSDS Report

Samples

LR03 AAA SIZE ALKALINE BATTERY 1.5V (LR03 AM4 AAA 1.5V)

Client Unit

DONGGUAN CITY LIWANG BATTERY CO., LTD.

Client Address

Shima Village, Tangxia Town, Dongguan City, Guangdong Province, China.

Material Safety Data Sheet

Section 1 - Chemical Product and Company Identification

Product Name: LR03 AAA SIZE ALKALINE BATTERY 1.5V (LR03 AM4 AAA

1.5V)

Sample Code: LR03 AM4 AAA 1.5V

Manufacture: DONGGUAN CITY LIWANG BATTERY CO., LTD.

Address: Shima Village, Tangxia Town, Dongguan City, Guangdong Province,

China.

Post Code: 523731

Tel: +86-0769-86201111

Emergency Telephone: +86-0769-86201111

Fax: +86-0769-87887512

E-mail: leokwok@liwangbattery.com

Section 2 - Composition/Information on Ingredient

. 1X		/ <	/ /	VVA CV)
Chemical Name	Formula	CAS No.	EINECS No.	In % by Weight
Manganese Dioxide	MnO ₂	1313-13-9	215-202-6	40
Zinc	Zn _	7440-66-6	231-175-3	16
Potassium hydroxide (liquid)	кон	1310-58-3	215-181-3	18
Lead	Pb	7439-92-1	231-100-4	< 0.0003
Mercury	Hg	7439-97-6	231-106-7	< 0.0001
Cadmium	Cd	7440-43-9	231-152-8	< 0.0003

Section 3 - Hazards Identification

Reference as follow if contact Potassium hydroxide.

Eye

Causes severe eye burns. May cause irreversible eye injury. Contact may cause ulcerations of the conjunctiva and cornea. Eye damage may be delayed.

Skin

Causes skin burns. May cause deep, penetrating ulcers of the skin.

Inhalation

Irritation may lead to chemical pneumonitis and pulmonary edema. Causes severe irritation of upper respiratory tract with coughing, burns, breathing difficulty, and possible coma.

Ingestion

Harmful if swallowed.

Health Hazards (Acute and Chronic)

These chemicals are contained in a sealed can. Risk of exposure occurs only if the battery is mechanically or electrically abused. The most likely risk is acute exposure when a battery vents.

Sign/Symptoms of Exposure

A shorted battery can cause thermal and chemical burns upon contact with the skin. May be a reproductive hazard.

Section 4 - First Aid Measures

Eye

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin

Get medical aid at once. Immediately remove contaminated clothes and rinse skin with plenty of water or shower for 15 minutes. Discard contaminated clothing in a manner which limits further exposure.

Inhalation

Get medical aid immediately. Remove from exposure and move to fresh air immediately. Use oxygen if available. Use oxygen device such as mask or bag. Ingestion

Do not induce vomiting. Get medical aid immediately.

Note to Physician

May be toxic to the body. Wash out the solution with water promptly in an

emergency. Treat symptomatically and supportively.

Section 5 - Fire Fighting Measures

Extinguishing Media

Water, CO₂, dry chemical.

Firefighting

In case of fire in an adjacent area, use water, CO_2 or dry chemical extinguishers if the battery in their original containers since the fuel of the fire is basically paper products. For bulk quantities of unpackaged batteries use suitable extinguishers. In this case, do not use water.

Section 6 - Accidental Release Measures

Steps to be Taken in case Material is Released or Spilled

If the battery is accidentally broken and electrolyte leaks out, wipe it up with a cloth, and dispose of it in a plastic bag and put into a steel can.

The preferred response is to leave the area and allow the battery to cool and vapors to dissipate. Provide maximum ventilation. Avoid skin and eye contact or inhalation of vapors. Remove spilled liquid with absorbent and incinerate.

Waste Disposal Method

It is recommended to discharge the battery to the end, handing in the abandoned battery to related department unify, dispose of the batteries in accordance with approved local, state, and federal requirements. Consult state environmental agency and/or federal EPA.

Section 7 - Handling and Storage

Do not charge. The batteries should not be opened, destroyed or incinerate, since they may leak or rupture and release to the environment the ingredients that they contain in the hermetically sealed container.

Do not short circuit terminals, or charge the battery, forced over-discharge, throw to fire. Do not crush or puncture the battery, or immerse in liquids.

Precautions to be taken in handling and storing

Avoid mechanical or electrical abuse. Storage preferably in cool, dry and

ventilated area, which is subject to little temperature change. Do not place the battery near heating equipment, nor expose to direct sunlight for long periods. Other Precautions

Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

Section 8 - Exposure Controls, Personal Protection

Respiratory Protection

In case of battery venting, provide as much ventilation as possible. Avoid confined areas with venting batteries. Respiratory Protection is not necessary under conditions of normal use.

Ventilation

Not necessary under conditions of normal use.

Protective Gloves

Not necessary under conditions of normal use.

Other Protective Clothing or Equipment

Not necessary under conditions of normal use.

Personal Protection is recommended for venting batteries
Respiratory Protection, Protective Gloves, Protective Clothing and Safety Glass
with side shields.

Section 9 - Physical and Chemical Properties

Nominal Voltage: 1.5V

Appearance characters: Blue and black with odorless columned solid.

Chemical uses: One-time power for electrical appliances.

Section 10 - Stability and Reactivity

Stability

Stable

Conditions to Avoid

Elevated temperatures fire and ignition sources, mechanical abuse and

electrical abuse.

Hazardous Decomposition Products N/A.

Section 11 - Toxicological Information

Inhalation, skin contact and eye contact are possible when the battery is opened. Exposure to internal contents, the corrosive fumes will be irritation to skin, eyes and mucous membranes. Overexposure can cause symptoms of non-fibrotic lung injury and membrane irritation.

Section 12 - Ecological Information

When promptly used or disposed the battery does not present severe environmental hazard. When disposed, keep away from water, rain and snow.

Section 13 - Disposal Considerations

Appropriate Method of Disposal of Substance or Preparation

Dispose of the battery in accordance with approved local, state, and federal requirements. Consult state environmental agency and/or federal EPA.

Section 14 - Transport Information

These batteries are exempt from dangerous goods. They are considered non-dangerous goods by the ICAO, IATA, DOT, and IMDG.

Separate alkaline batteries when shipping to prevent short-circuiting. They should be packed in strong packaging for support during transport. Take in a cargo of them without falling, dropping, and breakage. Prevent collapse of cargo piles and wet by rain. The container must be handled carefully. Do not give shocks that result in a mark of hitting on a cell. Please refer to Section 7-HANDLING AND STORAGE also.

Transport Fashion: By air, by sea, by railway, by highway.

Section 15 - Regulatory Information

Law Information

《Dangerous Goods Regulation》

《Recommendations on the Transport of Dangerous Goods Model Regulations》

《International Maritime Dangerous Goods Code》

《Technical Instructions for the Safe Transport of Dangerous Goods》

《Classification and code of dangerous goods》

OSHA Hazard Communication Standard Status

Toxic Substances Control Act (TSCA) Status

SARA Title III

RCRA

California Proposition 65

In accordance with all Federal, State and Local laws.

Section 16 - Additional Information

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

MSDS Creation Date: March 08, 2010



Report No.: W02203007916D~1

MSDS Report

Samples

AAA SIZE CARBON-ZINC DRY BATTERY (R03P 1.5V)

Client Unit

DONGGUAN CITY LIWANG BATTERY CO., LTD.

Client Address

Shima Village, Tangxia Town, Dongguan City, Guangdong Province, China.

> No.: W02203007916D Code: haamy8s

if the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and is because of the result. This report is invalid without signatures of approver and special seal for aspection of PONY, or it has been reproduced in full or part. This eneral Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

code, namely, each code corresponds with only one "Test Report".

ying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying.

"security print under any circumstances.

ing paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeit money detector

www.ponytest.com @Hotline 400-819-5688

 Add:
 YingzhiBuilding,No.493,Suzhou Roud, HaidanDistrict,Beijing
 Building35,No.680,GuipingRoad, Markandistrict,Beijing
 Building35,No.680,GuipingRoad, ChaungyeRoud,NarshanDistrict,Shenzid, ChaungyeRoud,NarshanDistrict,Shenzid,

Pony Testing International Group



Material Safety Data Sheet

Section 1 - Chemical Product and Company Identification

Product Name: AAA SIZE CARBON-ZINC DRY BATTERY

Battery Type: R03P 1.5V

Manufacture: DONGGUAN CITY LIWANG BATTERY CO., LTD.

Address: Shima Village, Tangxia Town, Dongguan City, Guangdong Province, China.

Post Code: 523731 Tel: +86-0769-86201111

Emergency Telephone: +86-0769-86201111

Fax: +86-0769-87887512

E-mail: rd1@liwangbattery.com

Section 2 - Composition/Information on Ingredient

Chemical Name	Chemical Formula	CAS No.	In % by Weight
Manganese Dioxide	MnO ₂	1313-13-9	37
Zinc	Zn	7440-66-6	33
Ammonium Chloride	NH ₄ CI	12125-02-9	0.6
Zinc Chloride	ZnCl ₂	7646-85-7	3.2
Carbon Black	С	1333-86-4	10
Iron	Fe	7439-89-6	2
Water	H ₂ O	7732-18-5	14.2

Section 3 - Hazards Identification

No specific health hazards for normal use.

Routes of Entry

Eyes, Skin, Inhalation, Ingestion.

Health Hazards

These chemicals are contained in a sealed can. Risk of exposure occurs only if the battery is mechanically or electrically abused. The most likely risk is acute exposure when a

PONY assures objectivity and justness of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested, PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal onsequences because of the result. This report is invalid without signatures of apportover and special seal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

Warning for Anti-Counterfeit
1. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report"
2. "PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying.
Duplicates are not expected to give "PONY" security print under any circumstances.
3. "PONY Test Report" uses anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeit money detector.



Pony Testing International Group

battery vents. Leaking material exposure to skin, eyes may cause irritation. Inhalation of fumes my cause respiratory irritation.

Sign/Symptoms of Exposure

Leaking can cause thermal and chemical burns upon contact with the skin.

Section 4 - First Aid Measures

Eye

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin

Remove contaminated clothes and rinse skin with plenty of water or shower for 15 minutes. Get medical aid.

Inhalation

Remove from exposure and move to fresh air immediately. Use oxygen if available.

Ingestion

Do not induce vomiting. Call a physician immediately.

Section 5 - Fire Fighting Measures

Flash Point: N/A.

Auto-Ignition Temperature: N/A.

Extinguishing Media

Water, CO₂, dry chemical.

Firefighting

In case of fire in an adjacent area, use water, CO2 or dry chemical extinguishers if batteries in their original containers since the fuel of the fire is basically paper products. For bulk quantities of unpackaged batteries use suitable extinguishers. In this case, do not use water.

Section 6 - Accidental Release Measures

Steps to be Taken in case Material is Released or Spilled

If the battery is accidentally broken and electrolyte leaks out, wipe it up with a cloth, and dispose of it in a plastic bag and put into a steel can.

The preferred response is to leave the area and allow the battery to cool and vapors to dissipate. Provide maximum ventilation. Avoid skin and eye contact or inhalation of vapors.

PONY assures objectivity and justness of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample are information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct arrivate responsibility because the use of testing result, or direct arrivate responsibility because the use of testing result, or direct arrivate responsibility because the use of testing result, or direct arrivate responsibility because the use of testing result, or direct arrivate responsibility because the use of testing result, or direct arrivate responsibility because the use of testing result, or direct arrivate responsibility because the use of testing result, or direct arrivate responsibility for the authenticity of submitted sample arrivate responsibility for the authenticity of submitted sample arrivate responsibility for the authenticity of submitted sample are responsible to the sample are responsibility for the authenticity of submitted sample are responsibility for the authenticity of submitted sample are responsible to the sample are responsibility for the authenticity of submitted sample are responsibility for the authenticity of submitted sample are responsible to the sample are responsibility for the authenticity of submitted are responsibility for the authenticity of submitted are responsible to the sample are res

Warning for Anti-Counterfeit
1. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report".
2. "PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying.
Duplicates are not expected to give "PONY" security print under any circumstances.
3. "PONY Test Report" uses anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeit money detector.

www.ponytest.com (OHotline 400-819-5688)



Pony Testing International Group

Remove spilled liquid with absorbent and incinerate.

Waste Disposal Method

It is recommended to discharge the battery to the end, handing in the abandoned battery to related department unify, dispose of the batteries in accordance with approved local, state, and federal requirements. Consult state environmental agency and/or federal EPA.

Section 7 - Handling and Storage

The batteries should not be opened, destroyed or incinerate, since they may leak or rupture and release to the environment the ingredients that they contain in the hermetically sealed container. Do not short circuit terminals, or charge the battery, forced over-discharge, throw to fire. Do not crush or puncture the battery, or immerse in liquids.

Precautions to be taken in handling and storing

Avoid mechanical or electrical abuse. Storage preferably in cool, dry and ventilated area, which is subject to little temperature change. Storage at high temperatures should be avoided. Do not place the battery near heating equipment, nor expose to direct sunlight for long periods.

Other Precautions

Do not short or install with incorrect polarity.

Section 8 - Exposure Controls, Personal Protection

Respiratory Protection

In case of battery venting, provide as much ventilation as possible. Avoid confined areas with venting batteries. Respiratory Protection is not necessary under conditions of normal use.

Other Protective Clothing or Equipment

Not necessary under conditions of normal use. Personal Protection is recommended for venting batteries: Respiratory Protection, Protective Gloves, Protective Clothing and Safety Glass with side shields.

Section 9 - Physical and Chemical Properties

Nominal Voltage: 1.5V

Appearance Characters: Blue and yellow with odorless columned solid.

Chemical uses: One-time power for electrical appliances.

PONY assures objectivity and justness of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample an information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct an indirect losses, and all legal consequences because of the result. This report is invalid without squares of approver and spocial scal for inspection of PONY, or it has been reproduced in full to part. The Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsi fication of the content is unlawful, offenders may be prosecuted to the fullest extent of the law

Warning for Anti-Counterfeit
1. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report".
2. "PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying.
Duplicates are not expected to give "PONY" security print under any circumstances.
3. "PONY Test Report" uses anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeit money detector.

ON Test Report" uses anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeit money detector.

Section 10 - Stability and Reactivity

Stability

Stable

Conditions to Avoid

Elevated temperatures fire and ignition sources, mechanical abuse and electrical abuse.

Hazardous Decomposition Products

N/A.

Section 11 - Toxicological Information

Inhalation, skin contact and eye contact are possible when the battery is opened. Exposure to internal contents, the corrosive fumes will be irritation to skin, eyes and mucous membranes. Overexposure can cause symptoms of non-fibrotic lung injury and membrane irritation.

Manganese Dioxide

Acute oral toxicity LD50 (Rat): >3478 mg/kg

Zinc

Skin: 300ug/3 Days. Reaction: Mild.

Section 12 - Ecological Information

When promptly used or disposed the battery does not present severe environmental hazard. When disposed, keep away from water, rain and snow.

Section 13 - Disposal Considerations

Appropriate Method of Disposal of Substance or Preparation

Dispose of the battery in accordance with approved local, state, and federal requirements. Consult state environmental agency and/or federal EPA.

Section 14 - Transport Information

AAA SIZE CARBON-ZINC DRY BATTERY (R03P 1.5V) is exempt from dangerous goods. It is considered non-dangerous goods by the International Civil Aviation Organization (ICAO), the International Air Transport Association (IATA) DGR 53rd, the

PONY assures objectivity and justness of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid without signatures of apportover and special seal for inspection of PONY, or it has been reproduced in full or part. This Report is instead by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

Warning for Anti-Counterfeit
1. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report".
2. "PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying.
Duplicates are not expected to give "PONY" security print under any circumstances.
3. "PONY Test Report" uses anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeit money detector.



Pony Testing International Group

International Martine Dangerous Goods regulations (IMDG) and 《Recommendations on the Transport of Dangerous Goods Model Regulations ».

Separate batteries when shipping to prevent short-circuiting. They should be packed in strong packaging for support during transport. Take in a cargo of them without falling, dropping, and breakage. Prevent collapse of cargo piles and wet by rain. The container must be handled carefully.

Transport Fashion: By air, by sea, by railway, by road.

Section 15 - Regulatory Information

Law Information

《Dangerous Goods Regulation》

《Recommendations on the Transport of Dangerous Goods Model Regulations》

《International Maritime Dangerous Goods》

《Technical Instructions for the Safe Transport of Dangerous Goods》

《Classification and code of dangerous goods》

《Occupational Safety and Health Act》(OSHA)

《Toxic Substances Control Act》(TSCA)

《Consumer Product Safety Act》(CPSA)

《Federal Environmental Pollution Control Act》(FEPCA)

《The Oil Pollution Act》(OPA)

《Superfund Amendments and Reauthorization Act Title III (302/311/312/313)》(SARA)

《Resource Conservation and Recovery Act》 (RCRA)

《Safety Drinking Water Act》(CWA)

《California Proposition 65》

(Code of Federal Regulations) (CFR)

In accordance with all Federal, State and Local laws.

Section 16 - Additional Information

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon

PONY assures objectivity and justness of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid without surface and an analysis of approver and special seal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

Warning for Anti-Counterfeit
1. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report".
2. "PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying.
Duplicates are not expected to give "PONY" security print under any circumstances.
3. "PONY Test Report" uses anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfoit money detector.



Pony Testing International Group

condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

Prepared by: liuxious/om

Checked by: Wangzhimin Approved by:

MSDS Creation Date: February 22, 2012

PONY assures objectivity and justness of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid without signatures of approver and special seal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

Warning for Ann-Counterfeit
1. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report".
2. "PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying. Duplicates are not expected to give "PONY" security print under any circumstances.
3. "PONY Test Report" uses anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeit money detector.