

Solo Infusion Microbubble Therapy Alcove Acrylic Bathubs - Specifications





Solo

MB3260L (left side drain),

MB3260R (right side drain)

Actual Size: 32x60x24 Soaking Depth: 17 inches Shipping Size: 34x62x32

Shipping Weight: 240 lbs.

Net Weight: 170 lbs. Water Capacity: 85 gal Occupied: 45-65 gal

Included Features - Solo

- 1. Acrylic Tub Shell:
 - Gloss White Finish
 - Fiberglass Reinforced
- 2. Stainless steel frame with leveling legs
- 3. Removable front apron
- 4. Acrylic end panel
- 5. MicroBubble Therapy System 10AMP 1200W
 - · On/Off Push Control
 - 1HP Pump
 - Pressure Vessel
 - Agitator Valve

Floor Drains


- One (1) 2" PVC T-type two (2) outlet drain with endcap
- One (1) overflow and cable operated opener with extended handle for easier grip in chrome finish


• 5 year warranty on tub shell, frame and parts (please visit www.ellasbubbles.com for detailed information)

Electrical Requirements:

One (1) dedicated 120V electrical line with a 20AMP GFCI standard three prong outlet is required










Infusion Microbubble Therapy



Package Jetting Information:

- 1. MicroBubble Therapy System 10AMP 1200W
 - 1HP Pump
 - Pressure Vessel
 - Air Switch and one (1) jet
 - · Agitator Valve

Electrical Requirements:

One (1) dedicated 120V electrical line with a 20AMP GFCI standard three prong outlet is required