

DIRECTIONS FOR USE

OdoBan® - 1 Gallon Concentrate

EPA Reg. No. 66243-2

Active Ingredients:

Alkyl (C14 50%, C12 40%, C16 10%)

dimethyl benzyl ammonium chloride . . . 2.0%

Other Ingredients 98.0%



Directions For Use: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DEODORIZER DIRECTIONS

AIR FRESHENER: 22 oz. per gallon of water (1:5) or desired concentration will effectively neutralize damp musty odors caused by mildew in storage areas, basements, closets, bathrooms and A/C filters. Effective on smoking and cooking odors (garlic, fish, onions, etc.). Automobile odors from tobacco, musty carpet smell and beverage smells will be eliminated.

LAUNDRY: Add 8 oz. per load during the final rinse cycle to eliminate offensive odors, soften and eliminate static cling without damaging fibers. **Smoke Damage:** Mix (1:3) and soak clothes overnight; rinse and repeat. Launder as usual.

PET ODORS: 32 oz. per gallon of water (1:3) for urine, feces and vomit on carpet and upholstery. Clean prior to application then spray onto affected areas. Test hidden area for colorfastness. Allow 10 minutes contact time. Then blot with clean cloth. Allow to dry. Also effective on pet bedding and litter boxes.

SEWAGE BACKUP, WATER DAMAGE, FIRE RESTORATION: 16 oz. per gallon of water (1:7) or desired concentration to spray over affected areas before and after cleaning and extraction. Allow 10 minutes contact time. Use proper ventilation; open windows.

CARPETS: 8 oz. per gallon of water (1:15) eliminates odors associated with urine, vomit, smoke and mildew. Reapply after cleaning for freshening effects. Allow to dry.

CLEANING SOLUTION: 4 oz. per gallon of water (1:31) for cleaning kitchen counters, tables, walls, bathrooms, toilet seats, mopping floors and large routine applications.

RV HOLDING TANKS: Toilet waste: Cover bottom of holding tank with water and add 6 oz. **Kitchen waste:** 2 oz. to gray water tank as needed to control malodors created by dirty dishwasher.

SANITIZER DIRECTIONS

Remove heavy soil, then thoroughly clean surfaces. To sanitize, apply use-solution (5 oz. per gallon of water or 1:25) to nonfood contact surfaces as required. Let stand 60 seconds then wipe.

DISINFECTION DIRECTIONS

Remove heavy soil, then thoroughly clean surfaces. Apply use-solution (5 oz. per gallon of water or 1:25) to hard, nonporous surfaces as required. Treated surfaces must remain wet for 10 minutes.

FUNGICIDAL DISINFECTION: At 7 oz. per gallon of water (1:17), this product is an effective fungicide against Trichophyton mentagrophytes. Follow disinfection directions.

MOLD & MILDEW CONTROL: To control mold and mildew on hard, nonporous surfaces, wash visible soil from the surface. Then apply use solution,

USE-SOLUTION PREPARATION CHART

| Application | Oz. per Gallon of Water |
|---|-------------------------|
| DEODORIZER—Eliminates Odors Instantly! | |
| Air Freshener | 22 |
| Pet Odors | 32 |
| Sewage Backup & Water Damage | 16 |
| Carpets | 8 |
| Cleaning Solution (Large Routine Applications) | 4 |
| SANITIZER—Kills 99.99% of Germs[†] in 60 Seconds! | |
| Precleaned, hard and nonporous nonfood contact surfaces | 5 |

| Application | Oz. per Gallon of Water |
|---|-------------------------|
| DISINFECTANT—Kills Common Germs[‡] in 10 Minutes! | |
| Hard, nonporous, precleaned surfaces | |
| Fungicidal (Trichophyton mentagrophytes) | 7 |
| Mildewstat (Mold & Mildew Control) | 5 |
| Bactericidal (against germs [‡] such as Staph, Strep, E. coli O157:H7, Pseudomonas aeruginosa, Vancomycin Resistant Enterococcus faecalis (VREF), Methicillin Resistant Staphylococcus aureus (MRSA) | 5 |
| VIRUCIDAL*—Kills HIV (Aids Virus) in 60 Seconds! | |
| Hard, nonporous, precleaned surfaces | 5 |

Apply use-solution by thoroughly wetting surfaces as recommended with a:



OdoBan mixes with water to form clear, stable solutions.



Sprayer



Sponge



Cloth



Mop

For sprayer applications, adjust sprayer to coarse spray setting. Apply 6-8 inches from surface. Clean with a brush, sponge or cloth. Do not breathe spray. Prepare a fresh solution daily or when use-solution becomes visibly soiled.

5 oz. per gallon of water (1:25), with mop, sponge, cloth or trigger spray so as to wet all surfaces thoroughly. Let air dry. Repeat application every 7 days to control reoccurrence of growth.

VIRUCIDAL* DIRECTIONS

Follow disinfection directions. Treated surfaces must remain wet for 60 seconds. KILLS HIV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS, in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1)(associated with AIDS). "SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS." **Personal Protection:** Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection. **Cleaning Procedure:** Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of this product. **Contact Time:** Leave surface wet for 60 seconds. Use a 10-minute contact time for disinfection against all other bacteria (5 oz. per gallon of water) and fungi (7 oz. per gallon of water) claimed. **Disposal of Infectious Materials:** Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals. DANGER—Causes irreversible eye damage. Do not get in eyes or on clothing. Wear protective eyewear (goggles, face shield or safety glasses). Avoid contact with skin. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **STORAGE AND DISPOSAL:** Store in areas inaccessible to small children. Do not reuse or refill this container. Offer for recycling, if available.