## **SAFETY DATA SHEET**



Date of issue/Date of revision 7 January 2016 Version 1

Section 1. Identification		
Product name	: GLD7313 GLIDDEN DIAMOND INTERIOR LATEX SATIN - BASE 3	
Product code	: 00380283	
Other means of identification	: Not available.	
Product type	: Liquid.	
Relevant identified uses of	the substance or mixture and uses advised against	
Product use	: Industrial applications, Used by spraying.	
Use of the substance/ mixture	: Coating.	
Uses advised against	: Not applicable.	
Manufacturer	: PPG Industries, Inc. One PPG Place Pittsburgh, PA 15272	
Emergency telephone number	: (412) 434-4515 (U.S.) (514) 645-1320 (Canada) 01-800-00-21-400 (Mexico)	
Technical Phone Number	: 1-800-441-9695 (8:00 am to 5:00 pm EST)	

## Section 2. Hazards identification

OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	: Not classified.
	Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 21.6%
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
	United States Page: 1/11

Date of issue 7 January 2016 Ve

Version 1

Product name GLD7313 GLIDDEN DIAMOND INTERIOR LATEX SATIN - BASE 3

## Section 2. Hazards identification

Disposal	: Not applicable.
Supplemental label elements	: Emits toxic fumes when heated.
Hazards not otherwise classified	: None known.

## Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Product name	:	GLD7313 GLIDDEN DIAMOND INTERIOR LATEX SATIN - BASE 3

Ingredient name	%	CAS number
Kaolin	≥0.1 - <25	1332-58-7

SUB codes represent substances without registered CAS Numbers.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN immediately; have Safety Data Sheet information available. Never give anything by mouth to an unconscious or convulsing person.

#### Description of necessary first aid measures

	United States Page: 2/11
Inhalation	: No specific data.
Eye contact	: No specific data.
Over-exposure signs/	symptoms
Ingestion	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Eye contact	: No known significant effects or critical hazards.
Potential acute health	effects
Most important sympton	ms/effects, acute and delayed
Ingestion	: If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.
Inhalation	<ul> <li>apart for at least 10 minutes and seek immediate medical advice.</li> <li>Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.</li> </ul>
Eye contact	: Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids

Version 1

Product name GLD7313 GLIDDEN DIAMOND INTERIOR LATEX SATIN - BASE 3

## Section 4. First aid measures

Skin contact	: No specific data.
Ingestion	: No specific data.

# Indication of immediate medical attention and special treatment needed, if necessaryNotes to physician: Treat symptomatically. Contact poison treatment specialist immediately if large<br/>quantities have been ingested or inhaled.Specific treatments: No specific treatment.Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training.

#### See toxicological information (Section 11)

Section 5. Fire-fighting measures		
Extinguishing media		
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.	
Unsuitable extinguishing media	: None known.	
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.	
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.	
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.	

## Section 6. Accidental release measures

Personal precautions, protec	tiv	e equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Version 1

Product name GLD7313 GLIDDEN DIAMOND INTERIOR LATEX SATIN - BASE 3

#### Section 6. Accidental release measures

#### Methods and materials for containment and cleaning up

Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

#### Precautions for safe handling **Protective measures** : Put on appropriate personal protective equipment (see Section 8). **Special precautions** : If this material is part of a multiple component system, read the Safety Data Sheet(s) for the other component or components before blending as the resulting mixture may have the hazards of all of its parts. Advice on general : Eating, drinking and smoking should be prohibited in areas where this material is occupational hygiene handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. **Conditions for safe storage**, : Do not store below the following temperature: 5°C (41°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool including any and well-ventilated area, away from incompatible materials (see Section 10) and food incompatibilities and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

Occupation	al exposure	limits

Ingredient name	Exposure limits		
Kaolin	ACGIH TLV (United States, 4/2014). TWA: 2 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction OSHA PEL (United States, 2/2013). TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction		
	TWA: 15 mg/m <sup>3</sup> 8 hours. Form: Total dust		

United States Page: 4/11

Product name GLD7313 GLIDDEN DIAMOND INTERIOR LATEX SATIN - BASE 3

## Section 8. Exposure controls/personal protection

	Key to abbreviations
C = Ceiling Limit F = Fume IPEL = Internal Permissible Exp OSHA = Occupational Safety and R = Respirable	f Governmental Industrial Hygienists.       SR       = Respiratory sensitization         SS       = Skin sensitization         STEL       = Short term Exposure limit values         rosure Limit       TD       = Total dust
Consult local authorities for	acceptable exposure limits.
Recommended monitoring procedures	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measur	<u>es</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection <u>Skin protection</u>	: Safety glasses with side shields.
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

Version 1

Product name GLD7313 GLIDDEN DIAMOND INTERIOR LATEX SATIN - BASE 3

## Section 9. Physical and chemical properties

#### **Appearance**

Physical state	uid.	
Color	ious	
Odor	aracteristic.	
Odor threshold	available.	
рН		
Melting point	available.	
Boiling point	°C (212°F)	
Flash point	sed cup: Not applical	ole. [Product does not sustain combustion.]
Auto-ignition temperature	available.	
Decomposition temperature	available.	
Flammability (solid, gas)	available.	
Lower and upper explosive (flammable) limits	ber: 0%	
Evaporation rate	5 (butyl acetate = 1)	
Vapor pressure	kPa (25 mm Hg) [roo	om temperature]
Vapor density	available.	
Relative density	3	
Density(lbs / gal)	3	
Solubility	tially soluble in the fo	llowing materials: cold water.
Partition coefficient: n-	available.	
octanol/water		
Viscosity	ematic (40°C (104°F)	): >0.21 cm²/s (>21 cSt)
Volatility	% (v/v), 59.201% (w/v	V)
% Solid. (w/w)	799	

## Section 10. Stability and reactivity

	United States Page: 6/11
Hazardous decomposition products	: Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.
Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.
Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Chemical stability	: The product is stable.
Reactivity	: No specific test data related to reactivity available for this product or its ingredients.

Product name GLD7313 GLIDDEN DIAMOND INTERIOR LATEX SATIN - BASE 3

## Section 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity

	Result	Species	Dose	Exposure
Kaolin	LD50 Oral	Rat	>5000 mg/kg	-
Conclusion/Summary	: There are no data av	ailable on the mixture itself	•	
Irritation/Corrosion				
Conclusion/Summary				
Skin	: There are no data av	ailable on the mixture itself		
Eyes	: There are no data av	ailable on the mixture itself		
Respiratory	: There are no data av	ailable on the mixture itself		
Sensitization				
Conclusion/Summary				
Skin	: There are no data av	ailable on the mixture itself	•	
Respiratory	: There are no data av	ailable on the mixture itself		
Mutagenicity				
Conclusion/Summary	: There are no data av	ailable on the mixture itself	-	
Carcinogenicity				
Conclusion/Summary	: There are no data av	ailable on the mixture itself		
Reproductive toxicity				
Conclusion/Summary	• There are no data ava	ailable on the mixture itself.		
Teratogenicity				
Conclusion/Summary	• There are no data avr	ailable on the mixture itself.		
Specific target organ toxic				
Not available.				
<u>Specific target organ toxic</u>	<u>ity (repeated exposure)</u>			
Specific target organ toxic Not available.	<u>ity (repeated exposure)</u>			
	: Contains material whi	ch causes damage to the f ch may cause damage to t ach.		
Not available.	: Contains material whi Contains material whi	ch may cause damage to the		
Not available. Target organs Aspiration hazard	: Contains material whi Contains material whi respiratory tract, stom	ch may cause damage to the		
Not available. <u>Target organs</u> <u>Aspiration hazard</u> Not available. <u>formation on the likely rou</u>	: Contains material whi Contains material whi respiratory tract, stom	ch may cause damage to the		
Not available. Target organs Aspiration hazard Not available.	: Contains material whi Contains material whi respiratory tract, stom	ch may cause damage to the		
Not available. Target organs Aspiration hazard Not available. formation on the likely rou Potential acute health effect	: Contains material whi Contains material whi respiratory tract, stom utes of exposure cts : No known significant e	ch may cause damage to thach.		
Not available. Target organs Aspiration hazard Not available. Iformation on the likely rou Potential acute health effect Eye contact	<ul> <li>Contains material white Contains material white respiratory tract, stom</li> <li>utes of exposure</li> <li>cts</li> <li>No known significant e</li> <li>No known significant e</li> </ul>	ch may cause damage to th ach. effects or critical hazards.		
Not available. Target organs Aspiration hazard Not available. Iformation on the likely rou Potential acute health effect Eye contact Inhalation	<ul> <li>Contains material white Contains material white respiratory tract, stom</li> <li>utes of exposure</li> <li>cts</li> <li>No known significant e</li> <li>No known significant e</li> <li>No known significant e</li> </ul>	ch may cause damage to th ach. effects or critical hazards. effects or critical hazards.		
Not available. Target organs Aspiration hazard Not available. Iformation on the likely rou Potential acute health effect Eye contact Inhalation Skin contact	<ul> <li>Contains material white Contains material white respiratory tract, stom</li> <li>utes of exposure</li> <li>the state of the sta</li></ul>	ch may cause damage to th ach. effects or critical hazards. effects or critical hazards. effects or critical hazards.		
Not available. Target organs Aspiration hazard Not available. formation on the likely rou Potential acute health effect Eye contact Inhalation Skin contact Ingestion	<ul> <li>Contains material white Contains material white respiratory tract, stom</li> <li>utes of exposure</li> <li>the state of exposure</li> <li>No known significant exposure</li> <li>No known significant exposure</li> <li>No known significant exposure</li> <li>No known significant exposure</li> </ul>	ch may cause damage to th ach. effects or critical hazards. effects or critical hazards. effects or critical hazards.		

Version 1

Product name GLD7313 GLIDDEN DIAMOND INTERIOR LATEX SATIN - BASE 3

## Section 11. Toxicological information

Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Delayed and immediate effe	cts and also chronic effects from short and long term exposure
Conclusion/Summary	: There are no data available on the mixture itself. If splashed in the eyes, the liquid may cause irritation and reversible damage. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.
<u>Short term exposure</u>	
Potential immediate effects	: There are no data available on the mixture itself.
Potential delayed effects	: There are no data available on the mixture itself.
Long term exposure	
Potential immediate effects	: There are no data available on the mixture itself.
Potential delayed effects	: There are no data available on the mixture itself.
Potential chronic health eff	<u>ects</u>
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Numerical measures of toxic	<u>sity</u>
Acute toxicity estimates	
Not available.	

## Section 12. Ecological information

#### **Toxicity**

Not available.

#### Persistence and degradability

Not available.

#### **Bioaccumulative potential**

Not available.

#### Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

#### Product name GLD7313 GLIDDEN DIAMOND INTERIOR LATEX SATIN - BASE 3

## Section 13. Disposal considerations

Disposal methods
 The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

	DOT	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class (es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

### 14. Transport information

- **DOT** : None identified.
- **IMDG** : None identified.
- IATA : None identified.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Product name GLD7313 GLIDDEN DIAMOND INTERIOR LATEX SATIN - BASE 3

## Section 15. Regulatory information

#### **United States**

**United States inventory (TSCA 8b)** : All components are listed or exempted.

#### SARA 302/304

**SARA 304 RQ** : Not applicable.

**Composition/information on ingredients** 

No products were found.

#### SARA 311/312

Classification : Not applicable.

**Composition/information on ingredients** 

No products were found.

Additional environmental information is contained on the Environmental Data Sheet for this product, which can be obtained from your PPG representative.

## Section 16. Other information

#### Hazardous Material Information System (U.S.A.)

Flammability : 0 Physical hazards : 0 Health : 1 (\*) - Chronic effects

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)	
Health : 1 Flammability : 0 Instabil	ty : 0
Date of previous issue : No previous validation	ion
Organization that prepared : EHS the MSDS	
IATA = International IBC = Intermediate E IMDG = Internationa LogPow = logarithm MARPOL 73/78 = In	tion Factor nonized System of Classification and Labelling of Chemicals Air Transport Association Bulk Container Maritime Dangerous Goods of the octanol/water partition coefficient ternational Convention for the Prevention of Pollution From Ships, the Protocol of 1978. ("Marpol" = marine pollution)

Indicates information that has changed from previously issued version.

**Disclaimer** 

Date of issue 7 January 2016 Ver

Version 1

#### Product name GLD7313 GLIDDEN DIAMOND INTERIOR LATEX SATIN - BASE 3

## Section 16. Other information

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.