

	Date of issue: 04/24/2013 Version: 1.0
SECTION 1: IDENTIFICATION	
1.1. Product Identifier	
Product Form: Mixture	
Product Name: LESCO Granular Fertilizer	r – All Analyses
Other means of identification: Granular	fertilizers including all chemical, partially sulfur coated, 100% polymer or sulfur coated
nutrients, with and without micronutrier	its.
1.2. Intended Use of the Product	
Use of the substance/mixture: Fertilizer	
1.3. Name, Address, and Telepho	
Company	
LESCO, Inc.	
1385 East 36th St	
Cleveland, OH 44114	
T 800-347-4272	
1.4. Emergency Telephone Numb)er
Emergency Number	: 1-800-424-9300
	For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC –
	Day or Night
SECTION 2: HAZARDS IDENTIFICAT	ION
2.1. Classification of the Substan	ce or Mixture
Classification (GHS-US)	
Acute Tox. 4 (Oral) H302	
Skin Irrit. 2 H315	
Eye Irrit. 2A H319	
Skin Sens. 1 H317	
Carc. 1A H350	
Aquatic Acute 3 H402	
Aquatic Chronic 3 H412	
2.2. Label Elements	
GHS-US Labeling	
Hazard Pictograms (GHS-US)	
	GH507 GHS08
Signal Word (GHS-US)	: Danger
Hazard Statements (GHS-US)	: H302 - Harmful if swallowed
. ,	H315 - Causes skin irritation
	H317 - May cause an allergic skin reaction
	H319 - Causes serious eye irritation
	H335 - May cause respiratory irritation
	H350 - May cause cancer
	H402 - Harmful to aquatic life
	H412 - Harmful to aquatic life with long lasting effects
Precautionary Statements (GHS-US)	: P201 - Obtain special instructions before use
Frecautionally Statements (Gris-05)	
	P202 - Do not handle until all safety precautions have been read and understood P261 - Avoid breathing dust
	P261 - Avoid breathing dust
	P264 - Wash hands thoroughly after handling
	P270 - Do not eat, drink or smoke when using this product
	P271 - Use only outdoors or in a well-ventilated area
	P272 - Contaminated work clothing should not be allowed out of the workplace
	P273 - Avoid release to the environment
	P280 - Wear eye protection, protective gloves, protective clothing
04/24/2014	EN / Ex - 20

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
P302+P352 - IF ON SKIN: Wash with plenty of soap and water
P304+P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing
P308+P313 - If exposed or concerned: Get medical advice/attention
P312 - Call a POISON CENTER/doctor/physician if you feel unwell

P321 - Specific treatment (see Section 4)

P330 - If swallowed, rinse mouth

P332+P313 - If skin irritation occurs: Get medical advice/attention

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

P337+P313 - If eye irritation persists: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse

P362+P364 - Take off contaminated clothing and wash it before reuse

P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up

P501 - Dispose of contents/container according to local, regional, national and internation regulations.

2.3. Other Hazards

Other Hazards Not Contributing to the Classification: No additional information available

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

Full text of H-phrases: see section 16

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Urea	(CAS No) 57-13-6	0.1 - 98	Not classified
Sulfuric acid, dipotassium salt	(CAS No) 7778-80-5	0.1 - 95	Not classified
Diammonium phosphate	(CAS No) 7783-28-0	0.1 - 95	Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335 Aquatic Acute 3, H402
Potassium chloride	(CAS No) 7447-40-7	0.1 - 95	Eye Irrit. 2B, H320
Monoammonium phosphate	(CAS No) 7722-76-1	0.1 - 95	Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335
Ammonium sulfate	(CAS No) 7783-20-2	0.1 - 95	Aquatic Acute 2, H401
Limestone	(CAS No) 1317-65-3	0.1 - 95	Not classified
Sulfur	(CAS No) 7704-34-9	0.1 - 20	Comb. Dust, H232 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Aquatic Acute 3, H402
Iron oxide (Fe2O3)	(CAS No) 1309-37-1	0.1 - 10	Not classified
Urea, polymer with formaldehyde	(CAS No) 9011-05-6	0.1 - 10	Not classified
Magnesium sulfate	(CAS No) 7487-88-9	0.1 - 10	Skin Sens. 1, H317
Ferrous sulfate	(CAS No) 7720-78-7	0.1 - 10	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification (GHS-US)
Manganese oxide (Mn3O4)	(CAS No) 1317-35-7	0.1 - 10	Not classified
Sulfate of Potash-Magnesia	(CAS No) 14977-37-8	0.1 - 10	Not classified
Quartz	(CAS No) 14808-60-7	0.1 - 0.5	Carc. 1A, H350
			STOT SE 3, H335
			STOT RE 1, H372

Full text of H-phrases: see section 16 SECTION 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

First-aid Measures General: If medical advice is needed, have product container or label at hand.

First-aid Measures After Inhalation: If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. Give oxygen or artificial respiration if necessary. Obtain medical attention if breathing difficulty persists.

First-aid Measures After Skin Contact: Wash skin thoroughly with mild soap and water. Obtain medical attention if irritation develops or persists. Wash contaminated clothing before reuse.

First-aid Measures After Eye Contact: Immediately rinse with water for a prolonged period (at least 15 minutes) while holding the eyelids wide open. Obtain medical attention if irritation develops or persists.

First-aid Measures After Ingestion: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries After Inhalation: Overexposure may be irritating to the respiratory system.

Symptoms/Injuries After Skin Contact: May cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause eye irritation.

Symptoms/Injuries After Ingestion: If a large quantity has been ingested : Abdominal pain. Diarrhea. Nausea. Vomiting.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed If medical advice is needed,

have product container or label at hand

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Not considered flammable but will burn at high temperatures. . Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: None known.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Decomposes above 132 °C (270 °F). Under conditions of fire this material may produce: Ammonia. Nitrogen oxides. Biuret. Cyanuric acid.

Explosion Hazard: May form explosive compounds if mixed with: Calcium hypochlorite. Sodium hypochlorite. Nitrates. Nitric acid. Perchloric acid. Product itself is not explosive but if dust is generated, dust clouds suspended in air can be explosive. **Reactivity:** This product as shipped in the form of coarse granules should not contain sufficient dust to present an explosion hazard. Prevent dust accumulation (to minimize explosion hazard).

5.3. Advice for Firefighters

Firefighting Instructions: Not flammable.

Protection During Firefighting: Wear full fire-fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). **Other information:** Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Handle in accordance with good industrial hygiene and safety practice. This material becomes slippery when wet.

6.1.1. For Non-emergency Personnel

Protective Equipment: Wear suitable protective clothing, gloves and eye/face protection.

Emergency Procedures: Collect as any solid. Ventilate area. Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

Protective Equipment: Wear suitable protective clothing, gloves and eye/face protection.

Emergency Procedures: If possible, stop flow of product. Contain and collect as any solid. Ventilate area. Evacuate unnecessary personnel.

6.2. Environmental Precautions

Avoid release to the environment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain and collect as any solid. Do not allow into drains or water courses or dispose of where ground or surface waters may be affected.

Methods for Cleaning Up: Recover the product by vacuuming, shovelling or sweeping. Avoid generation of dust during clean-up of spills. If spilled directly onto the ground, remove sufficient soil to ensure material is fully recovered. Material may be used if uncontaminated.

6.4. Reference to Other Sections No additional information available

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: This material becomes slippery when wet.

Precautions for Safe Handling: Handle in accordance with good industrial hygiene and safety procedures. Wear recommended personal protective equipment. Avoid creating or spreading dust.

Hygiene Measures: Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store tightly closed in a dry, cool and well-ventilated place. Protect from moisture.

Prohibitions on mixed storage: Store away from: Ammonium nitrate. Refer to Section 10 on Incompatible Materials.

Special Rules on Packaging: Corrosive to copper and its alloys.

7.3. Specific End Use(s)

Fertilizer.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Quartz (1480	8-60-7)	
USA ACGIH	ACGIH TWA (mg/m ³)	0.025 mg/m ³
USA NIOSH	NIOSH REL (TWA) (mg/m³)	0.05 mg/m ³
USA IDLH	US IDLH (mg/m ³)	50 mg/m³
USA OSHA	OSHA PEL (STEL) (mg/m ³)	250 mppcf/%SiO ₂ +5, 10mg/m ³ /%SiO ₂ +2
Limestone (1	317-65-3)	
USA NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m ³
Iron oxide (Fe2O3) (1309-37-1)		
USA ACGIH	ACGIH TWA (mg/m³)	5 mg/m ³
USA NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m ³
USA IDLH	US IDLH (mg/m ³)	2500 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m ³

8.2. Exposure Controls

Appropriate Engineering Controls Personal Protective Equipment : Ensure all national/local regulations are observed.

: Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection. For particulates and dust: Safety glasses.



Hand Protection	: Protective gloves.	
Eye Protection	: Safety glasses.	
Skin and Body Protection	: Wear suitable protective clothing.	
Respiratory Protection	: If exposure limits are exceeded or irritation is experienced, NIOSH approved	
	respiratory protection should be worn.	
Environmental Exposure Controls	: Ensure adequate ventilation, especially in confined areas.	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State: SolidAppearance: Grain	
Appearance : Gra	
	ules. Multi-colored.
Color : Whi	ie de la constant de
Odor : Sligh	t. Pungent.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor Threshold	: No data available
рН	: No data available
pH solution	: 10 %
Relative Evaporation Rate (butylacetate=1)	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20 °C	: No data available
Relative Density	: No data available
Density	: 45 - 65 lb/ft3
Solubility	: Water: Moderately
Partition coefficient: n-octanol/water	: No data available
Viscosity	: No data available
0.2 Other Information No additional information	tion available

9.2. Other Information No additional information available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity: This product as shipped in the form of coarse granules should not contain sufficient dust to present an explosion hazard. Prevent dust accumulation (to minimize explosion hazard).

10.2 Chemical Stability: Stable at standard temperature and pressure.

10.3 Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

10.4 Conditions to Avoid: Protect from moisture. Keep away from heat.

10.5 Incompatible Materials: May form explosive mixture if in contact with strong acid such as nitric or perchloric acids.

Avoid contact with : Strong oxidizers. Strong acids, bases. Nitrates. Hypochlorites. Perchlorates. Chlorides. Corrosive to copper and its alloys.

10.6 Hazardous Decomposition Products: Under conditions of fire this material may produce: Nitrogen oxides. Ammonia. Biuret. Carbon oxides (CO, CO2). Formaldehyde.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information On Toxicological Effects

Acute Toxicity: Harmful if swallowed.		
LESCO Granular Fertilizer – All Analyses		
LD50 Dermal Rat	mg/kg	
Sulfuric acid, dipotassium salt (7778-80-5)		
LD50 Oral Rat	6600 mg/kg	
Diammonium phosphate (7783-28-0)		
LD50 Oral Rat	6500 mg/kg	
LD50 Dermal Rabbit	> 7950 mg/kg	
Potassium chloride (7447-40-7)		
LD50 Oral Rat	2600 mg/kg	
Monoammonium phosphate (7722-76-1)		
LD50 Oral Rat	5750 mg/kg	
LD50 Dermal Rabbit	> 7940 mg/kg	
Ammonium sulfate (7783-20-2)		
LD50 Oral Rat	2000 mg/kg	
Quartz (14808-60-7)		
LD50 Oral Rat	> 5000 mg/kg	

Sulfur (7704-34-9)			
LD50 Oral Rat	> 3000 mg/kg		
LD50 Dermal Rabbit	> 2000 mg/kg		
LC50 Inhalation Rat (mg/l)	> 9.23 mg/l/4h		
Iron oxide (Fe2O3) (1309-37-1)			
LD50 Oral Rat	> 10000 mg/kg		
Urea, polymer with formaldehyde (9011-0			
LC50 Inhalation Rat (mg/l)	> 167 mg/m ³ (Exposure time: 4 h)		
Ferrous sulfate (7720-78-7)	227 mg/kg		
LD50 Oral Rat	237 mg/kg		
Urea (57-13-6)			
ATE (Oral)	8471.000 mg/kg		
Skin Corrosion/Irritation: Causes skin irrita	tion.		
Serious Eye Damage/Irritation: Causes seri	ous eye irritation.		
Respiratory or Skin Sensitization: May cause	se an allergic skin reaction.		
Germ Cell Mutagenicity: Not classified			
Carcinogenicity: May cause cancer.			
Quartz (14808-60-7)			
IARC group	1		
National Toxicity Program (NTP) Status	Known Human Carcinogens.		
Iron oxide (Fe2O3) (1309-37-1)			
IARC group	3		
Reproductive Toxicity: Not classified Specific Target Organ Toxicity (Single Exposure): May cause respiratory irritation.			
Specific Target Organ Toxicity (Repeated E			
Aspiration Hazard: Not classified Symptoms/Injuries After Inhalation: Overexposure may be irritating to the respiratory system.			
Symptoms/Injuries After Skin Contact: May cause skin irritation.			
Symptoms/Injuries After Eye Contact: May cause eye irritation.			
	ge quantity has been ingested : Abdominal pain. Diarrhea. Nausea. Vomiting.		
SECTION 12: ECOLOGICAL INFORMA			
12.1. Toxicity			
Sulfuric acid, dipotassium salt (7778-80-5)			
LC50 Fish 1			
	EE2 mg/l/(Exposure time: 06 h. Species: Lenemis macrochirus)		
ECEO Danhaia 1	653 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)		
EC50 Daphnia 1 EC50 Other Aquatic Organisms 1	890 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 Other Aquatic Organisms 1	890 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2900 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)		
EC50 Other Aquatic Organisms 1 LC 50 Fish 2	890 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 Other Aquatic Organisms 1 LC 50 Fish 2 Diammonium phosphate (7783-28-0)	890 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2900 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) 3550 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])		
EC50 Other Aquatic Organisms 1 LC 50 Fish 2 Diammonium phosphate (7783-28-0) LC50 Fish 1	890 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2900 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) 3550 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 26.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)		
EC50 Other Aquatic Organisms 1 LC 50 Fish 2 Diammonium phosphate (7783-28-0) LC50 Fish 1 LC 50 Fish 2	890 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2900 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) 3550 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])		
EC50 Other Aquatic Organisms 1 LC 50 Fish 2 Diammonium phosphate (7783-28-0) LC50 Fish 1 LC 50 Fish 2 Potassium chloride (7447-40-7)	 890 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2900 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) 3550 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 26.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]) 		
EC50 Other Aquatic Organisms 1 LC 50 Fish 2 Diammonium phosphate (7783-28-0) LC50 Fish 1 LC 50 Fish 2 Potassium chloride (7447-40-7) LC50 Fish 1	 890 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2900 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) 3550 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 26.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]) 1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 		
EC50 Other Aquatic Organisms 1 LC 50 Fish 2 Diammonium phosphate (7783-28-0) LC50 Fish 1 LC 50 Fish 2 Potassium chloride (7447-40-7) LC50 Fish 1 EC50 Daphnia 1	 890 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2900 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) 3550 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 26.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]) 1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 825 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 		
EC50 Other Aquatic Organisms 1LC 50 Fish 2Diammonium phosphate (7783-28-0)LC50 Fish 1LC 50 Fish 2Potassium chloride (7447-40-7)LC50 Fish 1EC50 Daphnia 1EC50 Other Aquatic Organisms 1	 890 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2900 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) 3550 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 26.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]) 1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 825 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2500 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) 		
EC50 Other Aquatic Organisms 1 LC 50 Fish 2 Diammonium phosphate (7783-28-0) LC50 Fish 1 LC 50 Fish 2 Potassium chloride (7447-40-7) LC50 Fish 1 EC50 Daphnia 1 EC50 Other Aquatic Organisms 1 LC 50 Fish 2	 890 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2900 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) 3550 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 26.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]) 1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 825 mg/l (Exposure time: 96 h - Species: Daphnia magna) 2500 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) 750 - 1020 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) 		
EC50 Other Aquatic Organisms 1LC 50 Fish 2Diammonium phosphate (7783-28-0)LC50 Fish 1LC 50 Fish 2Potassium chloride (7447-40-7)LC50 Fish 1EC50 Daphnia 1EC50 Other Aquatic Organisms 1	 890 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2900 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) 3550 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 26.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]) 1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 825 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2500 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) 		
EC50 Other Aquatic Organisms 1 LC 50 Fish 2 Diammonium phosphate (7783-28-0) LC50 Fish 1 LC 50 Fish 2 Potassium chloride (7447-40-7) LC50 Fish 1 EC50 Daphnia 1 EC50 Other Aquatic Organisms 1 LC 50 Fish 2	 890 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2900 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) 3550 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 26.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]) 1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 825 mg/l (Exposure time: 96 h - Species: Daphnia magna) 2500 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) 750 - 1020 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) 		
EC50 Other Aquatic Organisms 1 LC 50 Fish 2 Diammonium phosphate (7783-28-0) LC50 Fish 1 LC 50 Fish 2 Potassium chloride (7447-40-7) LC50 Fish 1 EC50 Daphnia 1 EC50 Other Aquatic Organisms 1 LC 50 Fish 2 EC50 Daphnia 2	 890 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2900 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) 3550 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 26.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]) 1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 825 mg/l (Exposure time: 96 h - Species: Daphnia magna) 2500 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) 750 - 1020 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) 		
EC50 Other Aquatic Organisms 1LC 50 Fish 2Diammonium phosphate (7783-28-0)LC50 Fish 1LC 50 Fish 2Potassium chloride (7447-40-7)LC50 Fish 1EC50 Daphnia 1EC50 Other Aquatic Organisms 1LC 50 Fish 2EC50 Daphnia 2Ammonium sulfate (7783-20-2)	 890 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2900 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) 3550 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 26.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]) 1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 825 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2500 mg/l (Exposure time: 72 h - Species: Daphnia magna) 2500 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) 750 - 1020 mg/l (Exposure time: 96 h - Species: Daphnia magna [Static]) 83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) 		
EC50 Other Aquatic Organisms 1LC 50 Fish 2Diammonium phosphate (7783-28-0)LC50 Fish 1LC 50 Fish 2Potassium chloride (7447-40-7)LC50 Fish 1EC50 Daphnia 1EC50 Other Aquatic Organisms 1LC 50 Fish 2EC50 Daphnia 2Ammonium sulfate (7783-20-2)LC50 Fish 1	 890 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2900 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) 3550 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 26.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]) 1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 825 mg/l (Exposure time: 96 h - Species: Daphnia magna) 2500 mg/l (Exposure time: 76 h - Species: Daphnia magna) 2500 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) 750 - 1020 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) 83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) 5.2 (5.2 - 8.2) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) 		
EC50 Other Aquatic Organisms 1LC 50 Fish 2Diammonium phosphate (7783-28-0)LC50 Fish 1LC 50 Fish 2Potassium chloride (7447-40-7)LC50 Fish 1EC50 Daphnia 1EC50 Other Aquatic Organisms 1LC 50 Fish 2EC50 Daphnia 2Ammonium sulfate (7783-20-2)LC50 Fish 1EC50 Daphnia 1	 890 mg/l (Exposure time: 48 h - Species: Daphnia magna) 2900 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) 3550 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 26.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]) 1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 825 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 825 mg/l (Exposure time: 96 h - Species: Daphnia magna) 2500 mg/l (Exposure time: 72 h - Species: Daphnia magna) 2500 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) 750 - 1020 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) 83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) 5.2 (5.2 - 8.2) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) 14 mg/l (Exposure time: 48 h - Species: Daphnia magna) 		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sulfur (7704-34-9)		
LC50 Fish 1	866 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])	
LC 50 Fish 2	14 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
Magnesium sulfate (7487-88-9)		
LC50 Fish 1	2610 - 3080 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 Daphnia 1	266.4 - 417.3 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
EC50 Other Aquatic Organisms 1	2700 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)	
Ferrous sulfate (7720-78-7)		
LC50 Fish 1	925 mg/l (Exposure time: 96 h - Species: Poecilia reticulata [static])	
EC50 Daphnia 1	152 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC 50 Fish 2	0.56 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])	
EC50 Daphnia 2	6.15 - 9.26 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
Urea (57-13-6)		
LC50 Fish 1	16200 - 18300 mg/l (Exposure time: 96 h - Species: Poecilia reticulata)	
EC50 Daphnia 1	3910 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
12.2. Persistence and Degradability		
LESCO Granular Fertilizer – All Analyses		
Persistence and Degradability	May cause long-term adverse effects in the environment. This product is water	
	soluble and eventually biodegrades into elemental nitrogen. Exess nitrogen and	
	nitrates in a body of water will contribute to eutrophication with visible effects such	
	as toxic algae bloom.	

12.3. Bioaccumulative Potential

Diammonium phosphate (7783-28-0)		
BCF fish 1	(no bioaccumulation expected)	
Monoammonium phosphate (7722-76-1)		
BCF fish 1	(no bioaccumulation expected)	
Ammonium sulfate (7783-20-2)		
Log Pow	-5.1 (at 25 °C)	
Urea (57-13-6)		
BCF fish 1	< 10	
Log Pow	-1.59 (at 25 °C)	

12.4. Mobility in Soil No additional information available

12.5. Other Adverse Effects

No additional information available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Sewage Disposal Recommendations: This material is hazardous to the aquatic environment. Keep out of sewers and waterways. **Waste Disposal Recommendations:** Place in an appropriate container and dispose of the contaminated material at a licensed site.

Additional Information: Dispose of waste material in accordance with all local, regional, national, and international regulations.

SECTION 14: TRANSPORT INFORMATION

14.1 In Accordance with DOT Not regulated for transport

14.2 In Accordance with IMDG Not regulated for transport

14.3 In Accordance with IATA Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1 US Federal Regulations

LESCO Granular Fertilizer – All Analyses

SARA Section 311/312 Hazard Classes Immediate (acute) health hazard

Sulfuric acid, dipotassium salt (7778-80-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Diammonium phosphate (7783-28-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Potassium chloride (7447-40-7)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Monoammonium phosphate (7722-76-1)		
Listed on the United States TSCA (Toxic Substances Contro	bl Act) inventory	
Ammonium sulfate (7783-20-2)		
Listed on the United States TSCA (Toxic Substances Contro	bl Act) inventory	
Quartz (14808-60-7)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Limestone (1317-65-3)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Sulfur (7704-34-9)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Iron oxide (Fe2O3) (1309-37-1)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Urea, polymer with formaldehyde (9011-05-6)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Magnesium sulfate (7487-88-9)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Ferrous sulfate (7720-78-7)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Manganese oxide (Mn3O4) (1317-35-7)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Urea (57-13-6)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
15.2 US State Regulations		
Quartz (14808-60-7)		
U.S California - Proposition 65 - Carcinogens List WARNING: This product contains chemicals known to the State of		
	California to cause cancer.	

Ammonium sulfate (7783-20-2)		
RTK - U.S Massachusetts - Right To Know List		
RTK - U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List		
RTK - U.S Pennsylvania - RTK (Right to Know) List		
Quartz (14808-60-7)		
RTK - U.S Massachusetts - Right To Know List		
RTK - U.S New Jersey - Right to Know Hazardous Substance List		
RTK - U.S Pennsylvania - RTK (Right to Know) List		
Limestone (1317-65-3)		
RTK - U.S Massachusetts - Right To Know List		
RTK - U.S New Jersey - Right to Know Hazardous Substance List		
RTK - U.S Pennsylvania - RTK (Right to Know) List		
Sulfur (7704-34-9)		
RTK - U.S Massachusetts - Right To Know List		
RTK - U.S New Jersey - Right to Know Hazardous Substance List		
RTK - U.S Pennsylvania - RTK (Right to Know) List		
Iron oxide (Fe2O3) (1309-37-1)		
RTK - U.S Massachusetts - Right To Know List		
RTK - U.S New Jersey - Right to Know Hazardous Substance List		
RTK - U.S Pennsylvania - RTK (Right to Know) List		
Magnesium sulfate (7487-88-9)		
U.S Texas - Effects Screening Levels - Long Term		
U.S Texas - Effects Screening Levels - Short Term		

Ferrous sulfate (7720-78-7)		
RTK - U.S Massachusetts - Right To Kn	ow List	
RTK - U.S New Jersey - Right to Know I		
RTK - U.S Pennsylvania - RTK (Right to Know) List Manganese oxide (Mn3O4) (1317-35-7)		
RTK - U.S New Jersey - Right to Know I	Hazardous Substance List	
RTK - U.S Pennsylvania - RTK (Right to	Know) List	
ECTION 16: OTHER INFORMATIO	N, INCLUDING DATE OF PREPARATION OR LAST REVISION	
Revision date	: 04/24/2014	
Other Information	: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.	
GHS Full Text Phrases:		
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1	
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2	
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3	
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3	
Carc. 1A	Carcinogenicity Category 1A	
Comb. Dust	Combustible Dust	
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
Skin Sens. 1	Skin sensitization Category 1	
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H232	May form combustible dust concentrations in air	
H302	Harmful if swallowed	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H320	Causes eye irritation	
H335	May cause respiratory irritation	
H350	May cause cancer	
H372	Causes damage to organs through prolonged or repeated exposure	
H400	Very toxic to aquatic life	
H401	Toxic to aquatic life	
H402	Harmful to aquatic life	
H412	Harmful to aquatic life with long lasting effects	
NFPA Health Hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.	
NFPA Fire Hazard	: 0 - Materials that will not burn.	
NFPA Reactivity : 0 - Normally stable, even under fire exposure		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

IMPORTANT: The information contained herein is based on available data. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof; and you should make your investigation to determine safety for the use you contemplate. LESCO makes no warranty of merchantability of fitness for a particular use, nor is there any other express or implied warranty except as may be specifically provided otherwise on product. LESCO, Inc. assumes no responsibility or liability for any incidental or consequential damages whether related to personal injury or property damage, to vendees, users or third parties, caused by the material and LESCO's responsibility is limited to replacement of, or repayment of, the purchase price for the material(s) with respect to which any damages are claimed. All vendees or users assume all risk associated with the use of the material(s).

SDS US (GHS HazCom) - US Only 10 pt 2