

Safety Data Sheet

Issue Date: 11 May 2015

Page: 1 of 3

Section 1: Identification	
Manufacturer:	Product Name:
Aztec Plumbing, S.A. de C.V.	
134 Cuadrados, Arco Vial	
García, Nuevo León, 66023	Gasket Petrolatum
Telephone: +52 (81) 8121 0100	
Company website: <u>www.aztec-plumbing.com</u>	
Prepared By: Aztec Plumbing, S.A. de C.V	
Company Contact: SDS Coordinator	

Recommended Use:

Wax gasket used to make a perfect seal between the toilet bowl and the floor drain.

Section 2: Hazard(s) Identification		
Hazardous Statement:	Physical:	
This product is not considered hazardous under		
the 2012 OSHA Hazard Communication	Flammability: N/A	
Standard (29 CFR 1910.1200).	Other: N/A	
This product does not meet classification criteria		
of the Global Harmonization System (GHS).		
Health:	NFPA	
Toxicity: N/A	HEALTH HAZARD 4 Deadly 5 Extreme Danger A Bolow 79 F	
Skin Corrosion: N/A	2. Hazardous 3. Below 100°F 1. Sighty Hazardous 1. Above 200°F 1. Above 200°F	
Eye Irritation: N/A	G. Normal Material Burn	
Skin Irritation: N/A		
Precautionary:	Oxidizer_COTY AcidsACID Ac	
KEEP OUT OF REACH OF CHILDREN	AbalALK CorrelationCOR Use No WindowCOR Bandson Window	

Section 3: Composition/Information on Ingredients

INGREDIENTS (CAS number)

Slack wax (CAS. 64742-61-6)

Section 4: First-Aid Measures		
Skin:	Remove all contaminated clothes or shoes and wash skin with abundant flowing water. Get medical attention if irritation persists.	
Eyes:	Flush eyes with abundant water for a minimum of 10 minutes and get medical attention.	
Inhalation:	Remove to fresh air. If not breathing, give artificial respiration and get immediate medical attention.	
Ingestion:	Do not induce vomiting. Do not give liquids and get medical attention.	



Safety Data Sheet

Issue Date: 11 May 2015

Page: 2 of 3

Section 5: Fire-Fighting Measures

Flammability: Not applicable **Extinguishing media:** Not applicable

Special Fire Fighting: None **Specific Hazards**: None

Section 6: Accidental Release Measures

Protective Equipment: None Environmental Precautions: None

Precautions: Minimize skin contact.

Section 7: Handling and Storage

Handling:
No special precautions

Storage:
Keep away from heat, store in a well ventilated place and keep container closed when not in use.

OSHA Exposure Limits:
This product is not classified as hazardous according to OSHA
1910.1200

Respiratory
Personal Protective
Equipment:
Skin Protection:
Wash hands after every use
Eyes Protection:
Non Required
Engineering Controls:
Eyewash and safety shower should be available.

Section 9: Physical and Chemical Properties

Appearance: Solid Color Brown

Odour Slight hydrocarbon
Odour threshold Data not available
Initial Boiling Point, °F: Not determined

Melting / freezing Point, °F: 158-170 Flash Point, °F: > 392

Upper/lower Flammability or Typical 1-10 % (V) (based on mineral oil)

explosion limits

Auto-ignition temperature > 320°C / 608°F
Vapor Pressure: Not applicable
Vapor Density: Not applicable
Volatile components: Not applicable
Viscosity: Not applicable
Solubility in water: Insoluble
pH: Not applicable

Specific Gravity: 0.76

Evaporation Rate: Not determined



Safety Data Sheet

Issue Date: 11 May 2015

Page: 3 of 3

n-octanol/water partition >6 (based on information on similar products)

Decomposition TemperatureFlammability
Data not available
Data not available

Section 10: Stability and Reactivity

Stability: Stable Conditions to avoid: None

Hazardous Decomposition Products: Oxides of Carbon

Incompatible Materials: None

Hazardous Polymerization: Will not occur

Section 11: Toxicological Information

Inhalation: Prolonged exposure to vapors can cause irritation of the respiratory tract

Skin Contact: Prolonged exposure may cause irritation and/or dermatitis

Eye Contact: Causes eye irritation

Ingestion: May cause gastrointestinal irritation, nausea, vomiting and/or diarrhea

Toxicity Data: Expected to be of low toxicity; LD50 >5000 mg/kg, Rat

Long Term Effects: None

Carcinogenicity: Components are not know to be associated with carcinogenic

Section 12: Ecological Information

Toxicity on aquatic and/or Terrestrial organisms:

Persistence and Degradability:

Bio accumulative Potential:

Mone
Mobility in Soil:

None
Other Adverse Effects:

None

Section 13: Disposal Considerations

Off-fall and residual material can be returned to container and re-used. Dispose of residues in accordance with federal, state and local regulations.

Section 14: Transport Information

D.O.T.

Proper Shipping Name: N/A
Hazard Class/Packing Group: N/A
UN/NA Number: N/A
Hazard Labels: N/A

Section 15: Regulatory Information

This product does not contain any regulated chemicals.

Section 16: Other Information

Disclaimer: This Material Safety Data Sheet was designed to give the distributors and users of Aztec Plumbing – Gasket Petrolatum information to handle and use the product in a responsible manner. However, Aztec Plumbing cannot give any guarantees regarding information from other sources.